

# Parts Sheet

## Air Handler Replacement Parts

### Metering Devices (Common to All Air Handlers)

#### TXVs

	Description	Part Num	Qty	For Unit Size (MBTUH)
TXV (1.5 to 5 tons)	A/C TXV R22 (bleed)	65540600A	1	12 - 37
	#3 designation in nomenclature	165540700A	1	42 - 60
	HP-A/C TXV R22 (non-bleed)	165616201A	1	12 - 37
	#4 or #5 designation in nomenclature	165616202A	1	42 - 60
	HP-A/C TXV R-410A (bleed)	67304101	1	18 - 36
	#7 #8 or C designation in nomenclature	67304102	1	42 - 60
	HP-A/C TXV R410A Kit (non-bleed)	165616601A	1	18 - 36
	#6 or #9 designation in nomenclature	165616602A	1	42 - 60
	HP-A/C TXV R454B Kit (non-bleed)	167757901A	1	18 - 36
	"A" designation in nomenclature	167757902A	1	42 - 60
	HP-A/C TXV R32 Kit (non-bleed)	167758801A	1	18 - 36
	"B" designation in nomenclature	167758802A	1	42 - 60
	HP-A/C TXV R454B Kit (bleed)	167828101A	1	18 - 36
	"C" designation in nomenclature	167828102A	1	42 - 60

#### Pistons

Description	Piston Size	Part Number	Qty	For Unit Size (MBTUH)
R-22 Pistons	41	176799941	10	12
	53	176799953	10	18
	59	176799959	10	24 & 25
	67	176799967	10	30 & 31
	73	176799973	10	36 & 37
	80	176799980	10	42
	84	176799984	10	48
R-410A Pistons	93	176799993	10	60
	41	176799941	10	12
	49	176799949	10	18
	53	176799953	10	24
	59	176799959	10	30
	67	176799967	10	36
	73	176799973	10	42
R-454B Pistons	76	176799976	10	48
	93	176799993	10	60
	46	176799946	10	18
	53	176799953	10	24
	59	176799959	10	30
	65	176799965	10	36
	70	176799970	10	42
R-32 Pistons	76	176799976	10	48
	84	176799984	10	60
	41	176799941	10	18
	46	176799946	10	24
	53	176799953	10	30
	57	176799957	10	36
	62	176799962	10	42
Single Point Breaker Kit	For 2-Stage Electric Heat	110001055B	1	12.5 kW - 20 kW
	For 3-Stage Electric Heat	110001054B	1	25 kW

Contents	Page
<b>B Series</b> .....	<b>3</b>
<b>CP Series</b> .....	<b>8</b>
<b>F Series</b> .....	<b>10</b>
<b>MX Series</b> .....	<b>13</b>
<b>Moduleflex eFurnace™</b> .....	<b>14</b>
<b>S Series</b> .....	<b>15</b>
<b>mFurnace™</b> .....	<b>16</b>
<b>Discontinued Products</b>	
<b>R Series</b> .....	<b>18</b>
<b>W Series</b> .....	<b>20</b>

**Pistons**

Description	Piston Size	Part Number	Qty	For Unit Size (MBTUH)
R-22 Pistons	41	100000035	1	12
	53	100000036	1	18
	59	100000037	1	24 & 25
	67	100000039	1	30 & 31
	73	100000041	1	36 & 37
	80	100000044	1	42
	84	100000045	1	48
	93	100000047	1	60
R-410A Pistons	41	100000035	1	12
	49	100000049	1	18
	53	100000036	1	24
	59	100000037	1	30
	67	100000039	1	36
	73	100000041	1	42
	76	100000042	1	48
	93	100000047	1	60
R-454B Pistons	46	100000046	1	18
	53	100000036	1	24
	59	100000037	1	30
	65	100000065	1	36
	70	100000070	1	42
	76	100000042	1	48
	84	100000045	1	60
R-32 Pistons	41	100000035	1	18
	46	100000046	1	24
	53	100000036	1	30
	57	100000057A	1	36
	62	100000062	1	42
	65	100000065	1	48
	76	100000042	1	60

**Miscellaneous**

Description	Part Number	Qty	Used on Model
Replacement RDS Controller Kit	76701713	1	All A2L Models
Replacement Sensor with 60" Cable	76701710	1	F and B Series
Replacement Sensor with 46" Cable	76701711	1	S and CP Series
Replacement Sensor Bracket Kit for	76701727	1	All A2L Models

# B Series

## Accessories

Description	Part Num	Old Part Num	Qty	Used on Model	
<b>Electric Heat Kit</b> (for 208/240 V units only)  Includes: Heating element(s), thermal limit(s), sequencer(s), mounting plate, & connection as described at right.	5 kW w/ Pigtail ends	65500901B	65500901	1	12, 18, 24, 25, 30, 36
	5 kW w/ Terminal Block	65500902B	65500902	1	12, 18, 24, 25, 30, 36
		65501002B	65501002A	1	31, 37, 42, 48, 60
	5 kW w/ Circuit Breaker	65500903B	65500903A	1	12, 18, 24, 25, 30, 36
	7.5 kW w/ Terminal Block	65500905B	65500905A	1	18, 24, 25, 30, 36
		65501004B	65501004	1	31, 37, 42, 48, 60
	10 kW w/ Terminal Block	65500906B	65500906A	1	18, 24, 25, 30, 36
		65501006B	65501006A	1	31, 37, 42, 48, 60
	10 kW w/ Circuit Breaker	65500907B	65500907	1	18, 24, 25, 30, 36
	12.5 kW w/ Circuit Breaker	65500908B	65500908A	1	25, 30, 36
		65501008B	65501008	1	31, 37, 42, 48, 60
	15 kW w/ Circuit Breaker	65500909B	65500909A	1	25, 30, 36
		65501009B	65501009A	1	31, 37, 42, 48, 60
	17.5 kW w/ Circuit Breaker	65500910B	65500910	1	30, 36
20 kW w/ Circuit Breaker	65500911B	65500911	1	36	
	65501011B	65501011A	1	37, 42, 48, 60	

### NOTES:

- Above Replacement Electric Heat kit can be used in old and New air handlers but Old Replacement Electric Heat kit can not be used in new air handler ending with character "A" or "R"
- Customer specific nomenclature must be referenced with equivalent ADP nomenclature.

Description	Part Num	Qty	Used on Model	
Water Heat Kit  w/o Pump & Valve Assembly  (Serial numbers after 7108D13713)	2 Row	65614153	1	12, 18, 24
	3 Row	65614156	1	
	2 Row	65614159	1	25, 30, 36
	3 Row	65614162	1	
	3 Row	65614165	1	31, 37, 42, 48
	4 Row	65614168	1	
Water Heat Kit  w/ 120 VAC Pump (includes integral check valve)  (Serial numbers after 7108D13713)	3 Row	65614171	1	60
	4 Row	65614174	1	
	2 Row, w/ Pump	65614151	1	12, 18, 24
	3 Row, w/ Pump	65614154	1	
	2 Row, w/ Pump	65614157	1	25, 30, 36
	3 Row, w/ Pump	65614160	1	
Water Heat Kit  w/ 208/220/240 VAC Pump (includes integral check valve)  (Serial numbers after 7108D13713)	3 Row, w/ Pump	65614163	1	31, 37, 42, 48
	4 Row, w/ Pump	65614166	1	
	3 Row, w/ Pump	65614169	1	60
	4 Row, w/ Pump	65614172	1	
	2 Row, w/ Pump	65614152	1	12 - 24
	3 Row, w/ Pump	65614155	1	
Water Heat Kit  w/ 208/220/240 VAC Pump (includes integral check valve)  (Serial numbers after 7108D13713)	2 Row, w/ Pump	65614158	1	25, 30, 36
	3 Row, w/ Pump	65614161	1	
	3 Row, w/ Pump	65614164	1	31, 37, 42, 48
	4 Row, w/ Pump	65614167A	1	
	3 Row, w/ Pump	65614170	1	60
	4 Row, w/ Pump	65614173A	1	

### Electric Heater Parts

Description	Part Num	Qty	Used on Model
Sequencer #1 (99055101)	76726700A	1	5 kW - 25 kW
Sequencer #2 & 3 (99050001)	110000244B	1	12.5kW - 20 kW require(1) 25 kW require (2)
Terminal Block	110000246B	1	Models with 7.5 kW & 10 kW Heat Kits
Primary Limit Switch	176701681	1	All Models with Heat Kit series 655009
Secondary Limit Switch	176701682	1	
Primary Limit Switch	176701683	1	All Models with Heat Kit series 655010
Secondary Limit Switch	176701682	1	
Circuit Breaker 30 Amp.	110000183B	1	All Models with Heat Kits
Circuit Breaker 45 Amp.	110000226B	1	
Circuit Breaker 60 Amp.	110000184B	1	

# B Series

## Drain Pans

Description	Part Num	Qty	Before Ser # 7108D13713	7108D13713 and After	Used on Model
Vertical Drain Pan	76769200	1	X	X	12-30, 36
	76733500	1	X	X	31, 37, 42, 48
	76733600A	1	X	X	49, 60
Horizontal Drain Pan	76758200A	1	X	X	12-30, 36
	76786900A	1	X	X	31, 37 - 60

## Replacement Evaporator Coils

Description	Part Num	Qty	Before Ser # 7108D13713	7108D13713 and After	Used on Model	
A1 Slant Coil	99192301	1	X	--	12, 18, 24	
	76700675	1	--	X		
A2 Slant Coil	99192302	1	X	--		
	76700676	1	--	X		
A3 Slant Coil	99192303	1	X	--		
	76700677	1	--	X		
A4 Slant Coil	76700678	1	X	X		
A5 Slant Coil	76700679	1	X	X		
A6 Slant Coil	99192402	1	X	--		
	76700680	1	--	X		
A7 Slant Coil	76700681	1	X	X		
A8 Slant Coil	76700682	1	X	X		
A9 Slant Coil	99192501	1	X	--		25, 30, 36
	76700683	1	--	X		
B1 Slant Coil	99192502	1	X	--		
	76700684	1	--	X		
B2 Slant Coil	76700685	1	X	X		
B3 Slant Coil	76700686	1	X	X		
B4 Slant Coil	99192601	1	X	--		
	76700687	1	--	X		
B5 Slant Coil	99192602	1	X	--		
	76700688	1	--	X		
B6 Slant Coil	99192603	1	X	--		
	76700689	1	--	X		
B7 Slant Coil	76700690	1	X	X		
B8 A-Coil	99192701	1	X	--	31, 37, 42, 48	
	76700691	1	--	X		
B9 A-Coil	99192702	1	X	--		
	76700692	1	--	X		
C1 A-Coil	76700693	1	X	X	31, 37, 42, 48	
C2 A-Coil	76700694	1	X	X	31, 37, 42, 48	
	76700695	1	X	X	60	
C3 A-Coil	99192803	1	X	--	31, 37, 42, 48	
	76700696	1	--	X		
	76700697A	1	X	X	60	
C4 A-Coil	76700698	1	X	X	31, 37, 42, 48	
	76700699	1	X	X	60	

# B Series

## Replacement Evaporator Coils (Continued)

Description	Part Num	Qty	Before Ser # 7108D13713	7108D13713 and After	Used on Model
C5 A-Coil	76700701	1	X	X	31, 37, 42, 48
	76700702	1	X	X	60
C6 A-Coil	99192903	1	X	--	31, 37, 42, 48
	76700703	1	--	X	
	76700704	1	--	X	60
C7 A-Coil	76700705	1	X	X	31, 37, 42, 48
	76700706	1	X	X	60
C8 A-Coil	76700707A	1	X	X	49, 60
C9 A-Coil	99193002A	1	X	--	49, 60
	76700708	1	--	X	60
D1 A-Coil	76700709	1	--	X	60

Note: Coil part numbers beginning with "9" include drain pan.

## Replacement Chilled Water Coils

Description	Part Num	Qty	Before Ser # 7108D13713	7108D13713 and After	Used on Model
W2 Replacement Coil	76700788	1	--	X	12, 18, 24
W4 Replacement Coil	76700789	1	--	X	25, 30, 36
W6 Replacement Coil	76797100	1	--	X	60

# B Series

## Replacement Hot Water Coils & Pumps

Description		Part Num	Qty	Before Ser # 7108D13713	7108D13713 and After	Used on Model
Water Heat Kit Replacement Coil (w/o pump and valve assembly)	Coil ASM, 2 row, No Pump	76700737	1	X	X	12, 18, 24
	Coil ASM, 3 row, No Pump	76700738	1	X	X	12, 18, 24
	Coi ASM, 2 row, No Pump	76700739	1	X	X	25, 30, 36
	Coil ASM, 3 row, No Pump	76700740	1	X	X	25, 30, 36
	Coil ASM, 3 row, No Pump	76700741	1	X	X	31, 37, 42, 48
	Coil ASM, 4 row, No Pump	76700742	1	X	X	31, 37, 42, 48
	Coil ASM, 3 row, No Pump	76700743	1	X	X	49, 60
	Coil ASM, 4 row, No Pump	76700744	1	X	X	60
Water Heat Kit Replacement Coil (With pump and valve assembly 120v  Note: Water coil kits are suitable for use with no heat models, shipped after April 1st 2002, date code 6002D or later.	2 row (120 V)	65614102	1	X	--	18, 24
	3 row (120 V)	65614105	1	X	--	
	2 row (120 V)	65614108	1	X	--	25, 30, 36
	2 row (240 V)	65614107	1	X	--	
	3 row (120 V)	65614111	1	X	--	31, 37, 42, 48
	3 row (120 V)	65614114	1	X	--	
	4 row (120 V)	65614117	1	X	--	49, 60
	3 row (120 V)	65614120	1	X	--	
4 row (120 V)	65614123	1	X	--		
Pump - with internal check valve (Circulator Taco)	120 V	76787200	1	X	--	All Models
		76700746	1	--	X	
	208- 240 V	76700745	1	--	X	
Drain Plug Assembly, Hot Water Coil		76700784	1	X	X	All Models

# B Series

## Blower Motors

Description		Part Num	Qty	Voltage Code (from nomenclature)	Before Ser # 7112B17070	7112B17070 and After	Used on Model
208/240 V, 60 HZ (3-speed)	1/3 HP	76700665A	1	1 or 2	X	--	12, 18, 24
		76700666	1		X	--	25, 30
		76700667A	1		X	--	31, 36, 37
	1/2 HP	76700668A	1		X	--	42
208/240 V, 60 HZ (3-speed)	1/3 HP	76700665A	1	1 or 2	--	X	12, 18, 24
		76700995	1		--	X	25, 30
		76700667A	1		--	X	31, 36
		76700997A	1		--	X	37, 42
	1/2 HP	76700545A	1		--	X	48, 60
120 V, 60 HZ (3-speed)	1/3 HP	76700671	1	3 or 4	X	X	12, 18
		76700672	1		X	X	24
		76700650	1		X	X	25, 30, 31
	1/2 HP	76700673	1		X	X	36, 37, 42
	3/4 HP	76700652	1		X	X	48
		76700653	1		X	X	60
208/240, 220, or 120V (Variable Speed)	1/3 HP	76700769	1	1, 2, 3, 4, or 5	X	X	25
	1/2 HP	76700495A	1		X	X	30, 31, 37
	3/4 HP	76700496	1		X	X	42, 48
		76700497A	1		X	X	60

## Blower Parts

Description		Part Num	Qty	Used on Model			
				Before Ser # 7112B17070 All Motors	7112B17070 and After		
					240V 3-Spd	120V 3-Spd	Var Spd
Blower Housing Assembly (contains wheel & housing only, motor not included)	9" x 6"	76727700	1	12 - 24, 25	12 - 24	12 - 24	25
	10" x 8"	76727800	1	30 - 48	25 - 36	25 - 48	30, 31, 37 - 48
	10" x 10"	76727900A	1	60 models - consult technical services with serial number			
	12" x 8"	76700378	1	--	37, 42	--	--
	12" x 9"	76700379	1	--	48	--	--
	12" x 9"	76700845A	1	--	60	--	--
Motor Mount Assembly (includes ring and legs)	3 Leg	76701599	1	--	12 - 36	12 - 60	12 - 60
	4 Leg	76701601	1	--	37 - 60	--	--

## Controls Parts

Description	Part Num	Qty	Before Ser # 7108D13713	After 7108D13713 and Before 7112B17070	7112B17070 and After	Used on Model
Fan Relay	76733900A	1	X	--	--	3-Spd Motors Prior to 2008 (see serial cutoff)
Time Delay Relay (optional)	76700452A	1	X	--	--	
Fan Relay 208/240 Volt, 60 Hz.	76700525	1	X	--	--	Variable-Speed Motors Only
Multi-Function Control Board	76700805A	1	--	X	X	All Models
Control Board for Variable Speed Motor	76700013	1	X	X	X	Variable-Speed Motors Only
7.5 MFD Capacitor	76734100A	1	12 - 30, 36	12 - 30, 36	12 - 36	All BC Models
10.0 MFD Capacitor	76734200A	1	31, 37 - 48	31, 37 - 48	--	
12.5 MFD Capacitor	76734300A	1	60	60	--	
15.0 MFD Capacitor	76700387	1	--	--	37, 42	
20.0 MFD Capacitor	76700388A	1	--	--	48, 60	
Wire Harness (main harness)	76700021A	1	X	--	--	All BC Models
	76700939	1	--	X	X	
16 Pin Wire Harness (brown leads)	76700589	1	X	X	X	Variable-Speed Motors Only
5 Pin Wire Harness	76701720	1	X	X	X	Variable-Speed Motors Only
6 Pin Wire Harness (yellow & black leads)	76786400	1	X	X	X	208/240V
Transformer - 208/240 Volt, 60 Hz.	76734700A	1	X	X	X	All Models
Transformer - 120 Volt, 60 Hz.	76734600	1	X	X	X	All Models
Door Switch	76729900A	1	X	X	X	All Models
Hot Water Freeze Stat.	76700655A	1	--	X	X	All Hot Water Heat Models
Aquastat	76700806A	1	--	X	X	All Models w/ Aquastats

# CP Series (Soffit Mount)

## Drain Pans & Cases

Description	Part Num	Qty	Used on Model
Drain Pan	76701435	1	18, 23
*Includes drain inserts (2), gaskets (2), locknuts (4), red/green drain plugs, drain pan insulator and brackets.	76701436	1	19, 24, 29
	76701437	1	25, 30
	67411100	1	18, 23
Soffit Mount Air Handler Case	67411200	1	19, 24, 29
	67411300	1	25, 30
	76701626	1	All Models

## Replacement Evaporator Coils

Description	Part Num	Qty	Used on Model
01C Coil (Copper)	76701438	1	18, 23
03C Coil (Copper)	76701439	1	19, 24, 29
05C Coil (Copper)	76701440	1	25, 30
01A Coil (Aluminum)	76701541	1	18, 23
03A Coil (Aluminum)	76701540	1	19, 24, 29
05A Coil (Aluminum)	76701542	1	25, 30

Note: Replacement evaporator coils do not include drain pan

## Blower Motors

Description	Part Num	Qty	Used on Model
208/240 V, 60 Hz, 2 Speed Motor, 1/8 HP	67366100	1	CP 18, 19
208/240 V, 60 Hz, 2 Speed Motor, 1/3 HP	67366200	1	CP 23, 24, 25, 29, 30
208/240 V, 60 Hz, ECM Constant Torque Motor, 1/4 HP	67371200	1	CE All Models

## Blower Parts

Description	Part Num	Qty	Used on Model
<b>Blower Housing Assembly</b> (contains wheel & housing only, motor not included) (2) assemblies required	67365100	1	18, 19, 23
	67365200	1	24, 25, 29, 30

## Controls Parts

Description	Part Num	Qty	Used on Model
Circuit Board	76700854	1	CP All Models
Transformer	76734700A	1	All Models
5 Mfd Capacitor	76701443	1	CP All Models

## Replacement Electric Heaters for Old air handler and New air handler nomenclature ending with character "A"

Description	Part Num	Old Part Num	Qty	Used on Model	
<b>PSC Models (CP)</b> Control Panel With Integrated Heat Includes: Heating element(s), thermal limit(s), sequencer(s), mounting plate, & pull disconnect.	3 kW w/ pull disconnect	76701821	67365301	1	18, 23
		76701831	67365401	1	19, 24, 29
	5 kW w/ pull disconnect	76701822	67365302	1	18, 23
		76701832	67365402	1	19, 24, 29
		76701842	67365502	1	25, 30
	6 kW w/ pull disconnect	76701823	67365303	1	18, 23
		76701833	67365403	1	19, 24, 29
		76701843	67365503	1	25, 30
	8 kW w/ pull disconnect	76701824	67365304	1	18, 23
		76701834	67365404	1	19, 24, 29
	10 kW w/ pull disconnect	76701844	67365504	1	25, 30
		76701835	67365405	1	24, 29
<b>ECM Models (CE)</b> Control Panel With Integrated Heat Includes: Heating element(s), thermal limit(s), sequencer(s), mounting plate, & pull disconnect.	3 kW w/ pull disconnect	76701845	67365505	1	25, 30
		76701851	67369901	1	18, 23
	5 kW w/ pull disconnect	76701861	67370301	1	19, 24, 29
		76701852	67369902	1	18, 23
		76701862	67370302	1	19, 24, 29
	6 kW w/ pull disconnect	76701872	67370702	1	25, 30
		76701853	67369903	1	18, 23
		76701863	67370303	1	19, 24, 29
	8 kW w/ pull disconnect	76701873	67370703	1	25, 30
		76701854	67369904	1	18, 23
		76701864	67370304	1	19, 24, 29
	10 kW w/ pull disconnect	76701874	67370704	1	25, 30
		76701855	67369905	1	18, 23
		76701865	67370305	1	19, 24, 29
		76701875	67370705	1	25, 30

### NOTES:

- Above Replacement Electric Heat kit can be used in old and New air handlers but Old Replacement Electric Heat kit can not be used in new air handler ending with character "A"
- Customer specific nomenclature must be referenced with equivalent ADP nomenclature.

## Replacement Electric Heaters for New air handler nomenclature ending with character "R"

Description	Part Num	Qty	Used on Model		
<b>PSC Models (CP)</b> Control Panel With Integrated Heat Includes: Heating element(s), thermal limit(s), sequencer(s), mounting plate, & pull disconnect.	3 kW w/ pull disconnect	76701721	1	18, 23	
		76701731	1	19, 24, 29	
	5 kW w/ pull disconnect	76701722	1	18, 23	
		76701732	1	19, 24, 29	
		76701742	1	25, 30	
	6 kW w/ pull disconnect	76701723	1	18, 23	
		76701733	1	19, 24, 29	
		76701743	1	25, 30	
	8 kW w/ pull disconnect	76701724	1	18, 23	
		76701734	1	19, 24, 29	
		76701744	1	25, 30	
	10 kW w/ pull disconnect	76701735	1	24, 29	
		76701745	1	25, 30	
	<b>ECM Models (CE)</b> Control Panel With Integrated Heat Includes: Heating element(s), thermal limit(s), sequencer(s), mounting plate, & pull disconnect.	3 kW w/ pull disconnect	76701751	1	18, 23
			76701761	1	19, 24, 29
5 kW w/ pull disconnect		76701752	1	18, 23	
		76701762	1	19, 24, 29	
		76701772	1	25, 30	
6 kW w/ pull disconnect		76701753	1	18, 23	
		76701763	1	19, 24, 29	
		76701773	1	25, 30	
8 kW w/ pull disconnect		76701754	1	18, 23	
		76701764	1	19, 24, 29	
		76701774	1	25, 30	
10 kW w/ pull disconnect		76701765	1	24, 29	
		76701775	1	25, 30	

### NOTES:

- Above Replacement Electric Heat kit can be used in New air handlers nomenclature ending with character "R"
- Customer specific nomenclature must be referenced with equivalent ADP nomenclature.

### Electric Heater Parts

Description	Part Num	Qty	Used on Model
Terminal Board	76701303	1	CE All Models
Non-fused Male Disconnect	110000236	1	All models
Sequencer #1 (99055101)	76726700A	1	All models
Primary & Secondary Limit Switch	176701680	1	All models
Heat Relay (4 prong)	76701259	1	CP All Models
Heat Relay (6 prong)	76701324	1	CE All Models
Solid (non-louvered) decorative Panel, for finished space - 1 ea.	67431700	1	18, 23
	67431800	1	19, 24, 29
	67431900	1	25, 30
Louvered decorative Panel, for finished space - 1 ea.	67408600	1	18, 23
	67409000	1	19, 24, 29
	67409100	1	25, 30
Heat Pump Relay Kit	76701444	1	All models

# F Series

## Drain Pans

Description	Part Num	Qty	Used on Model
Vertical Drain Pan	76793400	1	12,18,24
	76793700	1	25,30,36
	76733600A	1	31, 37-60
Horizontal Drain Pan	76794000	1	12,18,24
	76794100	1	25,30,36
	76786900A	1	31, 37-60

Description	Part Num	Old Part Num	Qty	Used on Model
Downflow Conversion Kit	165873193	165873190	1	18, 24
	165873194	165873191	1	25, 30, 36
	165873195	165873192	1	31, 37-60

### NOTES:

1. Above Downflow Conversion kit can only be used in in old and new air handler.
2. Old Downflow Conversion kit can only be used in old air handler or new air handlers ending with character "A".

## Replacement Evaporator Coils (Copper)

Description	Part Num	Qty	Used on Model
E20 A-Coil	76801342	1	12,18,24
E21 A-Coil	76801343	1	
E22 A-Coil	76801341	1	
E21 A-Coil	76801346	1	25,30,36
E22 A-Coil	76801345	1	
E23 A-Coil	76800130	1	
E24 A-Coil	76800131	1	
E30 A-Coil	76801342	1	12,18,24
E31 A-Coil	76801343	1	
E32 A-Coil	76801344	1	
E31 A-Coil	76801346	1	25,30,36
E32 A-Coil	76801347	1	
E33 A-Coil	76801348	1	
E34 A-Coil	76801349	1	
BB8 A-Coil	76800909	1	31,37-60
BB9 A-Coil	76801350	1	
CC1 A-Coil	76801351	1	
CC2 A-Coil	76800911	1	
CC3 A-Coil	76801352	1	
CC4 A-Coil	76801353	1	
CC5 A-Coil	76800913	1	
CC6 A-Coil	76801354	1	
CC7 A-Coil	76801355	1	
CC8 A-Coil	76800916	1	
CC9 A-Coil	76801356	1	
DD1 A-Coil	76801357	1	

# F Series

## Blower Parts

Description	Part Num	Serial#: Before 7113D00001	Serial#: After 7113D00001 Before 7123G00001			Serial#: After 7123G00001			
		All Motors	240V 3-spd	120V 3-spd	120V 5-spd & 240V 5-spd	240V 3-spd	120V 3-spd	120V 5-spd & 240V 5-spd	
Blower Housing Assembly (contains wheel & housing only, motor not included)	9" x 6"	76700189	18, 24	18, 24	18 - 31	18, 24	--	--	--
	9" x 6"	76701703	--	--	--	--	18, 24	18 - 31	18, 24
	10" x 8"	76700190	25 - 42	25, 30, 36	36 - 48	25 - 42	25, 30, 36	36 - 48	25 - 42
	12" x 8"	76700999	--	31, 37, 42	--	--	31, 37, 42	--	--
	10" x 10"	76701704	--	--	--	--	--	60	48, 60
Motor Mount Assembly (includes ring and legs)	3 Leg	76701599	18-60	18 - 36	18 - 60	18-36	18 - 36	18 - 60	18-36
	4 Leg	76701601	--	37 - 60	--	37 - 60	37 - 60	--	37 - 60

## Controls Parts

Description	Part Num	Qty	Before Ser # 7113D00001	7113D00001 and After	Unit Size
Fan Relay 208/240 Volt.60Hz 3-Speed PSC Motor	76733900A	1	X	--	All Sizes
Time Delay Relay (relay only) 208/240 Volt.60Hz 3-Speed PSC Motor	76700452A	1	X	--	
Fan Relay 208/240 V,60 Hz, 5-Spd ECM Motor	76700525	1	X	X	
Wiring Harness with Terminal Board 208/240 V,60 Hz, 5-Spd ECM Motor	76700947	1	X	X	A1 Models
Wiring Harness with Terminal Board 208/240 V,60 Hz, 5-Spd ECM Motor	76701736	1	X	X	A2L Models
Wire Harness (main harness) 120, 208/240 Volt.60Hz 3-Speed PSC Motor	76700021A	1	X	X	All Sizes
208/220/240V 6 Pin Wire Harness (yellow & black leads)	76786400	1	X	X	All Sizes
Wire Harness 120 V, 60 Hz 5-Spd ECM Motor	76701701	1	--	X	All Sizes
Control Panel 208/240 Volt.60Hz 3-Speed PSC Motor Includes: Transformer, fan relay, time delay relay, & wiring diagram	76700749	1	X	X	All Sizes
7.5 MFD Capacitor	76734100A	1	X	X	12,18,24,30,36
10.0 MFD Capacitor 120 Volt, 60 Hz. 3-Speed PSC Motor	76734200A	1	X	X	31,37,42
15.0 MFD Capacitor 208/240 Volt.60Hz 3-Speed PSC Motor	76700387	1	--	X	31,37,42
12.5 MFD Capacitor 120 Volt, 60 Hz. 3-Speed PSC Motor	76734300A	1	X	X	48,60
20.0 MFD Capacitor 208/240 Volt.60Hz 3-Speed PSC Motor	76700388A	1	--	X	48,60
Transformer - 208/240 Volt, 60 Hz.	76734700A	1	X	X	All Sizes
Transformer - 120 Volt, 60 Hz.	76734600	1	X	X	All Sizes

## Replacement Electric Heaters

Description	Part Num	Old Part Num	Qty	Used on Model
Electric Heat Kit (for 208/240 V units only)	5 kW w/ Pigtail Ends	65866501B	1	18 - 48
	5 kW w/ Term Block	65866502B	1	
Includes: Heating element(s), thermal limit(s), sequencer(s), mounting plate, & connection as described at right.	5 kW w/ Circuit Bkr	65866503B	1	All Models
	7.5 kW w/ Circuit Bkr	65866504B	1	
	7.5 kW w/ Term Block	65866505B	1	
	10 kW w/ Term Block	65866506B	1	
	10 kW w/ Circuit Bkr	65866507B	1	
	15 kW w/ Circuit Bkr	65866508B	1	
20 kW w/ Circuit Bkr	65866509B	65866509	1	48, 60

### NOTES:

- Above Replacement Electric Heat kit can be used in old and New air handlers but Old Replacement Electric Heat kit can not be used in new air handler ending with character "A" or "R"
- Customer specific nomenclature must be referenced with equivalent ADP nomenclature.

## Electric Heater Parts

Description	Part Num	Qty	Before Ser # 7113D00001	7113D00001 and After	Used on Model
Sequencer #1 (99055101)	76726700A	1	X	X	All Models
Sequencer #2 & 3	110000244B	1	X	X	Models with 12.5kW - 25kW Heat Kits
Terminal Block	110000246B	1	X	X	Models with 7.5 kW & 10 kW Heat Kits
Primary & Secondary Limit Switch	176701679	1	X	X	All Models with Heat Kits
Circuit Breaker 30 Amp.	110000183B	1	X	X	
Circuit Breaker 45 Amp.	110000226B	1	X	X	
Circuit Breaker 60 Amp.	110000184B	1	X	X	

# F Series

## Replacement Evaporator Coils (Aluminum)

Description	Part Num	Qty	Used on Model
G22 A-Coil	76801358	1	18,24
G30 A-Coil	76801359	1	
G31 A-Coil	76801360	1	
G32 A-Coil	76801361	1	
G22 A-Coil	76801362	1	25,30,36
G31 A-Coil	76801363	1	
G32 A-Coil	76801364	1	
G33 A-Coil	76801365	1	
G34 A-Coil	76801366	1	
SS9 A-Coil	76801367	1	31,37-60
TT1 A-Coil	76801368	1	
TT3 A-Coil	76801369	1	
TT4 A-Coil	76801370	1	
TT6 A-Coil	76801371	1	
TT7 A-Coil	76801372	1	
TT9 A-Coil	76801373	1	
UU1 A-Coil	76801374	1	

## Blower Motors

Description	Part Num	Qty	Before Ser # 7112B00819	After 7112B00819 and Before 7113D00001	7113D00001 and After	Used on Model
220/208/240 V, 50/60 HZ, 3-Spd, 1/3 HP	76700665A	1	X	--	--	12, 18, 24
220/208/240 V, 50/60 HZ, 3-Spd, 1/3 HP	76700666	1	X	31 only	--	25,30,31
220/208/240 V, 50/60 HZ, 3-Spd, 1/3 HP	76700667A	1	X	X	--	36,37
220/208/240 V, 50/60 HZ, 3-Spd, 3/4 HP	76700668A	1	X	X	--	42
220/208/240 V, 50/60 HZ, 3-Spd, 1/5 HP	76700993	1	--	X	X	18
220/208/240 V, 50/60 HZ, 3-Spd, 1/3 HP	76700994	1	--	X	X	24
220/208/240 V, 50/60 HZ, 3-Spd, 1/3 HP	76700995	1	--	X	X	25,30
220/208/240 V, 50/60 HZ, 3-Spd, 1/3 HP	76701161	1	--	--	X	36
220/208/240 V, 50/60 HZ, 3-Spd, 1/3 HP	76700997A	1	--	--	X	31,37,42
220/208/240 V, 50/60 HZ, 3-Spd, 1/2 HP	76700545A	1	--	--	X	48,60
120 V, 60 HZ, 1/5 HP	76700671	1	X	X	X	18
120 V, 60 HZ, 1/3 HP	76700672	1	X	X	X	24,25,30,31
120 V, 60 HZ, 1/3 HP	76700650	1	X	X	X	36
120 V, 60 HZ, 1/2 HP	76700673	1	X	X	X	42
120 V, 60 HZ, 3/4 HP	76700652	1	X	X	X	48
120 V, 60 HZ, 3/4 HP	76700653	1	X	X	X	60
220/208/240 V, 50/60 HZ, 5-Spd X-13, 1/3 HP	76700482	1	X	X	X	18
220/208/240 V, 50/60 HZ, 5-Spd X-13, 1/3 HP	76700470	1	X	X	X	24
220/208/240 V, 50/60 HZ, 5-Spd X-13, 1/2 HP	76701717	1	X	X	X	25
220/208/240 V, 50/60 HZ, 5-Spd X-13, 1/2 HP	76700484	1	X	X	X	30
220/208/240 V, 50/60 HZ, 5-Spd X-13, 1/2 HP	76701715	1	X	X	X	31
220/208/240 V, 50/60 HZ, 5-Spd X-13, 1/2 HP	76700492	1	X	X	X	36
220/208/240 V, 50/60 HZ, 5-Spd X-13, 1/2 HP	76701716	1	X	X	X	37
220/208/240 V, 50/60 HZ, 5-Spd X-13, 1/2 HP	76700493	1	X	X	X	42
220/208/240 V, 50/60 HZ, 5-Spd X-13, 3/4 HP	76700486	1	X	X	X	48
220/208/240 V, 50/60 HZ, 5-Spd X-13, 1 HP	76700488	1	X	X	X	60
120 V, 60hz, 5-Spd X-13, 1/3 HP	76701690	1	--	--	X	18
120 V, 60hz, 5-Spd X-13, 1/3 HP	76701691	1	--	--	X	24
120 V, 60hz, 5-Spd X-13, 1/2 HP	76701692	1	--	--	X	25
120 V, 60hz, 5-Spd X-13, 1/2 HP	76701693	1	--	--	X	30
120 V, 60hz, 5-Spd X-13, 1/2 HP	76701694	1	--	--	X	31
120 V, 60hz, 5-Spd X-13, 1/2 HP	76701695	1	--	--	X	36
120 V, 60hz, 5-Spd X-13, 1/2 HP	76701696	1	--	--	X	37
120 V, 60hz, 5-Spd X-13, 1/2 HP	76701697	1	--	--	X	42
120 V, 60hz, 5-Spd X-13, 3/4 HP	76701698	1	--	--	X	48
120 V, 60hz, 5-Spd X-13, 1 HP	76701699	1	--	--	X	60

# MX Series

## Replacement Hot Water Coil & Pumps

Description	Part Num	Qty	Used on Model
Hot Water Replacement Coil With Pump & Valve Assembly	76700656	1	08 (w/ 3 Row Hot Water Coil)
	76700759	1	08 (w/ 4 Row Hot Water Coil)
	76700657	1	12
	76700658	1	16
	76700659	1	20
Hot Water Replacement Coil With No Pump & Valve Assembly	76700660	1	08 (w/ 3 Row Hot Water Coil)
	76700760	1	08 (w/ 4 Row Hot Water Coil)
	76700661	1	12
	76700662	1	16
	76700663	1	20
Pump - with internal check valve, 120 Volts (Circulator Taco)	76700746	1	All Models

## Blower Motor

Description	Part Num	Qty	Used on Model
1/3 HP, 120 V, Hot Water Heat	76700650	1	08
1/2 HP, 120 V, Hot Water Heat	76700673	1	12
3/4 HP, 120 V, Hot Water Heat	76700652	1	16
3/4 HP, 120 V, Hot Water Heat	76700653	1	20
1/4 HP, 208/240 V, 50/60 Hz	76700665A	1	08
1/3 HP, 208/240 V, 50/60 Hz	76700667A	1	12
1/3 HP 208/240 V, 60 Hz, 5-Speed ECM Motor	76701550	1	08
1/2 HP 208/240 V, 60 Hz, 5-Speed ECM Motor	76701551	1	12
3/4 HP 208/240 V, 60 Hz, 5-Speed ECM Motor	76701552	1	16
1 HP 208/240 V, 60 Hz, 5-Speed ECM Motor	76701553	1	20
3/4 HP 208/240, or 120V	76701655	1	MXV

## Blower Parts

Description	Part Num	Qty	Used on Model	
Blower Housing Assembly (contains wheel & housing only, motor not included)	9" x 6"	76727700	1	08
	10" x 8"	76727800	1	12, 16
	10" x 10"	76727900A	1	20
Motor Mount Assembly (includes ring and legs)	76701599	1	All	

## Controls Parts

Description	Part Num	Qty	Used on Model
Transformer - 208/240 Volt, 60 Hz.	76734700A	1	All Models
Transformer - 120 Volt, 60 Hz.	76734600	1	All Models
Fan Relay	76700525	1	5-Speed ECM
Fan Relay	76733900A	1	3-Speed PSC No heat only
Time Delay Relay (optional)	76700452A	1	No Heat Only
Multi-Function Control Board	76700805A	1	Hot water only
Terminal Board	76701303	1	5-Speed ECM
7.5 MFD Capacitor	76734100A	1	3-Speed PSC 08, 12
12.5 MFD Capacitor	76734300A	1	3-Speed PSC 16, 20
Wire Harness (main harness)	76700021A	1	208/240V Models (heat compatible)
6 Pin Wire Harness (yellow & black leads)	76786400	1	No Heat Only
Wiring Harness	76700947	1	5-Speed ECM
Door Switch	76729900A	1	Hot water only
Hot Water Freeze Stat.	76700655A	1	Hot water only
Aquastat	76700806A	1	Models w/ Aquastats

## Replacement Electric Heaters

Description	Part Num	Old Part Num	Qty	Used on Model	
Electric Heat Kits (for 208/240 V units only)  Includes: Heating element(s), thermal limit(s), sequencer(s), mounting plate, & connection as described at right.	5 kW w/ Pigtail ends	65500901B	65500901	1	All Models
	5 kW w/ Terminal Block	65500902B	65500902	1	All Models
	5 kW w/ Circuit Breaker	65500903B	65500903A	1	
	7.5 kW w/ Circuit Breaker	65500904B	65500904	1	
	7.5 kW w/ Terminal Block	65500905B	65500905A	1	All Models
	10 kW w/ Terminal Block	65500906B	65500906A	1	All Models
	10 kW w/ Circuit Breaker	65500907B	65500907	1	
	15 kW w/ Circuit Breaker	65500909B	65500909A	1	
	20 kW w/ Circuit Breaker	65500911B	65500911	1	16, 20

### NOTES:

- Above Replacement Electric Heat kit can be used in old and New air handlers but Old Replacement Electric Heat kit can not be used in new air handler ending with character "2"
- Customer specific nomenclature must be referenced with equivalent ADP nomenclature.

## Electric Heater Parts

Description	Part Num	Qty	Used on Model
Primary Limit Switch	176701681	1	All Models
Secondary Limit Switch	176701682	1	All Models
Sequencer #1 (99055101)	76726700A	1	All Models

# Moduleflex eFurnace™

## Blower Motor

Description	Part Num	Qty	Used on Model
120 V, 60hz, 5-Spd X-13, 1/2 HP	76701680	1	3A
120 V, 60hz, 5-Spd X-13, 3/4 HP	76701682	1	4B
120 V, 60hz, 5-Spd X-13, 1 HP	76701684	1	5C
120 V, 60hz, 5-Spd X-13, 1 HP	76701686	1	5D

## Blower Parts

Description	Part Num	Qty	Used on Model	
Blower Housing Assembly (contains wheel & housing only, motor not included)	10" x 6"	76701679	1	3A
	10" x 8"	76727800	1	4B
	10 x 10"	76727900A	1	5C,5D
Motor Mount Assembly (includes ring and legs)	76701599	1	All Models	

## Controls Parts

Description	Part Num	Qty	Used on Model
Terminal Block	76701303	1	All Models
Control Panel Assembly	76701676	1	
Wire Harness (main harness)	76701678	1	
Control Panel Mouning Bracket	76701677	1	
120V Transformer	76734600	1	

## Replacement Parts

Description	Part Num	Qty	Used on Model
Handle Door Plastic Black Insert	76701674	1	All Models
ADP Logo Badge	76701675	1	

# S Series

## Drain Pans

Description	Part Num	Qty	Used on Model
Drain Pan	76778300	1	Before Ser # 7113D00001
Drain Pan	76701179	1	7113D00001 and After

## Replacment Evaporator Coils

Description	Part Num	Qty	Used on Model
Coil Assembly - M2 (Aluminum)	76700846	1	18 - 25
Coil Assembly - M3 (Aluminum)	76700847	1	18 - 31
Coil Assembly - M5 (Aluminum)	76701068	1	24 - 37
Coil Assembly - M6 (Aluminum)	76700848	1	36, 37
Coil Assembly - M7 (Aluminum)	76700926	1	24 - 31
Coil Assembly - K1 (Copper)	76701069	1	18 - 25
Coil Assembly - K2 (Copper)	76701070	1	18 - 25
Coil Assembly - K3 (Copper)	76701071	1	18 - 25
Coil Assembly - K6 (Copper)	76701072	1	18 - 31
Coil Assembly - K7 (Copper)	76701073	1	24 - 31
Coil Assembly - L1 (Copper)	76701074	1	24, 25
Coil Assembly - L5 (Copper)	76701075	1	30 - 37
Coil Assembly - L6 (Copper)	76701076	1	30 - 37
Coil Assembly - L9 (Copper)	76701494	1	39

Note: Replacement evaporator coils do not include drain pan

## Blower Motors

Description	Part Num	Qty	Used on Model
208/240 V, 60 Hz, 3 Speed Motor	1/4 HP	76700980	18, 24
	1/3 HP	76700981	30, 36
208/240 V, 60 Hz, 5-Speed High Eff. ECM Motor	1/3 HP	76701080A	19
		76701081A	25
		76701082A	31
	1/2 HP	76701083A	37
		76701718	39
WIRE HARNESS, X13 ECM, C/L/G/N	76701377	1	5-Speed ECM Motor

## Blower Parts

Description	Part Num	Qty	Used on Model	
Blower Housing Assembly (contains wheel & housing only, motor not)	10" x 6"	76701156	1	All Models

## Controls Parts

Description	Part Num	Qty	Used on Model
Circuit Board	76700854	1	All Models
Transformer	76734700A	1	All Models
7.5 Mfd Capacitor	76734100A	1	All Models
Terminal Board	76701303	1	5-Speed ECM Motor

## Replacement Electric Heaters

Description	Part Num	Old Part Num	Qty	Used on Model	
Electric Heat Kits (for 208/240 V units only) Includes: Heating element(s), thermal limit(s), sequencer(s), mounting plate, & pull disconnect.	5 kW w/ pull disconnect	176701658B	176701658	1	See unit
	7.5 kW w/ pull disconnect	176701659B	176701659	1	See unit
	10 kW w/ pull disconnect	176701660B	176701660	1	See unit

### NOTES:

- Above Replacement Electric Heat kit can be used in old and New air handlers but  
Old Replacement Electric Heat kit can not be used in new air handler ending with character "A" or "R"
- Customer specific nomenclature must be referenced with equivalent ADP nomenclature.

## Electric Heater Parts

Description	Part Num	Qty	Used on Model
Non-fused Male Disconnect	110000236	1	All models
Sequencer #1 (99055101)	76726700A	1	All models
Primary & Secondary Limit Switch	176701680	1	All models
Heat Relay (4 prong)	76701259	1	Contact Tech Services
Heat Relay (6 prong)	76701324	1	Contact Tech Services

## Other Parts

Description	Part Num	Qty	Used on Model
Wall hanging bracket	65506050	1	All Models
	76701607	10	All Models
Decorative Wall Panel, for finished space (appliance white, no louvers)	65517450	1	18 - 37
	67441650	1	39
Closet Panel, for unfinished space (plain steel, no louvers)	65517460	1	18 - 37
	67441660	1	39

# mFurnace

## Blower Motor

Description		Part Num	Qty	Used on Model
1/3 HP 120 V, 60 Hz	5-Speed ECM Motor	76701741	1	2 Ton
1/2 HP 120 V, 60 Hz	5-Speed ECM Motor	76701740	1	3 Ton
3/4 HP 120 V, 60 Hz	5-Speed ECM Motor	76701739	1	4 Ton
3/4 HP 120 V, 60 Hz	5-Speed ECM Motor	76701808	1	5 Ton
1/3 HP 208/240 V, 60 Hz	5-Speed ECM Motor	76701746	1	2 Ton
1/2 HP 208/240 V, 60 Hz	5-Speed ECM Motor	76701747	1	3 Ton
3/4 HP 208/240 V, 60 Hz	5-Speed ECM Motor	76701748	1	4 Ton
3/4 HP 208/240 V, 60 Hz	5-Speed ECM Motor	76701809	1	5 Ton

## Blower Parts

Description		Part Num	Qty	Used on Model
Blower Housing Assembly (contains wheel & housing only, motor not included)	10" x 9"	76701801	1	2, 3, 4 Ton
	11" x 9"	76701810	1	5 Ton
Motor Mount Assembly (includes ring and legs)		76701599	1	2, 3, 4 Ton
Motor Mount Assembly (includes ring and legs)		76701806	1	5 Ton

## Controls Parts

Description		Part Num	Qty	Used on Model
Transformer - 208/240 Volt, 60 Hz.		76734700A	1	All Models
Transformer - 120 Volt, 60 Hz.		76734600	1	All Models
3A Fuse - Pack of 10		76701802	1	All Models
Terminal Block		76701303	1	All Models
Blower Proof Switch (includes pressure tap and hose)		76701804	1	All Models
Wire Harness (Control Harness)		76701750	1	All Models
Wiring Harness (Motor Harness)		76701749	1	All Models
6 Pin Wire Harness (yellow & black leads) - 240 V		76786400	1	No Heat Only
6 Pin Wire Harness (White & black leads) - 120 V		76700875	1	No Heat Only
Door Switch		76729900A	1	All Models

## Replacement Parts

Description		Part Num	Qty	Used on Model
Handle Door Plastic Black Insert		76701674	1	All Models
ADP Logo Badge		76701675	1	All Models
Door Latches - 3 Pair		76701803	1	All Models
Foam Tape - 3/16" - 50 FT		76701805	1	All Models
Pressure Tap - 10 Qty		76701816	1	All Models
Silicone Hose - 10 Qty		76701815	1	All Models
Snap-In Nut - 10 Qty		76701829	1	Coil Cabinets
Thumb Screw - 10 Qty		76701830	1	Coil Cabinets

## Door Panels

Description		Part Num	Qty	Used on Model
Furnace Door		76701807	1	All Models
Coil Cabinet Door, MHCUSO20		76701817	1	MHCUSO20
Coil Cabinet Door, MHCUSO24		76701825	1	MHCUSO24
Coil Cabinet Door, MHCUSO28		76701826	1	MHCUSO28
Coil Cabinet Door, MHCUSO36		76701838	1	MHCUSO36
Coil Cabinet Door, MHCDSO23		76701818	1	MHCDSO23
Coil Cabinet Door, MHCDSO30		76701827	1	MHCDSO30
Coil Cabinet Door, MHCDSO40		76701839	1	MHCDSO40
Coil Cabinet Louver Panel, MHCDL-23		76701819	1	MHCDLS23, MHCDLO23
Coil Cabinet Louver Panel, MHCDL-30		76701837	1	MHCDLS30, MHCDLO30
Coil Cabinet Louver Panel, MHCDL-40		76701840	1	MHCDLS40, MHCDLO40
Filter Grille Louver Panel, MHFDLO18		76701820	1	MHFDLO18
Filter Grille Louver Panel, MHFDLO24		76701828	1	MHFDLO24
Filter Holder Bracket		76701841	1	MHCDLS23, MHCDLO23, MHCDLS30, MHCDLO30, MHCDLS40

## Replacement Electric Heaters

Description		Part Num	Qty	Used on Model
Electric Heat Kits (for 208/240 V units only)	5 kW w/ Circuit Breaker	176701690	1	All Models
	7.5 kW w/ Circuit Breaker	176701691	1	All Models
Includes: Heating element(s), thermal limit(s), sequencer(s), mounting plate, & connection as described at right.	10 kW w/ Circuit Breaker	176701692	1	All Models
	12.5 kW w/ Circuit Breaker	176701693	1	3, 4, 5 Ton
	15 kW w/ Circuit Breaker	176701694	1	3, 4, 5 Ton
	20 kW w/ Circuit Breaker	176701695	1	4, 5 Ton

## Electric Heater Parts

Description		Part Num	Qty	Used on Model
Primary Limit Switch		176701685	1	All Models with Heat Kits
Secondary Limit Switch		176701686	1	
Heater Relay		76701324	1	
Circuit Breaker 25 Amp.		176701687	1	
Circuit Breaker 30 Amp.		110000183B	1	
Circuit Breaker 35 Amp.		176701688	1	
Circuit Breaker 45 Amp.		110000226B	1	
Circuit Breaker 50 Amp.		176701689	1	
Circuit Breaker 60 Amp.		110000184B	1	

## Cabinets and Grilles

Description	Part Num	Qty	Used on Model
MHCDLO23 Louver Door Open Top For Downflow Configuration	76701784	1	All Models
MHCDLO30 Louver Door Open Top For Downflow Configuration	76701785	1	
MHCDLS23 Louver Door Solid Top For Downflow Configuration	76701778	1	
MHCDLS30 Louver Door Solid Top For Downflow Configuration	76701779	1	
MHCDLS40 Louver Door Solid Top For Downflow Configuration	76701780	1	
MHCDSO23 Solid Door Open Top For Downflow Configuration	76701781	1	
MHCDSO30 Solid Door Open Top For Downflow Configuration	76701782	1	
MHCDSO40 Solid Door Open Top For Downflow Configuration	76701783	1	
MHCUSO20 Solid Door Open Top For Up flow Configuration	76701788	1	
MHCUSO24 Solid Door Open Top For Up flow Configuration	76701789	1	
MHCUSO28 Solid Door Open Top For Up flow Configuration	76701790	1	
MHCUSO36 Solid Door Open Top For Up flow Configuration	76701791	1	
MHFDLO18 Filter Grille For Downflow Configuration	76701786	1	
MHFDLO24 Filter Grille For Downflow Configuration	76701787	1	

# R Series

## Drain Pans

Description	Part Num	Qty	Used on Model
Vertical Drain Pan	76793700	1	18, 24
	76793800	1	30, 36
	76700323	1	42 - 60
Horizontal Drain Pan	76794100	1	18 - 36
	76700324	1	42, 48
	76700325	1	60

## Replacement Evaporator Coils

Description	Part Num	Qty	Used on Model
E34 A-Coil	76700417A	1	18 - 24
E36 A-Coil	76700418	1	30 - 36
CC6 A-Coil	76700421	1	42
DD2 A-Coil	76700423	1	42 - 60
DD1 A-Coil	76700427A	1	60
DD4 A-Coil	76700426	1	60
DD5 A-Coil	76700450	1	60

Note: Replacement evaporator coils do not include drain pan

## Blower Motors

Description	Part Num	Qty	Used on Model
208/240 Volt, 60 HZ, Motor, 3 Speed, 1/4 HP	76700541	1	18-24
208/240 Volt, 60 HZ, Motor, 3 Speed, 1/3 HP	76700543	1	36 - 42
208/240 Volt, 60 HZ, Motor, 3 Speed, 1/2 HP	76700545A	1	48 - 60
208/240 Volt, 60 Hz, Variable Speed, 1/3 HP	76700582	1	18 - 24
208/240 Volt, 60 Hz, Variable Speed, 1/2 HP	76700583A	1	30 - 36
208/240 Volt, 60 Hz, Variable Speed, 1/2 HP	76700584	1	42
208/240 Volt, 60 Hz, Variable Speed, 3/4 HP	76700585	1	48
208/240 Volt, 60 Hz, Variable Speed, 3/4 HP	76700586	1	60

## Blower Parts

Description	Part Num	Qty	Used on Model*	
Blower Housing Assembly (contains wheel & housing only, motor not included)	10" x 6"	76700377	1	18, 24
	11" x 8"	76700378	1	30 - 42
	11.5" x 9"	76700379	1	48
	12" x 9"	76700845A	1	60

\* For units manufactured after Feb. 2007. For earlier units, consult Technical Support for correct application.

## Controls Parts

Description	Part Num	Qty	Used on Model
Control Board for Variable Speed Motor	76700013	1	Variable-Speed
Capacitor 15 MFD	76700387	1	18 - 42
Capacitor 20 MFD	76700388A	1	48, 60
208/240V Transformer (60 Hz, North America)	76734700A	1	All Models
Fan Relay	76733900A	1	
Time Delay Relay	76700452A	1	
Wire Harness (main harness)	76700021A	1	All 3-Spd Motor Models
6 Pin Wire Harness (yellow & black leads)	76786400	1	

# R Series

## Replacement Electric Heaters

Description	Part Num	Qty	Used on Model	
Electric Heat Kit (for 208/240 V units only)	5 kW w/ Pigtail ends	65500901B	1	All Models
	5 kW w/ Terminal Block	65500902B	1	
	5 kW w/ Circuit Breaker	65500903B	1	
Includes: Heating element(s), thermal limit(s), sequencer(s), mounting plate, & connection as described at right.	7.5 kW w/ Circuit Breaker	65500904B	1	All Models
	7.5 kW w/ Terminal Block	65500905B	1	
	10 kW w/ Terminal Block	65500906B	1	All Models
10 kW w/ Circuit Breaker	65500907B	1		
	15 kW w/ Circuit Breaker	65500909B	1	30 - 60
	20 kW w/ Circuit Breaker	65500911B	1	48 - 60

**NOTE:** Customer specific nomenclature must be referenced with equivalent ADP nomenclature.

## Electric Heater Parts

Description	Part Num	Qty	Used on Model
Sequencer #2 & 3	110000244B	1	Models with 12.5kW - 25 kW Heat Kits
Terminal Block	110000246B	1	Models with 7.5 kW & 10 kW Heat Kits
Circuit Breaker 30 Amp.	110000183B	1	
Circuit Breaker 45 Amp.	110000226B	1	
Circuit Breaker 60 Amp.	110000184B	1	

# W Series

## Drain Pans

Description	Part Num	Qty	Used on Model
Drain Pan	76778300	1	All Models

## Replacement Evaporator Coils

Description	Part Num	Qty	Used on Model
K1 Slant Coil	65608201	1	18, 24
K2 Slant Coil	65608202	1	
K3 Slant Coil	65608203	1	
K5 Slant Coil	65608204	1	18, 24, 30
K6 Slant Coil	65608205	1	
K7 Slant Coil	65608206	1	
K9 Slant Coil	65608207	1	30
L1 Slant Coil	65608208	1	
L2 Slant Coil	65608209	1	
L4 Slant Coil	65608210	1	36
L5 Slant Coil	65608211	1	
L6 Slant Coil	65608212	1	
L7 Slant Coil	65608213	1	36, 42
L8 Slant Coil	65608214	1	
L9 Slant Coil	65608215	1	

Note: Replacement evaporator coils do not include drain pan

## Blower Motors

Description		Part Num	Qty	Used on Model
208/240 Volt, 60 HZ. Motor	1/4 HP	76700665A	1	18, 24
	1/3 HP	76700666	1	30
	1/3 HP	76700667A	1	31
	1/2 HP	76700668A	1	36, 42

## Blower Parts

Description		Part Num	Qty	Used on Model
Blower Housing Assembly (contains wheel & housing only, motor not included)	10" x 6"	76700377	1	18, 24, 30
	10" x 8"	76727800	1	36, 42
Motor Mount Assembly (includes ring and legs)	3 leg	76701599	1	All

## Controls Parts

Description	Part Num	Qty	Used on Model
Wiring Harness	76700530	1	All Models
Non-fused Male Disconnect	110000236	1	
7.5 FMFD. Capacitor	76734100A	1	18, 24, 30, 36
10.0 FMFD. Capacitor	76734200A	1	31, 42
Transformer - 208/240 Volt, 60 Hz.	110000271A	1	
Relay	110018948A	1	

## Electric Heater Parts

Description	Part Num	Qty	Used on Model
Sequencer #2 & 3	110000158A	1	



2140 Lake Park Blvd, Richardson, TX 75080