

ADJUSTMENT DATA TABLE

ROCHESTER CARBURETOR - MODELS M4MC, M4MCA, M4MEA

50-526-8

Printed in U.S.A.

USE WITH 50-505-3

50-526-9

Year	Make	Float Level	Pump Rod Location	Pump Rod	Fast Idle (Bench)	Choke Rod	Air Valve Rod	Vacuum Break (Front)	Vacuum Break (Rear)	Air Valve Spring Turns	Auto Choke Setting	Unloader	Fast Idle * RPM	
1975	Bulck 350" Eng.	A/T	3/8"	Outer	3/8"	2 Turns	3/32"	1/64"	1/8"	7/64"	3/4	1 - Rich	15/64"	1800P H/S
	Calif. 350"	A/T	3/8"	Outer	3/8"	2 Turns	3/32"	1/64"	9/64"	1/8"	3/4	1 - Rich	15/64"	1800P H/S
	400" Eng.	A/T	17/32"	Inner	9/32"	3 Turns	1/8"	1/32"	5/32"	1/2	Index	15/64"	1800P H/S	
	455" Eng.	A/T	15/32"	Inner	3/8"	2 Turns	3/32"	1/64"	9/64"	1/8"	7/16	1 - Rich	15/64"	1800P H/S
	Calif. 455" Eng.	A/T	15/32"	Outer	3/8"	2 Turns	3/32"	1/64"	9/64"	1/8"	7/16	1 - Rich	15/64"	1800P H/S
1976	Bulck 350" Eng.	A/T	5/16"	Outer	3/8"	2 Turns	3/32"	1/64"	9/64"	1/8"	3/4	1 - Rich	1/4"	1800P H/S
	Fed.	A/T	5/16"	Outer	3/8"	2 Turns	3/32"	1/64"	9/64"	1/8"	3/4	Index	1/4"	1800P H/S
	Calif.	A/T	15/32"	Inner	9/32"	2 Turns	3/32"	1/64"	9/64"	1/8"	7/16	1 - Rich	1/4"	1800P H/S
	455" Eng. Fed.	A/T	15/32"	Inner	9/32"	2 Turns	3/32"	1/64"	9/64"	1/8"	7/16	1 - Rich	1/4"	1800P H/S
	Calif.	A/T	15/32"	Outer	3/8"	2 Turns	3/32"	1/64"	9/64"	1/8"	7/16	1 - Rich	1/4"	1800P H/S
1977	Bulck 350"/403" Eng.	A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	3/16"	1/2	2 - Rich	7/32"	900P L/S
	Fed.	A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	1/4"	1/2	2 - Rich	7/32"	1000P L/S
	Calif.	A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	15/64"	1/2	2 - Rich	7/32"	1000P L/S
	Alt.	A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	15/64"	1/2	2 - Rich	7/32"	1000P L/S
	350" Eng. W/Single Vac.	A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	1/4"	7/8	2 - Lean	9/32"	1600P H/S	
	Break Fed.	A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	17/64"	7/8	2 - Lean	9/32"	1600P H/S	
	Calif.	A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	9/32"	7/8	2 - Lean	9/32"	1600P H/S	
	Alt.	A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	9/32"	7/8	2 - Lean	9/32"	1600P H/S	
	350" Eng. Carb. No.	A/T	5/16"	Outer	3/8"	2 Turns	3/32"	1/64"	1/8"	7/64"	3/4	1 - Rich	1/4"	1550P H/S
	17057241, 242	A/T	5/16"	Outer	3/8"	2 Turns	3/32"	1/64"	1/8"	7/64"	3/4	1 - Rich	1/4"	1550P H/S
1978	Bulck 231" Eng.	A/T	7/32"	Inner	9/32"	3 Turns	5/64"	1/64"	7/64"	1/8"	3/4	Index	7/32"	2500P H/S
	6 Cyl.	A/T	7/32"	Inner	9/32"	3 Turns	5/64"	1/64"	7/64"	1/8"	3/4	Index	7/32"	2500P H/S
	Bulck 350" Eng.	A/T	7/32"	Inner	9/32"	3 Turns	5/64"	1/64"	7/64"	1/8"	3/4	Index	7/32"	2500P H/S
	Carb. No. 17058241	A/T	7/32"	Inner	9/32"	3 Turns	5/64"	1/64"	7/64"	1/8"	3/4	Index	7/32"	2500P H/S
	Fed.	A/T	5/16"	Outer	3/8"	3 Turns	5/64"	1/64"	7/64"	3/32"	3/4	1 - Rich	7/32"	1550P
	17058553 Calif.	A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	1/8"	13/64"	1/2	2 - Rich	3/16"	1000P L/S
	17058502, 504	A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	11/64"	7/8	2 - Lean	17/64"	1600P	
	Calif.	A/T	7/32"	Outer	3/8"	3 Turns	5/64"	1/64"	1/8"	1/8"	3/4	Index	7/32"	2500P
	17058246 Alt.	A/T	7/32"	Outer	3/8"	3 Turns	5/64"	1/64"	1/8"	1/8"	3/4	Index	7/32"	2500P
	17058582, 584	A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	3/16"	7/8	2 - Lean	17/64"	1600P	
1975	Bulck 403" Eng.	A/T	13/32"	Inner	9/32"	3 Turns	5/64"	1/32"	1/8"	11/64"	1/2	2 - Rich	3/16"	900P L/S
	Fed.	A/T	13/32"	Inner	9/32"	3 Turns	5/64"	1/32"	1/8"	11/64"	1/2	2 - Rich	3/16"	900P L/S
1975	Cadillac, Fed. & Alt.	A/T	15/32"	Outer	3/8"	2 Turns	5/64"	1/64"	5/32"	1/8"	7/16	2 - Rich	7/32"	1200P 2/S
	Opt.	A/T	15/32"	Outer	3/8"	2 1/4 Turns	5/64"	1/32"	3/16"	3/16"	1/2	1 - Rich	7/32"	1200P 2/S
1976	Cadillac 500" Eng.	A/T	13/32"	Outer	3/8"	2 Turns	5/64"	1/32"	11/64"	9/64"	3/8	2 - Rich	15/64"	1400N 2/S*
	Fed. & Alt. Opt.	A/T	13/32"	Outer	3/8"	2 Turns	5/64"	1/32"	11/64"	9/64"	3/8	2 - Rich	15/64"	1400N 2/S*
1977	Cadillac 425" Eng.	A/T	13/32"	Outer	3/8"	2 Turns	5/64"	1/32"	7/64"	1/8"	1/2	2 - Rich	15/64"	1400P 2/S
	Carb. No. 17057230	A/T	13/32"	Outer	3/8"	2 Turns	5/64"	1/32"	9/64"	1/8"	1/2	2 - Rich	15/64"	1400P 2/S
	17057231	A/T	17/32"	Outer	3/8"	2 Turns	5/64"	1/32"	9/64"	1/8"	1/2	2 - Rich	15/64"	1400P 2/S
	17057232	A/T	13/32"	Outer	3/8"	2 Turns	5/64"	1/32"	9/64"	1/8"	1/2	2 - Rich	15/64"	1400P 2/S
	17057233	A/T	13/32"	Outer	3/8"	2 Turns	5/64"	1/32"	9/64"	9/64"	1/2	2 - Rich	15/64"	1400P 2/S
	17057530, 533	A/T	13/32"	Outer	7/16"	2 Turns	5/64"	1/32"	5/32"	5/32"	1/2	2 - Rich	15/64"	1500P 2/S
	17057234	A/T	13/32"	Inner	9/32"	2 Turns	5/64"	1/32"	9/64"	1/8"	3/4	2 - Rich	15/64"	1400P 2/S
	17057235	A/T	17/32"	Inner	9/32"	2 Turns	5/64"	1/32"	9/64"	1/8"	3/4	2 - Rich	15/64"	1400P 2/S
1978	Cadillac 425" Eng.	A/T	13/32"	Inner	9/32"	2 Turns	5/64"	1/32"	9/64"	5/32"	1/2	2 - Rich	3/16"	1500 2/S
	Carb. No. 17058233, 530	A/T	13/32"	Inner	9/32"	2 Turns	5/64"	1/32"	9/64"	15/64"	1/2	2 - Rich	3/16"	1400 2/S
	531, 533	A/T	13/32"	Inner	9/32"	2 Turns	5/64"	1/32"	9/64"	5/32"	3/4	2 - Rich	3/16"	1500 2/S
	17058230	A/T	13/32"	Inner	9/32"	2 Turns	5/64"	1/32"	9/64"	5/32"	3/4	2 - Rich	3/16"	1500 2/S
1977	Checker Mtrs. 350" Eng.	A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	17/64"	7/8	2 - Lean	9/32"	1600P H/S	
	Calif.	A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	9/32"	7/8	2 - Lean	9/32"	1600P H/S	
1978	Checker Mtrs. 350" Eng.	A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	3/16"	7/8	2 - Lean	17/64"	1600P	
	Eng.	A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	3/16"	7/8	2 - Lean	17/64"	1600P	
1975	Chevrolet All Models	A/T	15/32"	Inner	9/32"	3 Turns	19/64"	1/64"	3/16"	11/64"	7/8	Index	21/64"	1600P H/S
	All 350" Eng.	A/T	15/32"	Inner	9/32"	3 Turns	19/64"	1/64"	3/16"	11/64"	7/8	2 - Lean	21/64"	1600N H/S
	All 350" Eng.	M/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	11/64"	3/4	Index	21/64"	1600P H/S
	400" Eng.	A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	13/64"	11/64"	3/4	Index	21/64"	1600P H/S
	Calif. 400" Eng.	A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	13/64"	35/64"	9/16	Index	9/32"	1000P 2/S
1976	Chevrolet All Models	A/T	13/32"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	7/8	2 - Lean	21/64"	1600P H/S	
	350" Eng.	A/T	13/32"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	7/8	2 - Lean	21/64"	1600N H/S	
	350" Eng. Hi. Perf.	A/T	13/32"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	7/8	2 - Lean	21/64"	1600P H/S	
	400" Eng.	A/T	13/32"	Inner	9/32"	3 Turns	21/64"	1/64"	11/64"	7/8	2 - Lean	21/64"	1600N H/S	
	454" Eng.	A/T	13/32"	Inner	9/32"	3 Turns	13/64"	1/64"	15/64"	5/32"	7/8	Index	9/32"	1600P H/S
	454" Eng. Canada	A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	5/32"	7/8	2 - Rich	9/32"	1600P H/S	
	1976-77	Chevrolet 350" Eng.	A/T	15/32"	Outer	3/8"	3 Turns	21/64"	1/64"	5/32"	7/8	Index	21/64"	1600P H/S
	Canada	A/T	15/32"	Outer	3/8"	3 Turns	21/64"	1/64"	5/32"	7/8	Index	21/64"	1600P H/S	

Year	Make	Float Level	Pump Rod Location	Pump Rod	Fast Idle (Bench)	Choke Rod	Air Valve Rod	Vacuum Break Front	Vacuum Break Rear	Air Valve Spring Turns	Auto Choke Setting	Unloader	Fast Idle * RPM
1977	Chevrolet 350" Eng.												
	Fed. A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	1/4"	----	7/8	2 - Lean	9/32"	1600P H/S
	Calif. A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	17/64"	----	7/8	2 - Lean	9/32"	1600P H/S
	Alt. A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	9/32"	----	7/8	2 - Lean	9/32"	1600P H/S
	Carb. No. 17057203 M/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	1/4"	----	7/8	3 - Lean	9/32"	1300N H/S
	17057210 A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	9/32"	----	1	2 - Lean	9/32"	1600P H/S
1978	17057211 M/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	9/32"	----	1	3 - Lean	9/32"	1300N H/S
	17057228 A/T	13/32"	Inner	9/32"	3 Turns	21/64"	1/64"	9/32"	----	1	2 - Lean	9/32"	1600P H/S
	Chevrolet 350" Eng.												
	17058202, 204 Fed. A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	5/32"	----	7/8	2 - Lean	17/64"	1600P
	17058203 Fed. M/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	5/32"	----	7/8	3 - Lean	17/64"	1300N
	17058210, 228 Fed. A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	3/16"	----	1	2 - Lean	17/64"	1600P
1975	17058211 Fed. M/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	3/16"	----	1	3 - Lean	17/64"	1600N
	Calif. A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	3/16"	----	7/8	2 - Lean	17/64"	1600P
	Canada A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	9/64"	----	7/8	Index	17/64"	1600P
	Chevrolet Truck C-10, (El Camino Calif.) 350" Eng. A/T	15/32"	Inner	9/32"	3 Turns	19/64"	1/64"	3/16"	11/64"	7/8	Index	21/64"	1600P H/S
	C-10, 350" Eng. M/T	15/32"	Inner	9/32"	3 Turns	19/64"	1/64"	3/16"	11/64"	7/8	2 - Lean	21/64"	1600N H/S
	G-10, 350" Eng. A/T	5/16"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	11/64"	3/4	Index	21/64"	1600P H/S
1976	G-100, 350" Eng. M/T	5/16"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	11/64"	3/4	2 - Lean	21/64"	1600N H/S
	400" Eng. A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	11/64"	3/4	Index	21/64"	1600P H/S
	Calif. 400" Eng. A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	13/64"	11/64"	3/4	Index	21/64"	1600P H/S
	454" Eng. A/T	17/32"	Inner	9/32"	2 Turns	1/16"	1/64"	13/64"	35/64"	9/16	Index	9/32"	1000P 2/S
	Calif. 454" Eng. A/T	17/32"	Inner	9/32"	2 Turns	1/16"	1/64"	3/16"	35/64"	9/16	Index	9/32"	1000P 2/S
	Chevrolet & GMC Truck 350" Eng. A/T	5/16"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	----	7/8	2 - Lean	21/64"	1600P H/S
1977	350" Eng. M/T	5/16"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	----	7/8	3 - Lean	21/64"	1600N H/S
	350" Eng. Canada A/T	5/16"	Outer	3/8"	3 Turns	21/64"	1/64"	5/32"	----	7/8	1 - Lean (Calif.)	21/64"	1600P H/S
	454" Eng. Fed. A/T	7/16"	Inner	9/32"	3 Turns	21/64"	1/64"	----	11/64"	7/8	Index	9/32"	1600P H/S
	Calif. All/T	7/16"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	----	7/8	2 - Rich	9/32"	1600
	Chevrolet & GMC Truck 350" Eng. A/T	7/16"	Inner	9/32"	3 Turns	21/64"	1/64"	11/64"	----	7/8	2 - Lean	9/32"	1600P H/S
	Fed. M/T	7/16"	Inner	9/32"	3 Turns	21/64"	1/64"	11/64"	----	7/8	3 - Lean	9/32"	1300N H/S
1978	Calif. M/T	7/16"	Inner	9/32"	3 Turns	21/64"	1/64"	11/64"	----	7/8	1 - Lean	9/32"	1300N H/S
	Carb. No. 17057202, 17057204 Fed. A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	1/4"	----	7/8	2 - Lean	9/32"	1600P H/S
	17057209 Fed. M/T	5/16"	Inner	9/32"	3 Turns	21/64"	1/64"	11/64"	----	7/8	3 - Rich	9/32"	1300N H/S
	17057502, 7504 Calif. A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	17/64"	----	7/8	2 - Lean	9/32"	1600P H/S
	17057503 Calif. M/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	11/64"	----	7/8	1 - Lean	9/32"	1300N H/S
	17057582, 7584 Alt. A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	9/32"	----	7/8	2 - Lean	9/32"	1600P H/S
1975	17057586, 7588 Alt. A/T	7/16"	Outer	9/32"	3 Turns	21/64"	1/64"	3/16"	----	7/8	2 - Lean	9/32"	1600P H/S
	454" Eng. Fed. A/T	3/8"	Inner	9/32"	3 Turns	21/64"	1/64"	----	11/64"	7/8	2 - Rich	21/64"	1600P H/S
	Calif. All/T	7/16"	Inner	9/32"	3 Turns	9/32"	1/64"	5/32"	----	7/8	Index	17/64"	1700M H/S
	GMC Mtr. Home 403" Eng. Fed. A/T	15/32"	Inner	9/32"	3 Turns	7/64"	1/32"	9/64"	----	1/2	3 - Rich	7/32"	900P L/S
	Chevrolet & GMC Truck 350" Eng.												
	17058218, 222 Fed. A/T	7/16"	Inner	9/32"	3 Turns	9/32"	1/64"	9/64"	----	7/8	2 - Lean	17/64"	1600P
1978	17058219 Fed. M/T	7/16"	Inner	9/32"	3 Turns	9/32"	1/64"	5/32"	----	7/8	3 - Lean	17/64"	1800N
	17058202, 204 Fed. A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	11/64"	----	7/8	2 - Lean	17/64"	1600P
	17058201 Fed. M/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	5/32"	----	7/8	3 - Lean	17/64"	1300N
	17058509, 510, 586, 588 Alt. A/T	15/32"	Outer	11/32"	3 Turns	9/32"	1/64"	11/64"	----	7/8	2 - Lean	17/64"	1600P
	17058506, 508, 518, 522 Calif. A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	11/64"	----	7/8	1 - Lean	17/64"	1600P
	17058503, 519 Calif. M/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	11/64"	----	7/8	1 - Lean	17/64"	1300N
1975	400" Eng.												
	17058523, 524, 527, 528 Calif. A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	5/32"	----	7/8	1 - Lean	17/64"	1600P
	454" Eng.												
	17058501, 520, 521 Fed./Calif. All/T	3/8"	Inner	9/32"	3 Turns	9/32"	1/64"	5/32"	----	7/8	3 - Lean	17/64"	1600
	17058512 Calif. All/T	13/32"	Inner	9/32"	3 Turns	9/32"	1/64"	5/32"	----	7/8	Index	1/4"	1700
	GMC Mtr. Home 403" Eng. A/T	15/32"	Inner	9/32"	3 Turns	3/32"	1/32"	1/8"	----	1/2	3 - Rich	13/64"	1000 L/S
1975	GMC Truck C-1500, (Sprint Calif.) 350" Eng. A/T	15/32"	Inner	9/32"	3 Turns	19/64"	1/64"	3/16"	11/64"	7/8	Index	21/64"	1600P H/S
	C-1500, 350" Eng. M/T	15/32"	Inner	9/32"	3 Turns	19/64"	1/64"	3/16"	11/64"	7/8	2 - Lean	21/64"	1600N H/S
	G-1500, 350" Eng. A/T	5/16"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	11/64"	3/4	Index	21/64"	1600P H/S
	G-1500, 350" Eng. M/T	5/16"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	11/64"	3/4	2 - Lean	21/64"	1600N H/S
	400" Eng. A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	3/16"	11/64"	3/4	Index	21/64"	1600P H/S
	Calif. 400" Eng. A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	13/64"	11/64"	3/4	Index	21/64"	1600P H/S
1976-77 SEE Chevrolet Truck For GMC	454" Eng. A/T	17/32"	Inner	9/32"	2 Turns	1/16"	1/64"	13/64"	35/64"	9/16	Index	9/32"	1000P 2/S
	Calif. 454" Eng. A/T	17/32"	Inner	9/32"	2 Turns	1/16"	1/64"	3/16"	35/64"	9/16	Index	9/32"	1000P 2/S

Year	Make	Float Level	Pump Rod Location	Pump Rod	Fast Idle (Bench)	Choke Rod	Air Valve Rod	Vacuum Break Front	Vacuum Break Rear	Air Valve Spring Turns	Auto Choke Setting	Unloader	Fast Idle * RPM	
1975	Oldsmobile (Carb. No. 7045183) 350" Eng. A/T	15/32"	Inner	9/32"	3 Turns	9/64"	1/32"	3/16"	9/64"	1/2	2 - Rich	15/64"	900P L/S	
	(Carb. No. 7045246) 350" Eng. A/T	3/8"	Outer	3/8"	2 Turns	3/32"	1/64"	1/8"	7/64"	3/4	1 - Rich	15/64"	1800P H/S	
	(Carb. No. 7045250) 350" Eng. A/T	15/32"	Inner	9/32"	3 Turns	9/64"	1/32"	3/16"	9/64"	1/2	2 - Rich	15/64"	900P L/S	
	Calif. (Carb. No. 7045483, 550) 350" Eng. A/T	15/32"	Inner	9/32"	3 Turns	9/64"	1/32"	3/16"	9/64"	1/2	2 - Rich	15/64"	900P L/S	
	400" Eng. A/T	17/32"	Inner	9/32"	3 Turns	1/8"	1/32"	5/32"	17/64"	1/2	Index	15/64"	1800P H/S	
	455" Eng. A/T	15/32"	Inner	9/32"	3 Turns	9/64"	1/32"	3/16"	9/64"	3/4	2 - Rich	15/64"	900P L/S	
	Toronado 455" Eng. A/T	15/32"	Inner	9/32"	3 Turns	9/64"	1/32"	3/16"	9/64"	3/4	2 - Rich	15/64"	900P L/S	
	Calif. 455" Eng. A/T	15/32"	Inner	9/32"	3 Turns	9/64"	1/32"	3/16"	9/64"	3/4	2 - Rich	15/64"	900P L/S	
1976	Oldsmobile Omega 350" Eng. Fed. A/T	5/16"	Outer	3/8"	2 Turns	3/32"	1/64"	9/64"	1/8"	3/4	1 - Rich	1/4"	1800P H/S	
	Calif. A/T	5/16"	Outer	3/8"	2 Turns	3/32"	1/64"	1/8"	1/8"	3/4	Index	1/4"	1800P H/S	
	Olds. 350" Eng. A/T	13/32"	Inner	9/32"	3 Turns	1/8"	1/32"	3/16"	9/64"	1/2	2 - Rich	15/64"	1000P L/S	
	455" Eng. A/T	13/32"	Inner	9/32"	3 Turns	1/8"	1/32"	3/16"	9/64"	3/4	2 - Rich	15/64"	900P L/S	
	350" & 455" Eng. Carb. No's. 17056251, 6256 A/T	13/32"	Inner	9/32"	3 Turns	1/8"	1/32"	3/16"	9/64"	3/4	2 - Rich	15/64"	900P L/S	
	Carb. No's. 17056551, 6556 A/T	13/32"	Inner	9/32"	3 Turns	1/8"	1/32"	3/16"	9/64"	3/4	1 - Rich	15/64"	800P L/S	
	1977	Oldsmobile 350" Eng. Fed. A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	3/16"	1/2	2 - Rich	7/32"	900P L/S
		Carb. No. 17057258 Fed. A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	15/64"	1/2	2 - Rich	7/32"	1000P L/S
Calif. A/T		13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	1/4"	1/2	2 - Rich	7/32"	1000P L/S	
350" Eng. W/Single Vac. Break Calif. A/T		15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	17/64"	----	7/8	2 - Lean	9/32"	1600P H/S	
Alt. A/T		15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	9/32"	----	7/8	2 - Lean	9/32"	1600P H/S	
403" Eng. Calif. A/T		13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	1/4"	1/2	2 - Rich	7/32"	1000P L/S	
Carb. No. 17057552 Calif. A/T		13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	15/64"	1/2	2 - Rich	7/32"	1000P L/S	
Alt. A/T		13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	15/64"	1/2	2 - Rich	7/32"	1000P L/S	
1978	Oldsmobile 305" Eng. 17058202, 204 Fed. A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	5/32"	----	7/8	2 - Lean	17/64"	1600P	
	350" Eng. 17058502, 504 Calif. A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	11/64"	-----	7/8	2 - Lean	17/64"	1600P	
	17058582, 584 Alt. A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	3/16"	----	7/8	2 - Lean	17/64"	1600P	
	350"/403" Eng. 17058250, 253 Fed. A/T	13/32"	Inner	9/32"	3 Turns	5/64"	1/32"	1/8"	11/64"	1/2	2 - Rich	3/16"	900 L/S	
	17058258, 553 Alt./Calif. A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	1/8"	13/64"	1/2	2 - Rich	3/16"	1000 L/S	
	403" Eng. 17058259 Fed. A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	1/8"	11/64"	1/2	2 - Rich	3/16"	900 L/S	
	17058257, 555 Alt./Calif. A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	1/8"	13/64"	1/2	2 - Rich	3/16"	1000 L/S	
	1975	Pontiac 350" Eng. A/T	17/32"	Inner	9/32"	3 Turns	1/8"	1/32"	5/32"	17/64"	7/16	Index	15/64"	1800P H/S
350" Eng. M/T		17/32"	Inner	9/32"	3 Turns	1/8"	1/32"	5/32"	17/64"	7/16	Index	15/64"	1800N H/S	
(Ventura) 350" Eng. A/T		3/8"	Outer	3/8"	2 Turns	3/32"	1/64"	1/8"	7/64"	3/4	1 - Rich	15/64"	1800P H/S	
(Can.) 350" Eng. A/T		15/32"	Inner	9/32"	3 Turns	19/64"	1/64"	3/16"	11/64"	7/8	Index	21/64"	1600P H/S	
400" Eng. Alt./T		17/32"	Inner	9/32"	3 Turns	1/8"	1/32"	5/32"	17/64"	1/2	Index	15/64"	1800N H/S	
455" Eng. A/T		17/32"	Inner	9/32"	3 Turns	1/8"	1/32"	5/32"	17/64"	1/2	Index	15/64"	1800P H/S	
1976	Pontiac 350" Eng. Fed. A/T	5/16"	Outer	3/8"	2 Turns	3/32"	1/64"	9/64"	1/8"	3/4	1 - Rich	1/4"	1800P H/S	
	Calif. A/T	5/16"	Outer	3/8"	2 Turns	3/32"	1/64"	9/64"	9/64"	3/4	Index	1/4"	1800P H/S	
	350" Eng. Canada A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	5/32"	----	7/8	Index	21/64"	1600P H/S	
	350" Eng. Carb. No. 17056568 A/T	17/32"	Outer	3/8"	3 Turns	1/8"	1/32"	5/32"	1/4"	1/2	1 - Rich	15/64"	1800P H/S	
	400" - 455" Eng. A/T	17/32"	Outer	3/8"	3 Turns	1/8"	1/32"	5/32"	1/4"	1/2	1 - Rich	15/64"	1800P H/S	
	Carb. No. 17056263 M/T	17/32"	Outer	3/8"	3 Turns	1/8"	1/32"	11/64"	1/4"	5/8	1 - Rich	15/64"	1800N H/S	
455" Eng. Calif. A/T	17/32"	Outer	3/8"	3 Turns	1/8"	1/32"	11/64"	1/4"	1/2	1 - Rich	15/64"	1800P H/S		
1977	Pontiac 350" Eng. Fed. A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	3/16"	1/2	2 - Rich	7/32"	900P L/S	
	Carb. No. 17057262 A/T	17/32"	Outer	3/8"	3 Turns	1/8"	1/32"	5/32"	1/4"	1/2	1 - Rich	7/32"	1800P H/S	
	Calif. A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	1/4"	1/2	2 - Rich	7/32"	1000P L/S	
	Alt. A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	15/64"	1/2	2 - Rich	7/32"	1000P L/S	
	350" Eng. W/Single Vac. Break Calif. A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	17/64"	----	7/8	2 - Lean	9/32"	1600P H/S	
	Alt. A/T	15/32"	Inner	9/32"	3 Turns	21/64"	1/64"	9/32"	----	7/8	2 - Lean	9/32"	1600P H/S	
	400" Eng. Fed. A/T	17/32"	Outer	3/8"	3 Turns	1/8"	1/32"	5/32"	1/4"	1/2	1 - Rich	9/32"	1800P H/S	
	403" Eng. Fed. & Alt. A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	3/16"	1/2	2 - Rich	9/32"	900P L/S	
	Calif. A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	1/4"	1/2	2 - Rich	9/32"	1000P L/S	
	403" Eng. Fed. & Alt. A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	9/64"	3/16"	1/2	2 - Rich	9/32"	900P L/S	

Year	Make	Float Level	Pump Rod Location	Pump Rod	Fast Idle (Bench)	Choke Rod	Air Valve Rod	Vacuum Break (Front)	Vacuum Break (Rear)	Air Valve Spring Turns	Auto Choke Setting	Unloader	Fast Idle * RPM	
1978	Pontiac 301" Eng. 350" Eng.	A/T	15/32"	Outer	3/8"	3 Turns	5/64"	1/32"	1/8"	11/64"	5/8	2 - Rich	13/64"	2300P
	17058241 Fed.	A/T	5/16"	Outer	3/8"	3 Turns	5/64"	1/64"	7/64"	3/32"	3/4	1 - Rich	7/32"	1550P
	17058202, 204 Fed.	A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	5/32"	----	7/8	2 - Lean	17/64"	1600P
	17058203 Fed.	M/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	5/32"	----	7/8	3 - Lean	17/64"	1300
	17058502, 504 Calif.	A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	11/64"	----	7/8	2 - Lean	17/64"	1600P
	17058582, 584 Alt.	A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	3/16"	----	7/8	2 - Lean	17/64"	1600P
	17058282, 284 Canada	A/T	15/32"	Inner	9/32"	3 Turns	9/32"	1/64"	9/64"	----	7/8	Index	17/64"	1600P
	17058258, 553 Alt./Calif.	A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	1/8"	13/64"	1/2	2 - Rich	3/16"	1000 L/S
	400" Eng.													
	17058264, 278 Fed.	A/T	17/32"	Outer	3/8"	3 Turns	1/8"	1/32"	9/64"	1/4"	1/2	1 - Rich	3/16"	1800P
	17058274, 276, 266 Fed.	A/T	17/32"	Outer	3/8"	3 Turns	1/8"	1/32"	9/64"	1/4"	1/2	Index	3/16"	1800P
	17058263 Fed.	M/T	17/32"	Outer	3/8"	3 Turns	1/8"	1/32"	5/32"	1/4"	5/8	Index	3/16"	1800N
	403" Eng.													
	17058258, 553 Alt./Calif.	A/T	13/32"	Inner	9/32"	3 Turns	3/32"	1/32"	1/8"	13/64"	1/2	2 - Rich	3/16"	1000 L/S

1979-85 DATA TABLE

YEAR	MAKE		FLOAT LEVEL	PUMP ROD LOCATION	PUMP ROD	CHOKE ROD	AIR VALVE ROD	VACUUM BREAK (FRONT)	VACUUM BREAK (REAR)	AIR VALVE SPRING (TURNS)	AUTO CHOKE SETTING	UNLOADER	
1979	BUICK	CALIF. 305" ENG. V8	A/T	15/32"	INNER	1/4"	38"	.015	28"	---	7/8	2-LEAN	38"
		ALT. 305" ENG. V8	A/T	15/32"	OUTER	11/32"	38"	.015	33"	---	7/8	1-LEAN	46"
		CALIF. 350" L. ENG. V8	A/T	15/32"	INNER	1/4"	38"	.015	28"	---	7/8	2-LEAN	38"
		ALT. 350" L. ENG. V8	A/T	15/32"	OUTER	11/32"	38"	.015	33"	---	7/8	1-LEAN	46"
		350"X ENG. V8	A/T	5/16"	OUTER	3/8"	18"	.015	21.5"	20.5"	3/4	1-RICH	38"
		FED. 350"R ENG. V8	A/T	15/32"	INNER	9/32"	18"	.030	23"	30.5"	1/2	2-RICH	35"
		CALIF. 350"R ENG. V8	A/T	15/32"	INNER	9/32"	19"	.030	24"	36.5"	1/2	2-RICH	35"
		ALT. 350"R ENG. V8	A/T	15/32"	INNER	9/32"	19"	.030	24"	32"	1/2	2-RICH	35"
		FED. 403" ENG. V8	A/T	15/32"	INNER	9/32"	18"	.030	23"	30.5"	1/2	2-RICH	35"
		CALIF. 403" ENG. V8	A/T	15/32"	INNER	9/32"	19"	.030	24"	36.5"	1/2	2-RICH	35"
		ALT. 403" ENG. V8	A/T	15/32"	INNER	9/32"	19"	.030	24"	32"	1/2	2-RICH	35"
1980-81	BUICK 307" 350" ENG. 495 & CAN.	A/T	15/32"	INNER	9/32"	17"	.025	26"	34"	1/2	N/A	35"	
1982	BUICK 307" ENG.	A/T	15/32"	INNER	9/32"	15"	.025	22"	34"	1/2	---	35"	
1983-84 1985	BUICK 307" ENG. CANADA	15/32"	INNER	9/32"	19.5"	.025	23"	34"	1/2	N/A	38"		
	BUICK 307" ENG. CANADA	15/32"	INNER	9/32"	15"	.025	21"	34"	1/2	N/A	27"		
1979	CADILLAC 425" ENG. FED.	A/T	15/32"	INNER	9/32"	16"	.030	25"	37"	1/2	2-RICH	25"	
	CALIF. / ALT.	A/T	15/32"	INNER	9/32"	16"	.030	26"	28"	1/2	2-RICH	25"	
1980	CADILLAC 368" ENG. 495		15/32"	INNER	9/32"	16"	.025	25"	24"	1/2	N/A	36"	
	CARB. NO. 17080230		15/32"	INNER	9/32"	16"	.025	25"	28"	1/2	N/A	35"	
1979	CHECKER MTRIS 350" ENG.	A/T	15/32"	INNER	1/4"	38"	.015	28"	---	7/8	2-LEAN	38"	
1979	CHEVROLET 305" ENG. FED.	A/T	15/32"	INNER	1/4"	38"	.015	27"	---	7/8	1-LEAN	38"	
	FED. CALIF.	M/T	15/32"	INNER	1/4"	38"	.015	27"	---	7/8	2-LEAN	38"	
	ALT. CALIF.	A/T	15/32"	INNER	1/4"	38"	.015	28"	---	7/8	2-LEAN	38"	
	FED. CARB. NO. 17059218, 222	A/T	15/32"	OUTER	11/32"	38"	.015	33"	---	7/8	1-LEAN	46"	
	350" ENG. V8	A/T	15/32"	INNER	1/4"	38"	.015	28"	---	7/8	2-LEAN	38"	
	FED. CARB. NO. 17059210, 228	A/T	15/32"	INNER	9/32"	38"	.015	27"	---	1	1-LEAN	38"	
	FED. CARB. NO. 17059216, 217	A/T	15/32"	INNER	1/4"	38"	.015	27"	---	7/8	1-LEAN	38"	
	FED. CARB. NO. 17059203	M/T	15/32"	INNER	9/32"	38"	.015	27"	---	7/8	2-LEAN	38"	
	FED. CARB. NO. 17059211	M/T	15/32"	INNER	9/32"	38"	.015	28"	---	7/8	2-LEAN	38"	
	CALIF. ALT.	A/T	15/32"	OUTER	11/32"	38"	.015	33"	---	7/8	1-LEAN	46"	
	1979	CHEV. & GMC TRUCK	A/T	15/32"	INNER	1/4"	38"	.015	27"	---	7/8	1-LEAN	38"
305" ENG. V8 FED.		M/T	15/32"	INNER	1/4"	38"	.015	27"	---	7/8	2-LEAN	38"	
FED. CALIF.		A/T	15/32"	INNER	1/4"	38"	.015	28"	---	7/8	2-LEAN	38"	
350" ENG. V8 FED.		A/T	15/32"	INNER	9/32"	46"	.015	---	23"	7/8	1-LEAN	42"	
FED. CALIF.		M/T	15/32"	INNER	9/32"	46"	.015	---	23"	7/8	2-LEAN	42"	
ALT. CALIF.		ALL/T	15/32"	INNER	9/32"	46"	.015	---	26"	7/8	1-LEAN	42"	
ALT. ALT.		A/T	15/32"	OUTER	11/32"	46"	.015	30"	---	7/8	2-LEAN	42"	
ALT. CARB. NO. 17059582, 584		A/T	15/32"	OUTER	11/32"	38"	.015	33"	---	7/8	1-LEAN	46"	
400" ENG. V8		A/T	15/32"	INNER	9/32"	46"	.015	---	23"	7/8	1-LEAN	42"	
454" ENG. V8		3/8"	INNER	9/32"	46"	.015	28"	---	7/8	3-LEAN	42"		
1980		CHEVROLET 305" ENG. CARB. NO. 17080262, 264	7/16"	OUTER	11/32"	20"	.025	25"	---	7/8	N/A	38"	
1980	CHEVROLET & GMC TRUCK		15/32"	INNER	9/32"	46"	.025	---	26"	7/8	N/A	42"	
	305" ENG. 495	A/T	15/32"	INNER	9/32"	46"	.025	---	26"	7/8	N/A	42"	
	350" ENG. 495 CARB. NO. 17080291	M/T	15/32"	INNER	9/32"	46"	.025	---	23"	7/8	N/A	42"	
	350" ENG. 495 CARB. NO. 17080205	A/T	15/32"	INNER	9/32"	46"	.025	---	23"	7/8	N/A	42"	
1983	CHEVROLET & GMC TRUCK 350" ENG.		15/32"	INNER	9/32"	46"	.025	---	23"	7/8	N/A	42"	
	CARB. NOS. 17080201, 206, 208		15/32"	INNER	9/32"	46"	.025	---	28"	7/8	N/A	42"	
	CARB. NOS. 17080290, 291, 292		15/32"	INNER	9/32"	46"	.025	---	23"	7/8	N/A	42"	
1979	OLDSMOBILE 305" ENG. FED.	A/T	15/32"	INNER	1/4"	38"	.015	27"	---	7/8	1-LEAN	38"	
	FED. CARB. NO. 17059218, 222	A/T	15/32"	INNER	1/4"	38"	.015	28"	---	7/8	2-LEAN	38"	
	CALIF.	M/T	15/32"	INNER	1/4"	38"	.015	28"	---	7/8	1-LEAN	38"	
	ALT. CALIF.	A/T	15/32"	OUTER	11/32"	38"	.015	33"	---	7/8	1-LEAN	46"	
	350" L. ENG. CALIF.	A/T	15/32"	INNER	1/4"	38"	.015	28"	---	7/8	2-LEAN	38"	
	ALT. ALT.	A/T	15/32"	OUTER	11/32"	38"	.015	33"	---	7/8	1-LEAN	46"	
	350"R ENG. FED.	A/T	15/32"	INNER	9/32"	18"	.030	23"	30.5"	1/2	2-RICH	35"	
	CALIF.	A/T	15/32"	INNER	9/32"	19"	.030	24"	36.5"	1/2	2-RICH	35"	
	ALT. ALT.	A/T	15/32"	INNER	9/32"	19"	.030	24"	32"	1/2	2-RICH	35"	
	403" ENG. FED.	A/T	15/32"	INNER	9/32"	18"	.030	23"	30.5"	1/2	2-RICH	35"	
	CALIF.	A/T	15/32"	INNER	9/32"	19"	.030	24"	36.5"	1/2	2-RICH	35"	
	ALT. ALT.	A/T	15/32"	INNER	9/32"	19"	.030	24"	32"	1/2	2-RICH	35"	
	1980-81	OLDSMOBILE 307" 350" ENG.	A/T	15/32"	INNER	9/32"	17"	.025	26"	34"	1/2	N/A	35"
	1982	OLDSMOBILE 307" ENG.	A/T	15/32"	INNER	9/32"	15"	.025	22"	34"	1/2	---	35"
	1983-84 1985	OLDSMOBILE 307" ENG. CANADA	15/32"	INNER	9/32"	19.5"	.025	23"	34"	1/2	N/A	38"	
		OLDSMOBILE 307" ENG. CANADA	15/32"	INNER	9/32"	15"	.025	21"	34"	1/2	N/A	27"	
1979	PONTIAC		15/32"	INNER	1/4"	38"	.015	28"	---	7/8	2-LEAN	38"	
	305" ENG. CALIF.	A/T	15/32"	OUTER	11/32"	38"	.015	33"	---	7/8	1-LEAN	46"	
	ALT.	A/T	15/32"	INNER	1/4"	38"	.015	28"	---	7/8	2-LEAN	38"	
	350" L. ENG. CALIF.	A/T	15/32"	OUTER	11/32"	38"	.015	33"	---	7/8	1-LEAN	46"	
	ALT.	A/T	15/32"	INNER	9/32"	19"	.030	24"	36.5"	1/2	2-RICH	35"	
	350"R ENG. CALIF.	A/T	15/32"	INNER	9/32"	18"	.030	23"	30.5"	1/2	2-RICH	35"	
	ALT.	A/T	15/32"	INNER	9/32"	19"	.030	24"	36.5"	1/2	2-RICH	35"	
	350"X ENG. FED.	A/T	5/16"	OUTER	3/8"	18"	.015	21.5"	20.5"	3/4	1-RICH	38"	
	400" ENG. FED.	M/T	17/32"	OUTER	3/8"	23"	.030	28"	38"	5/8	INDEX	35"	
	403" ENG. FED.	A/T	15/32"	INNER	9/32"	18"	.030	23"	30.5"	1/2	2-RICH	35"	
	CALIF.	A/T	15/32"	INNER	9/32"	19"	.030	24"	36.5"	1/2	2-RICH	35"	

P = PARK 2/S = SECOND STEP M/T = MANUAL TRANSMISSION FED. = FEDERAL (49 STATES) 350" L. = CHEVROLET BUILT ENGINE REV. 1085
N = NEUTRAL H/S = HIGH STEP * = SLOW IDLE R.P.M. REFER TO CALIF. = CALIFORNIA 350" R. = OLDSMOBILE BUILT ENGINE
L/S = LOW STEP A/T = AUTOMATIC TRANSMISSION ENGINE COMPARTMENT DECAL ALT. = ALTITUDE 350" X. = BUICK BUILT ENGINE