

Revision Date 24-Jun-2015

Version 1

SAFETY DATA SHEET

1. IDENTIFICATION			
<u>Product identifier</u> Product Name	765-3175 NAPA ELECTRICAL CONTACT & PARTS CLEANER 11 OZ (PTX82588)		
<u>Other means of identification</u> Product Code Synonyms	21085 None		
<u>Recommended use of the chemical</u> Recommended Use Uses advised against	and restrictions on use Aerosol Electrical Cleaner No information available		
Details of the supplier of the safety Manufacturer Address ITW Permatex 10 Columbus Blvd. Hartford, CT 06106 USA	<u>data sheet</u> <u>Distributor</u> ITW Permatex Canada 35 Brownridge Road, Unit 1 Halton Hills, ON Canada L7G 0C6 Telephone: (800) 924-6994		
Company Phone Number 24 Hour Emergency Phone Number	1-87-Permatex (877) 376-2839 Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453		
E-mail address	mail@permatex.com		
2. HAZARDS IDENTIFICATION			

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable aerosols	Category 1


Label elements

Danger

Emergency Overview

Causes skin irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways Extremely flammable aerosol

21085 - 765-3175 NAPA ELECTRICAL CONTACT & PARTS CLEANER 11 OZ (PTX82588)



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label) IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- Very toxic to aquatic life with long lasting effects

Unknown acute toxicity

55.5 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
1,1-DIFLUOROETHANE	75-37-6	30 - 60	*
HEPTANE	142-82-5	30 - 60	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	Get medical advice/attention if you feel unwell.		
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Wash contaminated clothing before reuse.		
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.		
Ingestion	IF SWALLOWED:. Call a physician or poison control center immediately. Do NOT induce vomiting.		
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	See section 2 for more information.		
Indication of any immediate medic	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media	Foom		
Carbon dioxide (CO2), Dry chemical, <u>Unsuitable extinguishing media</u> None. Specific hazards arising from the c	chemical		
Carbon dioxide (CO2), Dry chemical, <u>Unsuitable extinguishing media</u> None. Specific hazards arising from the c			
Carbon dioxide (CO2), Dry chemical, Unsuitable extinguishing media None. Specific hazards arising from the c Extremely flammable aerosol. In a fir	chemical		
Carbon dioxide (CO2), Dry chemical, Unsuitable extinguishing media None. Specific hazards arising from the o Extremely flammable aerosol. In a fir subsequent explosion. Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti	<mark>chemical</mark> e or if heated, a pressure increase will occur and the container may burst, with the risk of a None. None.		
Carbon dioxide (CO2), Dry chemical, <u>Unsuitable extinguishing media</u> None. <u>Specific hazards arising from the c</u> Extremely flammable aerosol. In a fir subsequent explosion. <u>Explosion data</u> <u>Sensitivity to Mechanical Impact</u> <u>Sensitivity to Static Discharge</u> <u>Protective equipment and precauti</u> As in any fire, wear self-contained br	<mark>chemical</mark> e or if heated, a pressure increase will occur and the container may burst, with the risk of a None. None.		
Carbon dioxide (CO2), Dry chemical, Unsuitable extinguishing media None. Specific hazards arising from the o Extremely flammable aerosol. In a fir subsequent explosion. Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained br protective gear.	chemical e or if heated, a pressure increase will occur and the container may burst, with the risk of a None. None. ions for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full		
Carbon dioxide (CO2), Dry chemical, Unsuitable extinguishing media None. Specific hazards arising from the o Extremely flammable aerosol. In a fir subsequent explosion. Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained br protective gear.	chemical e or if heated, a pressure increase will occur and the container may burst, with the risk of a None. None. ions for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES		
Carbon dioxide (CO2), Dry chemical, Unsuitable extinguishing media None. Specific hazards arising from the of Extremely flammable aerosol. In a fir subsequent explosion. Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precaution As in any fire, wear self-contained bro protective gear. Personal precautions, protective e	<u>chemical</u> e or if heated, a pressure increase will occur and the container may burst, with the risk of a None. None. <u>tions for firefighters</u> eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full <u>6. ACCIDENTAL RELEASE MEASURES</u> equipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes clothing. Use personal protective equipment as required. Remove all sources of ignition.		

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
-------------------------	---

Methods for cleaning up	Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required. Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Conditions for safe storage, includi	ing any incompatibilities	
Storage Conditions	Store locked up. Do not expose to temperatures exceeding 50 °C/122 °F.	
Incompatible materials	Strong oxidizing agents, Acids, Alkalis, Reducing agent	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
HEPTANE	STEL: 500 ppm	TWA: 500 ppm	IDLH: 750 ppm
142-82-5	TWA: 400 ppm	TWA: 2000 mg/m ³	Ceiling: 440 ppm 15 min
		(vacated) TWA: 400 ppm	Ceiling: 1800 mg/m ³ 15 min
		(vacated) TWA: 1600 mg/m ³	TWA: 85 ppm
		(vacated) STEL: 500 ppm	TWA: 350 mg/m ³
		(vacated) STEL: 2000 mg/m ³	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers	
	Eyewash stations	
	Ventilation systems	

Individual protection measures, such as personal protective equipment

Liquid

Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective gloves and protective clothing.	
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Appearance Odor Odor threshold	Clear Solvent No information available	
Property	Values	Remarks • Method
pH	No information available	
Melting point / freezing point	No information available 90 °C / 194 °F	
Boiling point / boiling range	No information available	Cives a flowe projection at full value opening or
Flash point	No mormation available	Gives a flame projection at full valve opening or flashback at any degree of valve opening
Evaporation rate	> 1	Butyl acetate = 1
Flammability (solid, gas)	No information available	,
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	>1	Air = 1
Relative density	0.7	
Water solubility	No information available	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	
Other Information		
Softening point	No information available	
Molecular weight	No information available	
VOC Content (%)	44.5%	
Density	No information available	
Bulk density	No information available	

10. STABILITY AND REACTIVITY

Reactivity No data available

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks. Temperatures >50 °C / 122 °F.

Incompatible materials

Strong oxidizing agents, Acids, Alkalis, Reducing agent

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

21085 - 765-3175 NAPA ELECTRICAL CONTACT & PARTS CLEANER 11 OZ (PTX82588)

Inhalation	May cause irritation of respiratory tract. May cause drowsiness or dizziness.	
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.	
Skin contact	May cause skin irritation and/or dermatitis.	
Ingestion	Harmful if swallowed. Potential for aspiration if swallowed. Aspiration may cause pulmonary edema and pneumonitis.	

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
HEPTANE	-	= 3000 mg/kg (Rabbit)	= 103 g/m³ (Rat)4 h
142-82-5			

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Target Organ Effects	Central nervous system, Respiratory system, Skin.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (dermal)	3000 mg/kg
ATEmix (inhalation-dust/mist)	103 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

55.5 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
HEPTANE	-	375.0: 96 h Cichlid fish mg/L LC50	10: 24 h Daphnia magna mg/L
142-82-5		_	EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical Name	Partition coefficient
HEPTANE	4.66
142-82-5	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

D001

US EPA Waste	Number
--------------	--------

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
HEPTANE	Toxic
142-82-5	Ignitable

14. TRANSPORT INFORMATION

DOT

UN/ID no Proper shipping name: Hazard Class Emergency Response Guide Number	1950 Aerosols, Limited Quantity (LQ) 2.1 126
IATA UN/ID no Proper shipping name: Hazard Class ERG Code	ID 8000 Consumer commodity 9 9L
IMDG UN/ID no Proper shipping name: Hazard Class EmS-No	1950 Aerosols, Limited Quantity (LQ) 2.1 F-D, S-U

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	SARA	311/312	Hazard	Categories	
--------------------------------	------	---------	--------	-------------------	--

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1,1-DIFLUOROETHANE 75-37-6	Х	X	-
HEPTANE 142-82-5	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

<u>NFPA</u>	Health hazards 2	Flammability 4	Instability 0	-
HMIS	Health hazards 2	Flammability 4	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 24-Jun-2015

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet