

Product Information



A PRODUCT OF VALVOLINE, A DIVISION OF ASHLAND INC.

VALVOLINE MERCON®V ATF

Valvoline MERCON®V* ATF (Automatic Transmission Fluid) is formulated with premium baseoils combined with advanced additive technology to meet the challenging demands of an automatic transmission environment. **Valvoline MERCON®V ATF** is officially licensed and Ford-approved, and it is designed to provide better heat resistance, cold flow capabilities, and transmission shutter resistance than conventional ATFs. It is recommended for use in automatic transmissions of most Ford passenger cars and light-duty trucks (except those specifying MERCON®SP, MERCON®LV or Type F fluids), including Lincoln and Mercury, as well as most pre-2006 GM vehicles and many imports.

* MERCON is a registered Trademark of the Ford Motor Company

The Valvoline MERCON®V ATF Advantages:

- **Low Temperature Protection:** Flows easily at low temperatures providing good cold -start shifting
- **Friction Modified:** Contains additive to protect automatic transmission hardware
- **Cleaner Transmissions:** Minimizing sludge and varnish deposits
- **Compatibility:** Protects transmission seal materials
- **Anti-Shudder:** Provides superior anti-shudder performance

Approvals/Performance Levels

MERCON®V
MERCON®
DEXRON®-III
DEXRON®-II
Caterpillar TO-2
Allison C-4
Power steering fluid where a DEXRON® or MERCON® fluid is recommended
Suitable to use in Nissan Matic D, Matic J and Matic K applications

Test	Typical Property
Viscosity @ 100°C, cSt	7.4
Specific Gravity @ 60°F	0.860
Flash Point, °C	190
Brookfield Viscosity @ -40°C, cP	10,000
Color	Red
Phosphorus, ppm	650

Effective Date: 10/26/11

Replaces: 01/07/2009

Alexey Stiop

Doc #M57-Rev 7