

Safety Data Sheet
W1003N
Coolant Filters / Conditioners

Section 1 PRODUCT AND COMPANY IDENTIFICATION

Product Number: NAPA 4088

Trade Name and Synonyms: NAPA Coolant Filters / Conditioners

Chemical Name and Synonyms: Nitrite-nitrate-borate corrosion inhibitor.

Chemical Family: Industrial water treatment

Product Use: Vehicle coolant treatment

Restrictions on use: Use only as directed

MSDS Date of Preparation: April 30, 2015

Manufacturer

Wix Filtration Products Division, Affinia Group
PO Box 1967
Gastonia, NC 28053

Telephone Numbers

Product Information: (704) 869-3869
Emergency Phone: (800) 424-9300 Chemtrec

Section 2. HAZARD(S) IDENTIFICATION

Classification:

This product is a manufactured article (vehicle coolant filter) containing solid pellets. The filter is sealed so no contact with the contents occurs during normal handling or use. Contact with the pellets from a broken filter may cause adverse effects and are classified as follows:

Physical	Health
Not hazardous	Acute Toxicity Category 4 (Oral) Skin Corrosion Category 1B Skin Sensitization Category 1 Eye Damage Category 1 Specific Target Organ Toxicity Single Exposure Category 3 (Respiratory Irritation)

Labeling:



Danger!

Hazard statement(s)

Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction

Precautionary statement(s)

Do not breathe dust.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.

Safety Data Sheet
W1003N
Coolant Filters / Conditioners

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves, protective clothing, eye protection and face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTER or doctor.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with soap and water.

Wash contaminated clothing before reuse.

Immediately call a POISON CENTER or doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor.

Store locked up.

Dispose of contents and container in accordance with local and national regulations

Section 3. COMPOSITION / INFORMATION ON INGREDIENTS
--

Chemical name	CAS No.	Concentration
Sodium Nitrite	7632-00-0	30-60%
2 Mercaptobenothiazole	149-30-4	5-15%
Sodium Metasilicate	6834-92-0	5-15%
Sodium Metaborate, anhydrous	7775-19-1	5-15%
Sodium Nitrate	7631-99-4	5-10%
Disodium Tetraborate, anhydrous	1330-43-4	1-5%

The specific identity and/or exact concentration has been withheld as a trade secret.

Section 4. FIRST-AID MEASURES

Eye: None expected under normal handling and use. If contact occurs with filter pellets, immediately flush eyes with large quantities of water for at least 20 minutes, holding the eyelids apart. Get immediate medical attention.

Skin contact: None expected with normal use. If contact with the filter pellets occurs, remove contaminated clothing. Wash skin with soap and water for 15 minutes. Get immediate medical attention.

Inhalation: None expected with normal use. If dust from tablet is inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get immediate medical attention.

Ingestion: None expected with normal use. If filter pellets, or dust is swallowed, do not induce vomiting. If conscious, rinse mouth with water. Never give anything by mouth to an unconscious or convulsing person. Get immediate medical attention.

Safety Data Sheet
W1003N
Coolant Filters / Conditioners

Most important symptoms/effects, acute and delayed: None expected under normal conditions of use. The following applies to contact with the table if the coolant filter is broken and the tablet is exposed: Eye or skin contact may cause severe irritation or burns. Permanent eye damage may occur. May cause skin sensitization. Inhalation of dust may cause mucous membrane and respiratory tract irritation. Swallowing may cause burns to the mouth, throat and digestive tract.

Section 5. FIRE-FIGHTING MEASURES
--

Extinguishing Media: Use media that is appropriate for the surrounding fire.

Specific hazards arising from the chemical: The tablet is not flammable or combustible. Combustion may produce oxides of carbon, nitrogen, boron sulfur and sodium.

Special protective equipment and precautions for fire-fighters: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire exposed containers and structures with water. This material is toxic to aquatic organisms. Fire water contaminated with this material must be contained

Section 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures: Use appropriate protective clothing and equipment during clean-up.

Environmental hazards: Avoid release into the environment. Report spill as required by local and federal regulations.

Methods and materials for containment and cleaning up: If filter is not damaged, pick up and keep for use. If the filter is damaged and the tablet is released, collect in a manner that minimizes the generation of airborne dust. Place collected material into suitable containers for disposal.

Section 7. HANDLING AND STORAGE
--

Precautions for safe handling: Handle filters in a manner that minimizes the risk of damage and release of contents. In handling damaged filters, avoid generating and breathing dusts. Prevent contact with eyes. Avoid contact with skin and clothing.

Conditions for safe storage, including any incompatibilities: Store in a cool, dry, well-ventilated area away from combustible materials, acids and other incompatible materials

Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure guidelines:

Sodium Nitrite	None Established
2 Mercaptobenothiazole	5 mg/m3 TWA skin AIHA WEEL
Sodium Metasilicate	None Established
Sodium Metaborate, anhydrous (as borates)	2 mg/m3 TWA, 6 mg/m3 STEL ACGIH TLV (inhalable)
Sodium Nitrate	None Established

Safety Data Sheet
W1003N
Coolant Filters / Conditioners

Disodium Tetraborate, anhydrous (as borates)	2 mg/m3 TWA, 6 mg/m3 STEL ACGIH TLV (inhalable)
--	---

Appropriate engineering controls: No special engineering controls are required for handling undamaged filters.

Personal Protective Equipment

Respiratory protection: None required under normal conditions of use. For operations where exposures are excessive or irritation is experienced, a NIOSH approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow OSHA 1910.134 and good Industrial Hygiene practice.

Skin protection: None required under normal conditions of use. Wear rubber or other impervious gloves when handling damaged filters or tablets.

Eye protection: None required under normal conditions of use. Safety goggles required for handling damaged filters or tablets.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

The following physical characteristics are for the pellets only.

Appearance (physical state, color, etc.): Yellow tablet inside a coolant filter

Odor: Slight odor

Odor threshold: Not available	pH: 10.5 (1% solution)
Melting point/freezing point: Not available	Boiling point/Range: Not applicable
Flash point: Not applicable	Evaporation rate: Not applicable
Flammability (solid, gas): Not flammable	
Flammable limits: LEL: Not applicable	UEL: Not applicable
Vapor pressure: Not applicable	Vapor density: Not applicable
Relative density: Not available	Solubility(ies): Very slightly in water
Partition coefficient: n-ctanol/water: Not applicable	Auto-ignition temperature:
Decomposition temperature: Not available	Viscosity: Not applicable

Section 10. STABILITY AND REACTIVITY

Reactivity: Not expected to react. .

Chemical stability: Stable.

Possibility of hazardous reactions: None expected under normal use conditions.

Conditions to avoid: Avoid extreme heat.

Incompatible materials: Incompatible with oxidizing materials, reducing agents, organic materials, acids and moisture.

Hazardous decomposition products: Thermal decomposition will generate carbon oxides, oxides of nitrogen, boron oxides, oxides of sulfur and sodium oxides.

Safety Data Sheet
W1003N
Coolant Filters / Conditioners

Section 11. TOXICOLOGICAL INFORMATION
--

Potential Health Effects: Handling undamaged filters will not result in adverse effects. The following information pertains to exposure to the coolant treatment tablets.

Eye: May cause severe irritation or burns.

Skin: May cause irritation. Sodium nitrite and borates may be harmful if absorbed through the skin. Repeated skin contact may cause allergic skin reaction.

Inhalation: Dust may cause irritation of the mucous membranes and upper respiratory tract. Absorption may cause effects similar to those described under ingestion.

Ingestion: Harmful if swallowed. May cause burns to the mouth and throat, dizziness, nausea, vomiting, low blood pressure, cyanosis, rapid heartbeat, convulsions and collapse.

Chronic effects: Prolonged or repeated exposure may cause nervous system effects, liver damage, kidney damage and effects on the blood.

Reproductive Toxicity: Borates have been shown to cause reproductive effects in laboratory animals. The relevance to humans is unknown.

Carcinogenicity: None of the components of this product present at 0.1% or greater are listed as carcinogens by IARC, NTP or OSHA.

Acute Toxicity Values:

Acute Toxicity Estimate for the Product: Oral: 545 mg/kg, dermal >2000 mg/kg

Sodium Nitrite: Oral rat LD50 85 mg/kg

2-Mercaptobenzothiazole: Oral rat LD50 3800 mg/kg, Dermal rabbit LD50 >7940 mg/kg

Sodium Metasilicate: Oral rat LD50 1890 mg/kg, Inhalation rat LC50 >2.06 mg/L/4 hr (no deaths occurred), Dermal rat LD50 >5000 mg/kg.

Sodium Metaborate: Oral rat LD50 >2600 mg/kg, Inhalation rat LC50 >2.03 mg/L/4 hr (no deaths occurred), Dermal rat LD50 >2000 mg/kg.

Sodium Nitrate: Oral rat LD50 3430 mg/kg, Dermal rat LD50 >5000 mg/kg

Disodium Tetraborate: Oral rat LD50 3450 mg/kg, Inhalation rat LC50 >2.03 mg/L/4 hr (no deaths occurred), Dermal rabbit LD50 >2000 mg/kg.

Section 12. ECOLOGICAL INFORMATION

Ecotoxicity:

Sodium Nitrite: 96 hr LD50 *Oncorhynchus mykiss* 0.54 mg/L, 48 hr EC50 *daphnia magna* 15.4 mg/L, 72 hr EC50 *Desmodesmus subspicatus* >100 mg/L

2-Mercaptobenzothiazole: 96 hr LC50 *Oncorhynchus mykiss* 0.73 mg/L, 48 hr EC50 *daphnia magna* 0.741 mg/L, 72 hr EC50 *Pseudokirchnerella subcapitata* 0.5 mg/L

Sodium Metasilicate: 96 hr LC50 *Gambusia affinis* 2350 mg/kg, 48 hr EC50 *daphnia magna* 1700 mg/L, 72 hr EC50 *Desmodesmus subspicatus* 207 mg/L

Sodium Metaborate: 96 hr LC50 *Limanda limanda* 74 mg/L, 48 hr EC50 *daphnia magna* 133 mg/L

Sodium Nitrate: 96 hr LC50 *Lepomis macrochirus* 12,000 mg/kg, 24 hr EC50 *daphnia magna* 8609 mg/kg,

Disodium Tetraborate: 96 hr LC50 *Limanda limanda* 74 mg/L

Persistence and degradability: Biodegradation is not applicable to inorganic substances.

Safety Data Sheet
W1003N
Coolant Filters / Conditioners

Bioaccumulative potential: No data available.

Mobility in soil: No data available.

Other adverse effects: None known.

Section 13. DISPOSAL CONSIDERATIONS
--

Dispose in accordance with all local, state and federal regulations.

Section 14. TRANSPORT INFORMATION
--

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
DOT (In containers <200 lbs)		Not Regulated			
DOT (In containers >200 lbs)	UN3077	Environmentally Hazardous Substance, Solid, n.o.s. (Sodium Nitrite)	9	PGIII	RQ 166 lbs
TDG	UN3077	Environmentally Hazardous Substance, Solid, n.o.s. (Sodium Nitrite)	9	PGIII	Marine Pollutant
IMDG	UN3077	Environmentally Hazardous Substance, Solid, n.o.s. (Sodium Nitrite, Mercaptobenzothiazole	9	PGIII	Marine Pollutant

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable – product is transported only in packaged form.

Special precautions: None known

Section 15. REGULATORY INFORMATION

Safety, health, and environmental regulations specific for the product in question.

CERCLA 103 Reportable Quantity: The tablets have a reportable quantity of 166 lbs based on 60% sodium nitrite with an RQ of 100 lbs. Many states have more stringent reporting requirements. Report releases as required by all federal, state and local authorities.

SARA TITLE III:

Hazard Category for Section 311/312: Acute health, chronic health

SARA 313: This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements:

Sodium nitrite	7632-0-0	30-60%
2 Mercaptobenothiazole	149-30-4	5-15%
Sodium nitrate	7631-99-4	5-10%
(nitrate compound)		

Safety Data Sheet
W1003N
Coolant Filters / Conditioners

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

California Proposition 65: This product is not known to contain regulated chemicals.

Section 16. OTHER INFORMATION

NFPA Rating: Health = 3	Flammability = 0	Instability = 0
HMIS Rating: Health = 3	Flammability = 0	Physical Hazard = 0

SDS Revision History: Converted to GHS format – All sections revised

Date of preparation: April 30, 2015

Date of last revision: April 29, 2012

The information is believed to be accurate and represents the best information currently available to us. WE MAKE NO WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION. We assume no liability resulting from its use. Users should conduct their own investigations to determine the suitability of the information for their own particular application and purpose.

Safety Data Sheet
W1003N
Coolant Filters / Conditioners

Revision History

Product	Type	Chemical Name	
W1003	Coolant Filter	Nitrite-nitrate-borate corrosion inhibitor	
Revision	Description	Effective Date	Signed
A	Revised phone number.	2/3/14	Carmen Reich
B	Converted to GHS Format – All Sections revised	4/30/15	Angela Rath