


| | | |
|--|--|---------------------------|
|  | | Page: 1 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Eagle One™ CHROME
WHEEL CLEANER

Recommended use of the chemical and restrictions on use

| | |
|--|---|
| Details of the supplier of the safety data sheet Niteo Products, LLC P.O. Box 191629 Dallas TX 75219 United States of America | Emergency telephone number CHEMTREC DIRECT 1-800-424-9300 Product Information 1-844-696-4836 |
|--|---|

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to Metals : Category 1

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 3

Skin corrosion : Category 1

Serious eye damage : Category 1


Specific target organ systemic toxicity - repeated exposure (Oral) : Category 2 (Kidney)

GHS Label element

Hazard pictograms :   

Signal Word : Danger

Hazard Statements : May be corrosive to metals.

| | | |
|--|--|---------------------------|
|  | | Page: 2 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

Harmful if swallowed.
 Toxic in contact with skin.
 Causes severe skin burns and eye damage.
 Causes serious eye damage.
 May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Precautionary Statements

: Prevention:

Keep only in original container.
 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
 Wash skin thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
 Get medical advice/ attention if you feel unwell.
 Take off contaminated clothing and wash before reuse.
 Absorb spillage to prevent material damage.

Storage:

Store locked up.
 Store in corrosive resistant stainless steel container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards


None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components


| Chemical Name | CAS-No. | Classification | Concentration (%) |
|-----------------|-----------|--------------------|-------------------|
| PHOSPHORIC ACID | 7664-38-2 | Met. Corr. 1; H290 | 9.11 |

| | | |
|--|--|---------------------------|
|  | | Page: 3 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

| | | | |
|-----------------------------|-----------|---|------|
| | | Skin Corr. 1B; H314 | |
| SODIUM 1-OCTANESULFONATE | 5324-84-5 | Skin Irrit. 2; H315 Eye Dam. 1; H318 | 1.60 |
| ETHANEDIOIC ACID, DIHYDRATE | 6153-56-6 | Acute Tox. 4; H302 Skin Corr. 1; H314 Eye Dam. 1; H318 STOT RE 2; H373 | 1.50 |
| HYDROFLUORIC ACID | 7664-39-3 | Acute Tox. 2; H300 Acute Tox. 2; H330 Acute Tox. 1; H310 Skin Corr. 1A; H314 | 0.72 |

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If breathed in, move person into fresh air.
Keep patient warm and at rest.
If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
Immediately flush contaminated skin with large quantities of


| | | |
|--|--|---------------------------|
|  | | Page: 4 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

cool running water for 5 minutes. Remove contaminated clothing while flushing contaminated skin. Immediately after washing, apply 2.5% calcium gluconate gel to all affected skin areas. (Note: If gel is not prepared within 5 minutes, continue flushing until gel is prepared.) The gel should be massaged into the affected skin by personnel wearing gloves to prevent skin contamination during first aid. Gel should be applied every 15 minutes and massaged continuously. Instead of calcium gluconate treatment, the affected areas may be soaked in iced 0.13% benzalkonium chloride solution (Zephiran chloride). Use ice cubes rather than shaved ice to prevent frostbite. If it is not practical to immerse affected area, towels should be soaked with iced 0.13% benzalkonium chloride solution and used as compresses for the burned area. Compresses should be changed every 2-3 minutes and continued until pain is relieved or victim is seen by a physician. If neither calcium gluconate nor benzalkonium chloride is available, use an iced saturated water solution of magnesium sulfate (Epsom salts), or if that is not available, iced 70% alcohol or ice water. Local anesthetics should be avoided since relief of pain indicates success of the treatment.

Get medical attention as soon as possible.

NOTE: Calcium gluconate gel can be prepared by mixing a 10 milliliter ampule of calcium gluconate with a 2-ounce tube of K-Y jelly (Johnson & Johnson). After a jar of this mixture has been opened and used, it should be discarded to prevent bacterial or chemical contamination.

- | | |
|---|---|
| In case of eye contact | : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. |
| If swallowed | : Get medical attention immediately. Do NOT induce vomiting. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : Harmful if swallowed. Toxic in contact with skin. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure if swallowed. Causes severe burns. Pulmonary edema may be delayed. Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea) irritation (nose, throat, airways) |

| | | |
|--|--|---------------------------|
|  | | Page: 5 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

Cough
 Headache
 irregular heartbeat
 lung edema (fluid buildup in the lung tissue)
 acute kidney failure (sudden slowing or stopping of urine production)

Notes to physician : No hazards which require special first aid measures.


SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Water spray
 Foam
 Carbon dioxide (CO2)
 Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Oxides of phosphorus
 sulfur dioxide
 Sulphur oxides
 carbon dioxide and carbon monoxide
- Specific extinguishing methods :

 Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform

| | | |
|--|--|---------------------------|
|  | | Page: 6 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapours/dust.
Do not smoke.
Container hazardous when empty.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Prevent unauthorized access.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-----------------------------|-----------|----------------------------------|---|--------------|
| PHOSPHORIC ACID | 7664-38-2 | TWA | 1 mg/m3 | ACGIH |
| | | STEL | 3 mg/m3 | ACGIH |
| | | REL | 1 mg/m3 | NIOSH/GUID E |
| | | STEL | 3 mg/m3 | NIOSH/GUID E |
| | | PEL | 1 mg/m3 | OSHA_TRANS |
| ETHANEDIOIC ACID, DIHYDRATE | 6153-56-6 | TWA | 1 mg/m3 | ACGIH |
| | | STEL | 2 mg/m3 | ACGIH |
| | | REL | 1 mg/m3 | NIOSH/GUID E |

SAFETY DATA SHEET

Revision Date: 07/31/2015

Print Date: 1/12/2016

SDS Number: R0336584

Eagle One™ CHROME WHEEL CLEANER

Version: 1.1

824332

| | | | | |
|---------------|-----------|------|---------------------------------|--------------|
| | | STEL | 2 mg/m3 | NIOSH/GUID E |
| | | PEL | 1 mg/m3 | OSHA_TRANS |
| | | TWA | 1 mg/m3 | Z1A |
| | | STEL | 2 mg/m3 | Z1A |
| | | TWA | 1 mg/m3 | ACGIHLIS_P |
| | | STEL | 2 mg/m3 | ACGIHLIS_P |
| SULFURIC ACID | 7664-93-9 | TWA | 0.2 mg/m3 Thoracic fraction. | ACGIH |
| | | REL | 1 mg/m3 | NIOSH/GUID E |
| | | PEL | 1 mg/m3 | OSHA_TRANS |
| | | TWA | 1 mg/m3 | TN OEL |

Biological occupational exposure limits

| Components | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|-------------------|-------------------------|--------------------|---------------------|--------------------------------|---------------------------|-------|
| HYDROFLUORIC ACID | 7664-39-3 | Fluoride | Urine | Sampling time: Prior to shift. | 2 mg/l | |
| Remarks: | Background, Nonspecific | | | | | |
| | | Fluoride | Urine | Sampling time: End of shift. | 3 mg/l | |
| Remarks: | Background, Nonspecific | | | | | |

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment


Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Wear as appropriate:
 impervious clothing
 Chemical resistant apron
 Safety shoes
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Discard gloves that show tears, pinholes, or signs of wear.
 Wear resistant gloves (consult your safety equipment supplier).


Hygiene measures : Avoid contact with skin, eyes and clothing.

| | | |
|--|--|---------------------------|
|  | | Page: 8 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

Wash hands before breaks and immediately after handling the product.
When using do not eat or drink.
Ensure that eyewash stations and safety showers are close to the workstation location.
When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|--|
| Physical state | : liquid |
| Odour | : No data available |
| Odour Threshold | : No data available |
| pH | : 2.8 |
| Melting point/freezing point | : No data available |
| Boiling point/boiling range | : 195.1 °F / 90.6 °C (1,013.333333 hPa) Calculated Phase Transition Liquid/Gas |
| Flash point | : Not applicable |
| Evaporation rate | : No data available |
| Flammability (solid, gas) | : No data available |
| Upper explosion limit | : No data available |
| Lower explosion limit | : No data available |
| Vapour pressure | : 23.3333333 hPa (20 °C) Calculated Vapor Pressure |
| Relative vapour density | : No data available |
| Relative density | : 1.0875 (20 °C) |
| Density | : 1.0684 g/cm3 (20 °C) |
| Solubility(ies) | |
| Water solubility | : No data available |
| Solubility in other solvents | : No data available |
| Partition coefficient: n-octanol/water | : No data available |
| Thermal decomposition | : No data available |

| | | |
|--|--|---------------------------|
|  | | Page: 9 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

Viscosity
 Viscosity, dynamic : No data available
 Viscosity, kinematic : No data available
 Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.
 Chemical stability : Stable under recommended storage conditions.
 Possibility of hazardous reactions : Product will not undergo hazardous polymerization.
 Conditions to avoid : excessive heat
 Exposure to moisture
 Incompatible materials : Fluorine
 Metals
 nitromethane
 strong alkalis
 Strong oxidizing agents
 strong reducing agents
 Sulphides
 sulphites
 Hazardous decomposition products : carbon dioxide and carbon monoxide
 Oxides of phosphorus
 Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
 Skin Absorption
 Skin contact
 Eye Contact
 Ingestion


Acute toxicity

Harmful if swallowed.
 Toxic in contact with skin.

Components:

PHOSPHORIC ACID:

Acute oral toxicity : LD 50 (Rat): ca. 2,600 mg/kg

| | | |
|--|--|---------------------------|
|  | | Page: 10 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

Acute inhalation toxicity : Remarks: Corrosive to respiratory system.

Acute dermal toxicity : LD 50 (Rabbit): 2,740 mg/kg

SODIUM 1-OCTANESULFONATE:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: No mortality observed at this dose.

ETHANEDIOIC ACID, DIHYDRATE:

Acute oral toxicity : LD 50 (Rat): 375 mg/kg
Remarks: Corrosive by Ingestion

Acute inhalation toxicity : Remarks: Corrosive by Inhalation

Acute dermal toxicity : Remarks: Harmful in contact with skin and if swallowed.

HYDROFLUORIC ACID:

Acute dermal toxicity : LD Lo (Mouse): 500 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks: Causes severe skin burns and eye damage.

Components:

PHOSPHORIC ACID:

Result: Corrosive to skin

SODIUM 1-OCTANESULFONATE:

Result: Irritating to skin

Remarks: Expected

ETHANEDIOIC ACID, DIHYDRATE:

Result: Corrosive to skin

HYDROFLUORIC ACID:

Result: Corrosive to skin

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

Components:

PHOSPHORIC ACID:


Result: Corrosive to eyes

SODIUM 1-OCTANESULFONATE:

Result: Corrosive to eyes

ETHANEDIOIC ACID, DIHYDRATE:

Result: Corrosive to eyes

| | | |
|--|--|---------------------------|
|  | | Page: 11 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

HYDROFLUORIC ACID:
Result: Corrosive to eyes

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Components:

ETHANEDIOIC ACID, DIHYDRATE:

Exposure routes: Ingestion

Target Organs: Kidney

Assessment: May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

Components:

HYDROFLUORIC ACID:

Remarks: Teeth

Remarks: Bone

Carcinogenicity:

IARC

Group 1: Carcinogenic to humans

SULFURIC ACID

7664-93-9

OSHA


No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

Known to be human carcinogen

SULFURIC ACID

7664-93-9

| | | |
|--|--|---------------------------|
|  | | Page: 12 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

SODIUM 1-OCTANESULFONATE:

Toxicity to daphnia and other aquatic invertebrates : EC 50 (Water flea (Daphnia magna)): 3,200 mg/l
Exposure time: 24 h
Test Type: static test

Persistence and degradability

SODIUM 1-OCTANESULFONATE:

Biodegradability : Result: Readily biodegradable
Biodegradation: 84 %
Exposure time: 29 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

SODIUM 1-OCTANESULFONATE:

Partition coefficient: n-octanol/water : log Pow: ca. -7

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SAFETY DATA SHEET

Revision Date: 07/31/2015

Print Date: 1/12/2016

SDS Number: R0336584

Eagle One™ CHROME WHEEL CLEANER

Version: 1.1

824332

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

| ID NUMBER | PROPER SHIPPING NAME | *HAZARD CLASS | SUBSIDIARY HAZARDS | PACKING GROUP | MARINE POLLUTANT / LTD. QTY. |
|-----------|----------------------|---------------|--------------------|---------------|------------------------------|
|-----------|----------------------|---------------|--------------------|---------------|------------------------------|

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

| | | | | | |
|---------|--|---|--|----|------------------|
| UN 3264 | Corrosive liquid, acidic, inorganic, n.o.s. (PHOSPHORIC ACID, SULFURIC ACID) | 8 | | II | LIMITED QUANTITY |
|---------|--|---|--|----|------------------|

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

| | | | | | |
|---------|--|---|--|----|------------------|
| UN 3264 | Corrosive liquid, acidic, inorganic, n.o.s. (PHOSPHORIC ACID, SULFURIC ACID) | 8 | | II | LIMITED QUANTITY |
|---------|--|---|--|----|------------------|

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

| | | | | | |
|---------|--|---|--|----|------------------|
| UN 3264 | Corrosive liquid, acidic, inorganic, n.o.s. (PHOSPHORIC ACID, SULFURIC ACID) | 8 | | II | LIMITED QUANTITY |
|---------|--|---|--|----|------------------|

INTERNATIONAL MARITIME DANGEROUS GOODS


| | | | | | |
|---------|--|---|--|----|------------------|
| UN 3264 | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULFURIC ACID) | 8 | | II | LIMITED QUANTITY |
|---------|--|---|--|----|------------------|

TRANSPORT CANADA - INLAND WATERWAYS

| | | | | | |
|---------|--|---|--|----|------------------|
| UN 3264 | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULFURIC ACID) | 8 | | II | LIMITED QUANTITY |
|---------|--|---|--|----|------------------|

TRANSPORT CANADA - RAIL

| | | | | | |
|---------|--|---|--|----|------------------|
| UN 3264 | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULFURIC ACID) | 8 | | II | LIMITED QUANTITY |
|---------|--|---|--|----|------------------|

| | | |
|--|--|---------------------------|
|  | | Page: 14 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

TRANSPORT CANADA - ROAD

| | | | | | |
|----|------|--|---|----|------------------|
| UN | 3264 | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULFURIC ACID) | 8 | II | LIMITED QUANTITY |
|----|------|--|---|----|------------------|

U.S. DOT - INLAND WATERWAYS

| | | | | |
|----|------|--|---|----|
| UN | 3264 | Corrosive liquid, acidic, inorganic, n.o.s. (PHOSPHORIC ACID, SULFURIC ACID) | 8 | II |
|----|------|--|---|----|

U.S. DOT - RAIL

| | | | | |
|----|------|--|---|----|
| UN | 3264 | Corrosive liquid, acidic, inorganic, n.o.s. (PHOSPHORIC ACID, SULFURIC ACID) | 8 | II |
|----|------|--|---|----|

U.S. DOT - ROAD

| | | | | |
|----|------|---|---|----|
| UN | 3264 | LIQUIDO CORROSIVO, ACIDO, INORGANICO, N.E.P. (PHOSPHORIC ACID, SULFURIC ACID) | 8 | II |
|----|------|---|---|----|

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

| | |
|------------------|----|
| Marine pollutant | no |
|------------------|----|

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.


SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|-------------------|-----------|--------------------|-----------------------------|
| HYDROFLUORIC ACID | 7664-39-3 | 100 | 13888.888889 |

SARA 311/312 Hazards : Acute Health Hazard
Chronic Health Hazard

| | | |
|--|--|---------------------------|
|  | | Page: 15 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Component(s)SARA 313

Pennsylvania Right To Know

| | | |
|-----------------------------|-----------|-----------------|
| WATER | 7732-18-5 | 70.00 - 90.00 % |
| PHOSPHORIC ACID | 7664-38-2 | 5.00 - 10.00 % |
| ETHANEDIOIC ACID, DIHYDRATE | 6153-56-6 | 1.00 - 5.00 % |

New Jersey Right To Know

| | | |
|-----------------------------|--------------|-----------------|
| WATER | 7732-18-5 | 70.00 - 90.00 % |
| PHOSPHORIC ACID | 7664-38-2 | 5.00 - 10.00 % |
| SURFACTANT | Not Assigned | 1.00 - 5.00 % |
| SODIUM 1-OCTANESULFONATE | 5324-84-5 | 1.00 - 5.00 % |
| ETHANEDIOIC ACID, DIHYDRATE | 6153-56-6 | 1.00 - 5.00 % |
| SULFURIC ACID | 7664-93-9 | 0.10 - 1.00 % |

California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer.
 SULFURIC ACID 7664-93-9

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL.

AICS : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory


KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

| | | |
|--|--|---------------------------|
|  | | Page: 16 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 07/31/2015

| NFPA: | HMIS III: | | | | | | |
|---|---|---------------|-----------|---------------------|----------|------------------------|----------|
| <p>Flammability</p>  <p>Health</p> <p>Instability</p> <p>Special hazard.</p> | <table border="1"> <tr> <td>HEALTH</td><td>3*</td></tr> <tr> <td>FLAMMABILITY</td><td>0</td></tr> <tr> <td>PHYSICAL HAZARD</td><td>0</td></tr> </table> <p>0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p> | HEALTH | 3* | FLAMMABILITY | 0 | PHYSICAL HAZARD | 0 |
| HEALTH | 3* | | | | | | |
| FLAMMABILITY | 0 | | | | | | |
| PHYSICAL HAZARD | 0 | | | | | | |

NFPA Flammable and Combustible Liquids Classification

Not applicable

Full text of H-Statements referred to under sections 2 and 3.

| | |
|------|---|
| H290 | May be corrosive to metals. |
| H300 | Fatal if swallowed. |
| H302 | Harmful if swallowed. |
| H303 | May be harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H373 | May cause damage to organs through prolonged or repeated exposure if swallowed. |

Sources of key data used to compile the Safety Data Sheet


Internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Cefic, the European Chemical Industry Council.

ESIS European Chemical Substances Information System

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Niteo's Environmental Health and Safety Department (1-844-696-4836).

| | | |
|--|--|---------------------------|
|  | | Page: 17 |
| SAFETY DATA SHEET | | Revision Date: 07/31/2015 |
| | | Print Date: 1/12/2016 |
| | | SDS Number: R0336584 |
| Eagle One™ CHROME WHEEL CLEANER | | Version: 1.1 |
| 824332 | | |

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists
 BEI : Biological Exposure Index
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
 FG : Food grade
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
 H-statement : Hazard Statement
 IATA : International Air Transport Association.
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
 IMDG : International Maritime Code for Dangerous Goods
 ISO : International Organization for Standardization
 logPow : octanol-water partition coefficient
 LCxx : Lethal Concentration, for xx percent of test population
 LDxx : Lethal Dose, for xx percent of test population.
 ICxx : Inhibitory Concentration for xx of a substance
 Ecxx : Effective Concentration of xx
 N.O.S.: Not Otherwise Specified
 OECD : Organization for Economic Co-operation and Development
 OEL : Occupational Exposure Limit
 P-Statement : Precautionary Statement
 PBT : Persistent , Bioaccumulative and Toxic
 PPE : Personal Protective Equipment
 STEL : Short-term exposure limit
 STOT : Specific Target Organ Toxicity
 TLV : Threshold Limit Value
 TWA : Time-weighted average
 vPvB : Very Persistent and Very Bioaccumulative
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act
 DOT : Department of Transportation
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act
 HMIRC : Hazardous Materials Information Review Commission
 HMIS : Hazardous Materials Identification System
 NFPA : National Fire Protection Association
 NIOSH : National Institute for Occupational Safety and Health
 OSHA : Occupational Safety and Health Administration
 PMRA : Health Canada Pest Management Regulatory Agency
 RTK : Right to Know
WHMIS : Workplace Hazardous Materials Information System