# CR®

# SAFETY DATA SHEET

## 1. Identification

Product identifier NAPA® Disc Brake Quiet - 4 oz

Other means of identification

Product Code No. 091444 (Item# 1007994)

Recommended use Apply to brakes to decrease noise

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company name CRC Industries, Inc.

Address 885 Louis Dr.

Warminster, PA 18974 US

**Telephone** 

 General Information
 215-674-4300

 Technical Assistance
 800-521-3168

 Customer Service
 800-272-4620

 24-Hour Emergency
 800-424-9300 (US)

(CHEMTREC)

Website www.crcindustries.com

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

Carcinogenicity Category 2

Specific target organ toxicity, single exposure Category 1 (central nervous system, kidney)

(oral)

Specific target organ toxicity, repeated Category 2 (kidney)

exposure (oral)

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to organs

(central nervous system, kidney) by ingestion. May cause damage to organs (kidney) through

prolonged or repeated exposure by ingestion.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe vapors. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye

protection/face protection.

**Response** If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse. If exposed or concerned: Get medical advice/attention.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national regulations.

Material name: NAPA® Disc Brake Quiet - 4 oz

SDS US

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
water		7732-18-5	30 - 40
ethylene glycol		107-21-1	1 - 3
triethanolamine		102-71-6	1 - 3
diethanolamine		111-42-2	< 0.2

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

clothing before reuse.

## 4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately. Ingestion

Dermatitis. Rash. Edema. Prolonged exposure may cause chronic effects.

Most important

symptoms/effects, acute and

delayed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Narcosis. Behavioral changes. Decrease in motor functions. May cause an allergic skin reaction.

Indication of immediate medical attention and special treatment needed

General information

Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled

containers. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

Material name: NAPA® Disc Brake Quiet - 4 oz

No. 091444 (Item# 1007994) Version #: 01 Issue date: 04-02-2019

# 7. Handling and storage

#### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. For product usage instructions, see the product label.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Keep container tightly closed. Protect from freezing. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

### Occupational exposure limits

116	ACCIL	l Throchold	I imit Values

Components	Туре	Value	Form
diethanolamine (CAS 111-42-2)	TWA	1 mg/m3	Inhalable fraction and vapor.
ethylene glycol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
triethanolamine (CAS 102-71-6)	TWA	5 mg/m3	
US. NIOSH: Pocket Guide to Ch	nemical Hazards		
Components	Туре	Value	
diethanolamine (CAS 111-42-2)	TWA	15 mg/m3	
		3 ppm	

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

US - California OELs: Skin designation

diethanolamine (CAS 111-42-2)

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

diethanolamine (CAS 111-42-2)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear protective gloves such as: Nitrile. Neoprene.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a

NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical stateSolid, Liquid.FormSemi-solid paste.

No. 091444 (Item# 1007994) Version #: 01 Issue date: 04-02-2019

Color Red.

Material name: NAPA® Disc Brake Quiet - 4 oz

Odor Acrylic. **Odor threshold** Not available. Not available. Ha

Melting point/freezing point 9 °F (-12.8 °C) estimated 212 °F (100 °C) estimated Initial boiling point and boiling

range

Flash point None. **Evaporation rate** Slow.

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

2.6 % estimated

Flammability limit - upper

(%)

15.3 % estimated

Vapor pressure 9.4 hPa estimated Not available. Vapor density Relative density 1.03

Solubility(ies)

Solubility (water) Dispersible. Not available. **Partition coefficient** 

(n-octanol/water)

748.4 °F (398 °C) estimated **Auto-ignition temperature** 

**Decomposition temperature** Not available. **Viscosity** Not available. 39.1 % estimated Percent volatile

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Protect from freezing.

Strong oxidizing agents. Incompatible materials **Hazardous decomposition** 

products

Acrylic monomers.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation May cause damage to organs by inhalation. May cause damage to organs through prolonged or

repeated exposure by inhalation.

Skin contact May cause an allergic skin reaction.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Causes damage to organs by ingestion. May cause damage to organs through prolonged or

repeated exposure by ingestion.

Symptoms related to the physical, chemical and toxicological characteristics Narcosis. Behavioral changes. Decrease in motor functions. May cause an allergic skin reaction.

Dermatitis. Rash. Edema.

#### Information on toxicological effects

Acute toxicity Not known.

No. 091444 (Item# 1007994) Version #: 01 Issue date: 04-02-2019

Material name: NAPA® Disc Brake Quiet - 4 oz

SDS US

Components Species Test Results

diethanolamine (CAS 111-42-2)

<u>Acute</u>

**Dermal** 

LD50 Rabbit 8180 mg/kg

Oral

LD50 Rat 680 mg/kg

ethylene glycol (CAS 107-21-1)

Acute Dermal

LD50 Rat > 5000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

triethanolamine (CAS 102-71-6)

<u>Acute</u>

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat 4190 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

diethanolamine (CAS 111-42-2) 2B Possibly carcinogenic to humans.

triethanolamine (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Causes damage to organs (central nervous system, kidney) by ingestion.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (kidney) through prolonged or repeated exposure by ingestion.

**Aspiration hazard** Not an aspiration hazard.

Chronic effects May cause damage to organs through prolonged or repeated exposure. May be harmful if

absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Components Species Test Results

diethanolamine (CAS 111-42-2)

**Aquatic** 

Crustacea EC50 Water flea (Ceriodaphnia dubia) 61.8 - 86.04 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) 100 mg/l, 96 hours

ethylene glycol (CAS 107-21-1)

**Aquatic** 

Acute

Crustacea EC50 Water flea (Daphnia magna) 41000 mg/l, 48 hours
Fish LC50 Rainbow trout,donaldson trout 22810 mg/l, 96 hours

(Oncorhynchus mykiss)

triethanolamine (CAS 102-71-6)

Aquatic Acute

Fish LC50 Bluegill (Lepomis macrochirus) 450 - 1000 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

### Persistence and degradability

### Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

diethanolamine -1.43 ethylene glycol -1.36 triethanolamine -1

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal instructions This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty

containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all

applicable regulations.

Hazardous waste code Not regulated.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

#### 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

ethylene glycol (CAS 107-21-1)

## CERCLA Hazardous Substance List (40 CFR 302.4)

diethanolamine (CAS 111-42-2) ethylene glycol (CAS 107-21-1)

## **CERCLA Hazardous Substances: Reportable quantity**

diethanolamine (CAS 111-42-2) 100 LBS ethylene glycol (CAS 107-21-1) 5000 LBS

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

diethanolamine (CAS 111-42-2) ethylene glycol (CAS 107-21-1)

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

**Food and Drug** 

Not regulated.

Administration (FDA)

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Classified hazard

Respiratory or skin sensitization

categories

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
ethylene glycol	107-21-1	1 - 3	

#### **US** state regulations

## US. New Jersey Worker and Community Right-to-Know Act

Yes

diethanolamine (CAS 111-42-2)

ethylene glycol (CAS 107-21-1)

triethanolamine (CAS 102-71-6)

#### **US. Massachusetts RTK - Substance List**

diethanolamine (CAS 111-42-2)

ethylene glycol (CAS 107-21-1)

triethanolamine (CAS 102-71-6)

# US. Pennsylvania Worker and Community Right-to-Know Law

diethanolamine (CAS 111-42-2)

ethylene glycol (CAS 107-21-1)

triethanolamine (CAS 102-71-6)

#### **US. Rhode Island RTK**

diethanolamine (CAS 111-42-2)

ethylene glycol (CAS 107-21-1)

triethanolamine (CAS 102-71-6)

#### **California Proposition 65**



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-dioxane (CAS 123-91-1) Listed: January 1, 1988 acetaldehyde (CAS 75-07-0) Listed: April 1, 1988 D&C ORANGE NO. 17 (CAS 3468-63-1) Listed: July 1, 1990 Listed: June 22, 2012 diethanolamine (CAS 111-42-2) ethyl acrylate (CAS 140-88-5) Listed: July 1, 1989 ethylene oxide (CAS 75-21-8) Listed: July 1, 1987

Material name: NAPA® Disc Brake Quiet - 4 oz

California Proposition 65 - CRT: Listed date/Developmental toxin

ethylene glycol (CAS 107-21-1) Listed: June 19, 2015 ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

California Proposition 65 - CRT: Listed date/Female reproductive toxin

ethylene oxide (CAS 75-21-8) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Male reproductive toxin

ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

diethanolamine (CAS 111-42-2) ethylene glycol (CAS 107-21-1)

#### Volatile organic compounds (VOC) regulations

**EPA** 

VOC content (40 CFR

51.100(s))

4 %

Consumer products (40 CFR 59, Subpt. C)

Not regulated

**State** 

Consumer products Not regulated

 VOC content (CA)
 0.8 %

 VOC content (OTC)
 0.8 %

#### **International Inventories**

Country(s) or region On inventory (yes/no)\* Inventory name Australia Australian Inventory of Chemical Substances (AICS) Nο Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No China Inventory of Existing Chemical Substances in China (IECSC) No Europe European Inventory of Existing Commercial Chemical No

Substances (EINECS)

Europe European List of Notified Chemical Substances (ELINCS)

Japan Inventory of Existing and New Chemical Substances (ENCS)

Korea Existing Chemicals List (ECL)

No

New Zealand New Zealand Inventory

Philippines Philippine Inventory of Chemicals and Chemical Substances

No

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

## 16. Other information, including date of preparation or last revision

Issue date04-02-2019Prepared byDustin Kern

Version # 01

Further information CRC # 562C/1002580

**Disclaimer** The information contained in this document applies to this specific material as supplied. It may not

be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety

professional, or CRC Industries, Inc..

**Revision information**This document has undergone significant changes and should be reviewed in its entirety.

Material name: NAPA® Disc Brake Quiet - 4 oz

SDS US

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).