# **S Permatex**

# SAFETY DATA SHEET

Revision Date 04-Mar-2015 Version 1

# 1. IDENTIFICATION

**Product identifier** 

Product Name 765-1203 NAPA HI TEMP RED RTV SILICONE (PTX81160) 3 0Z

Other means of identification

Product Code 21132 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Sealant

Uses advised against No information available

Details of the supplier of the safety data sheet

<u>Manufacturer Address</u> <u>Distributor</u>

ITW Permatex Canada
10 Columbus Blvd. 35 Brownridge Road, Unit 1
Hartford, CT 06106 USA Halton Hills, ON Canada L7G 0C6

Telephone: (800) 924-6994

Company Phone Number 1-87-Permatex

(877) 376-2839

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924

International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

# 2. HAZARDS IDENTIFICATION

# Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation         | Category 2  |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2A |

#### Label elements

## **Emergency Overview**

#### Warning

Causes skin irritation

Causes serious eye irritation



Appearance Red Physical state Paste Odor Acetic acid

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

Protect from moisture

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

The classification as a carcinogen need not apply if the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen. This note applies only to certain complex oil derived substances in Annex I

Unknown acute toxicity

12.3% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

| Chemical Name                         | CAS No     | Weight-% | Trade Secret |
|---------------------------------------|------------|----------|--------------|
| POLY (DIMETHYLSILOXANE), HYDROXY      | 70131-67-8 | 40 - 70  | *            |
| TERMINATED                            |            |          |              |
| AMORPHOUS SILICA                      | 7631-86-9  | 7 - 13   | *            |
| DISTILLATES (PETROLEUM), HYDROTREATED | 64742-46-7 | 3 - 7    | *            |
| MIDDLE                                |            |          |              |
| IRON OXIDE                            | 1309-37-1  | 1 - 5    | *            |
| TITANIUM DIOXIDE                      | 13463-67-7 | 1 - 5    | *            |
| ·-·                                   | \ 4        |          |              |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

**General advice** Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

**Skin contact** IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician.

Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion IF SWALLOWED. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person.

**Self-protection of the first aider**Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

**Symptoms** See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media

None.

Specific hazards arising from the chemical

None in particular.

**Explosion data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.

Use personal protective equipment as required.

Environmental precautions

**Environmental precautions**Do not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Flood with water to complete polymerization and scrape off

floor. Sweep up and shovel into suitable containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture.

Incompatible materials Strong oxidizing agents

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

| Chemical Name    | ACGIH TLV                        | OSHA PEL                               | NIOSH IDLH                               |
|------------------|----------------------------------|--|--|
| AMORPHOUS SILICA | -                                | (vacated) TWA: 6 mg/m <sup>3</sup> <1% | IDLH: 3000 mg/m <sup>3</sup>             |
| 7631-86-9        |                                  | Crystalline silica                     | TWA: 6 mg/m <sup>3</sup>                 |
|                  |                                  | TWA: 20 mppcf                          |  |
|                  |                                  | : (80)/(% SiO2) mg/m³ TWA              |  |
| IRON OXIDE       | TWA: 5 mg/m³ respirable fraction | TWA: 10 mg/m³ fume                     | IDLH: 2500 mg/m <sup>3</sup> Fe dust and |
| 1309-37-1        |                                  | TWA: 15 mg/m³ total dust               | fume                                     |
|                  |                                  | TWA: 5 mg/m³ respirable fraction       | TWA: 5 mg/m³ Fe dust and fume            |
|                  |                                  | (vacated) TWA: 10 mg/m³ fume           |  |
|                  |                                  | and total dust Iron oxide              |  |
|                  |                                  | (vacated) TWA: 5 mg/m³ respirable      |  |
|                  |                                  | fraction regulated under Rouge         |  |
| TITANIUM DIOXIDE | TWA: 10 mg/m <sup>3</sup>        | TWA: 15 mg/m³ total dust               | IDLH: 5000 mg/m <sup>3</sup>             |
| 13463-67-7       |                                  | (vacated) TWA: 10 mg/m3 total dust     | -  |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

appropriate.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Air = 1

Polymerization

#### Information on basic physical and chemical properties

Physical state Paste
Appearance Red
Odor Acetic acid

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Does not apply

Melting point / freezing point No information available

Boiling point / boiling rangeNot ApplicablePolymerizationFlash point> 93 °C / > 199 °FTag Closed CupEvaporation rate<1</td>Butyl acetate = 1

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available

Vapor pressure 10 mm Hg Vapor density >1

Vapor density >1 Relative density 1.05

Water solubility Not applicable

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available No information available **Decomposition temperature** Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point No information available Molecular weight No information available

VOC Content (%) <3%

Density

No information available

Bulk density

No information available

# 10. STABILITY AND REACTIVITY

## Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Excessive heat. Exposure to air or moisture over prolonged periods.

# **Incompatible materials**

Strong oxidizing agents

# **Hazardous Decomposition Products**

Carbon oxides, Nitrogen oxides (NOx), Formaldehyde, May release 2-butanone oxime (ethyl methyl ketoxime) at elevated temperature

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

**Skin contact** May cause skin irritation and/or dermatitis.

**Ingestion** Ingestion may cause irritation to mucous membranes.

| Chemical Name   | Oral LD50           | Dermal LD50             | Inhalation LC50      |
|---|---------------------|-------------------------|----------------------|
| POLY (DIMETHYLSILOXANE),<br>HYDROXY TERMINATED<br>70131-67-8  | -                   | > 16 mL/kg(Rabbit)      | > 8750 mg/m³(Rat)7 h |
| AMORPHOUS SILICA<br>7631-86-9                                 | > 5000 mg/kg (Rat)  | > 2000 mg/kg ( Rabbit ) | > 2.2 mg/L (Rat)1 h  |
| DISTILLATES (PETROLEUM),<br>HYDROTREATED MIDDLE<br>64742-46-7 | = 7400 mg/kg(Rat)   | > 2000 mg/kg(Rabbit)    | = 4.6 mg/L (Rat)4 h  |
| IRON OXIDE<br>1309-37-1                                       | > 10000 mg/kg (Rat) | -                       | -                    |
| TITANIUM DIOXIDE<br>13463-67-7                                | > 10000 mg/kg (Rat) | -                       | -                    |

## Information on toxicological effects

Symptoms No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name    | ACGIH | IARC     | NTP | OSHA |
|------------------|-------|----------|-----|------|
| AMORPHOUS SILICA | -     | Group 3  | -   | -    |
| 7631-86-9        |       |          |     |      |
| IRON OXIDE       | -     | Group 3  | -   | -    |
| 1309-37-1        |       | -        |     |      |
| TITANIUM DIOXIDE | -     | Group 2B | -   | X    |
| 13463-67-7       |       | -        |     |      |

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Target Organ Effects** Eyes, Lungs, Respiratory system, Skin, Teeth.

#### Numerical measures of toxicity - Product Information

# The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 17289 mg/kg
ATEmix (dermal) 6094 mg/kg
ATEmix (inhalation-dust/mist) 4.8 mg/l

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

None known

82.1% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| _ | 02:170 of the mixture consists of compensation of artitional mazards to the aquatic chimerinent |                      |      |           |  |
|---|---|----------------------|------|-----------|--|
|   | Chemical Name   | Algae/aquatic plants | Fish | Crustacea |  |

| AMORPHOUS SILICA  | 440: 72 h Pseudokirchneriella | 5000: 96 h Brachydanio rerio mg/L   | 7600: 48 h Ceriodaphnia dubia |
|---|-------------------------------|---|-------------------------------|
| 7631-86-9   | subcapitata mg/L EC50         | LC50 static   | mg/L EC50                     |
| TILLATES (PETROLEUM),<br>/DROTREATED MIDDLE<br>64742-46-7 | -                             | 35: 96 h Pimephales promelas mg/L<br>LC50 flow-through 10000: 96 h<br>Pimephales promelas mg/L LC50<br>static |                               |

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Mobility

No information available.

#### Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# 14. TRANSPORT INFORMATION

DOT

Proper shipping name: Not regulated

<u>IATA</u>

Proper shipping name: Not regulated

<u>IMDG</u>

Proper shipping name: Not regulated

# 15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

EINECS/ELINCS Does not comply Does not comply IECSC Complies

KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

# **SARA** 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

| Yes |
|-----|
| No  |
| No  |
| No  |
| No  |
|     |

# **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

# **US State Regulations**

# California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name                 | California Proposition 65 |
|-------------------------------|---------------------------|
| TITANIUM DIOXIDE - 13463-67-7 | Carcinogen                |

#### U.S. State Right-to-Know Regulations

| Chemical Name                  | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| AMORPHOUS SILICA<br>7631-86-9  | X          | X             | X            |
| IRON OXIDE<br>1309-37-1        | X          | X             | X            |
| TITANIUM DIOXIDE<br>13463-67-7 | X          | X             | X            |
| ACETIC ACID<br>64-19-7         | X          | X             | X            |

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA Health hazards 1 Flammability 1 Instability 0 -

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 04-Mar-2015

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**