

Page 1 of 7

303-1008

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards MSDS Revision: 4.0 MSDS Revision Date: 07/01/2012

1. PRODUCT IDENTIFICATION

1.1 Product Name:

303 HIGH TECH FABRIC GUARD™

1.2 Chemical Name:

SEE INGREDIENTS IN SECTION 3

1.3 Synonyms:

NA

1.4 Trade Names

303 HIGH TECH FABRIC GUARD™

1.5 Product Use:

1.6

NA

Manufacturer's Name:

GOLD EAGLE COMPANY

1.7 Manufacturer's Address:

4400 S. KILDARE AVE., CHICAGO, IL 60632-4372 USA

1.8 Emergency Phone:

INFOTRAC: +1 (800) 535-0535 (Contract No. 75416)

1.9 Business Phone:

+1 (773) 376-4400

2. IDENTIFICATION OF RISKS


2.1 Hazard Identification:

This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia).

WARNING! Highly flammable liquid and vapor. Avoid skin contact due to sensitizing potential.

<u>Hazard Statements (H)</u>: H226 - Flammable liquid. H317 – may cause an allergic skin reaction. H320 – Causes eye irritation.

Precautionary Statements (P): P210 - Keep away from heat/sparks/open flames/hot surfaces - No Smoking. P233 - Keep container tightly closed. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P302+P352 - IF ON SKIN - Wash with soap and water. P305+P351+P338 - IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P333+P313 - If skin irritation or a rash occurs - Get medical advice/attention. P321 - For specific first aid treatment (see section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before reuse. P403 + P235 - Store in a well-ventilated place. Keep container tightly closed. P501 - Dispose of contents/container through an authorized waste disposal facility.



2.2 Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES

2.3 Effects of Exposure:

<u>EYES:</u> Possible irritation and burning sensation. <u>SKIN</u>: Possible irritation and dermatitis (rash).

INGESTION: Possible gastrointestinal irritation, nausea, vomiting or diarrhea.

INHALATION: No adverse health effects expected.

2.4 Symptoms of Overexposure

Symptoms of skin overexposure in individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering.

2.5 Acute Health Effects

Mild to moderate irritation to eyes and skin near affected areas.

2.6 Chronic Health Effects

Chronic exposure may lead to central nervous system complications, blood changes (e.g., aplastic anemia, a rare occurrence that is potentially fatal), and dermatitis. Animal studies have indicated the potential for liver and kidney damage.

2.7 Target Organs:

Eyes, Skin

NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.





Page 2 of 7

303-1008

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards MSDS Revision: 4.0 MSDS Revision Date: 07/01/2012 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) **ACGIH NOHSC OSHA** OTHER ppm ppm ES-ES-ES-CHEMICAL NAME(S) CAS No. RTECS No. **EINECS No.** TLV STEL **TWA** STEL **PEAK** PEL STEL **IDLH** 8052-41-3 PETROLEUM DISTILLATES WJ8925000 232-489-3 ≤ 100.0 100 1800 100 NF NA NF 500 NA 4. FIRST AID MEASURES First Aid: 4 1 EYES: Flush eyes thoroughly with copious amounts of water for at least 20 minutes, holding eyelids open to ensure complete flushing. Seek immediate medical attention. SKIN: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Launder clothing before reuse. Do not induce vomiting. Call a physician or poison control center for assistance & instructions. Seek immediate INGESTION: medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. INHALATION: Remove victim to fresh air at once. If breathing is difficult, provide supplemental oxygen. If breathing has stopped, provide artificial respiration. Seek immediate medical attention. Provide treatment, keeping victim warm & quiet. 3 HEALTH Persons with pre-existing skin disorders or eve problems or impaired kidney function **FLAMMABILITY** 2 may be more susceptible to the effects of the substance. PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES SKIN** 5. FIREFIGHTING MEASURES Flashpoint & Method: 5.1 50 °C (122 °F) c.c. 5.2 Autoignition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND 5.4 Fire & Explosion Hazards: Flammable. 5.5 Extinguishing Methods: CO₂, sand, dry chemical, Halon (if authorized), foam, alcohol foam, and indirect water spray or fog. Firefighting Procedures: 5.6 Keep containers cool until well after the fire is out. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters should wear full-face, self-contained breathing apparatus (MSHA/NIOSH approved or the equivalent) and impervious clothing. 6. ACCIDENTAL RELEASE MEASURES

Secure spill area, remove or minimize all sources of ignition, and maximize ventilation. Stop spill or leak at source if safely possible. Deny entry to all unprotected individuals. Individuals involved in the cleanup must wear appropriate personal protective equipment. Recover free liquid or cover with inert absorbent material and place into appropriate container(s) for disposal. If necessary, dike well

ahead of the spill to prevent runoff into drains, sewers or any natural waterway or drinking supply.



Page 3 of 7

303-1008

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 4.0

MSDS Revision Date: 07/01/2012

7. HANDLING & STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Use normal hygiene practices. Avoid breathing vapors. Avoid direct skin contact. Wash hands thoroughly after using this product and before eating, drinking, or smoking. Good personal hygiene practices, such as washing any skin contact areas and removing contaminated clothing, are recommended.

7.2 Storage & Handling

Keep away from spark, flame and other sources of ignition. Follow all label instructions. Keep container closed when not in use. Use and store in a cool, dry, well-ventilated area. Do not store in unmarked containers or storage devices.

7.3 Special Precautions

Readily available emergency fire, first aid, and spill response equipment and/or measures are highly recommended. Keep this and all chemicals out of reach of children.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 Ventilation & Engineering Controls

Explosion-proof local exhaust to maintain exposure limits below those listed in Section 3. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.

8.2 Respiratory Protection

No special respiratory protection is required under typical circumstances of use or handling. When in enclosed areas or when exposure exceeds limits listed in Section 2, use NIOSH./MSHA approved chemical cartridge respirator with organic vapor (OV) cartridge, per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.

8.3 Eye Protection:

Safety glasses with side shields should be used with this product. If splashing is anticipated, splash goggles and a face shield are recommended. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166.

8.4 Hand Protection:

Do not wear rings, watches, or jewelry that could entrap the material against the skin. Solvent-proof gloves recommended to prevent/reduce exposure. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada or the E.C. member states.

8.5 Body Protection:

As required to prevent/reduce exposure. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	0.80 - 0.90
9.2	Boiling Point:	> 150 °C
9.3	Melting Point:	< 1.0 °C
9.4	Evaporation Rate:	< 0.1 (water = 1.0)
9.5	Vapor Pressure:	0.5 mm Hg
9.6	Molecular Weight:	NA .
9.7	Appearance & Color:	Clear to white liquid
9.8	Odor Threshold:	Solvent odor
9.9	Solubility:	Insoluble in water
9.10	рН	NA .
9.11	Viscosity:	NA NA
9.12	Other Information:	Vapor Density: 5.30 (air = 1.0)

10. STABILITY & REACTIVITY

10.1 Stability:

Stable under ambient conditions when stored properly (see Section 7, Storage and Handling).

10.2 Hazardous Decomposition Products

If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and carbon oxide gases (e.g., CO, CO₂).

10.3 Hazardous Polymerization:

Will not occur.

10.4 Conditions to Avoid:

Open flames, sparks, high heat, and close proximity to incompatible substances (e.g., alkalis, acids, strong oxidizers).

10.5 Incompatible Substances

Strong alkalis, acids, and oxidizers.



13.2

Special Considerations

MATERIAL SAFETY DATA SHEET

Page 4 of 7

303-1008

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards MSDS Revision: 4.0 MSDS Revision Date: 07/01/2012 11. TOXICOLOGICAL INFORMATION 11.1 Toxicity Data This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. These data have not been presented in this document. 11.2 See Section 2.5 11.3 Chronic Toxicity See Section 2.6 11.4 Suspected Carcinogen: 11.5 Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. This product is not reported to produce mutagenic effects in humans. Embryotoxicity This product is not reported to produce embryotoxic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans. Irritancy of Product: See Section 2.3 11.7 Biological Exposure Indices: NE Physician Recommendations: 11.8 Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: The manufacturer has not reported detailed studies on the environmental fate of the material. However, prudent practice would dictate the material not be allowed to enter the environment. Effects on Plants & Animals: The manufacturer has not reported any plant and animal effects. Effects on Aquatic Life: The manufacturer has not reported any aquatic life effects. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal

Waste disposal must be in accordance with appropriate Federal, state, and local regulations.

U.S. EPA hazardous waste (characteristic – ignitable): D001



Page 5 of 7

303-1008

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 4.0

MSDS Revision Date: 07/01/2012

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, TDGR, ADR/RID, SCT and the ADGR.

14.1	49 CFR (GND):
	NOT REGULATED PER 49 CFR §173.150(f)
14.2	IATA/ICAO (AIR):
	CONSUMER COMMODITY, 9, ID8000 (≤ 0.5 L)
	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III, LTD QTY (>0.5 L, \leq 5.0 L)
	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III (> 5.0 L)
14.3	IMDG (OCN):
	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III, LTD QTY (≤ 5.0 L)
	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III (> 5.0 L)
14.4	TDGR (Canadian GND):
	MARK PACKAGE "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE"
	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III, LTD QTY (≤ 5.0 L)
	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III (> 5.0 L)
14.5	ADR/RID (EU):
	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III, LTD QTY (≤ 5.0 L)
	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III (> 5.0 L)
14.6	MEXICO (SCT):
	UN1268, DESTILADOS DE PETROLEO, N.E.P., 3, III, LTD QTY (≤ 5.0 L)
	UN1268, DESTILADOS DE PETROLEO, N.E.P., 3, III (> 5.0 L)







15. REGULATORY INFORMATION

15.1 SARA Reporting Requirements:

This product does not contain any substances subject to SARA reporting requirements.

15.2 SARA Threshold Planning Quantity

There are no specific Threshold Planning Quantities (TPQs) for the components of this product.

15.3 TSCA Inventory Status:

ADGR (AUS):

The components of this product are listed on the TSCA Inventory.

UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III, LTD QTY (\leq 5.0 L) UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III (> 5.0 L)

15.4 CERCLA Reportable Quantity (RQ):

NΑ

15.5 Other Federal Requirements:

NA

15.6 Other Canadian Regulations:

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Class B2 - Flammable Liquid.



15.7 State Regulatory Information

None of the ingredients in this mixture are found on any the following state criteria lists:

California OSHA Hazardous Substances List, Delaware Air Quality Management List, Massachusetts Hazardous Substances List, Minnesota Hazardous Substances List, New Jersey Right to Know Hazardous Substances List, New York List of Hazardous Substances, Pennsylvania Hazardous Substances List, Washington Permissible Exposure Limits for Air Contaminants, Wisconsin Hazardous Substances List



Page 6 of 7

303-1008

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 4.0

MSDS Revision Date: 07/01/2012

15. REGULATORY INFORMATION - cont'd

67/548/EEC (European Union) Requirements:

The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC:

Petroleum Distillates: Flammable, Irritant (F, Xi)

Risk Phrases (R): 10-36/37/38 - Flammable. Irritating to eyes, respiratory system and skin.

Safety Phrases (S): 26-37/39 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves and eye/face protection.

WARNING! Flammable liquid. Avoid skin contact due to sensitizing potential.

Hazard Statements (H): H226 - Flammable liquid. H317 - may cause an allergic skin reaction. H320 - Causes eye irritation.

Precautionary Statements (P): P210 - Keep away from heat/sparks/open flames/hot surfaces - No Smoking. P233 - Keep container tightly closed. P243 - Take precautionary measures against static discharge. P261 -Avoid breathing dust/fume/gas/mist/vapors/spray. P302+P352 – IF ON SKIN - Wash with soap and water. P305+P351+P338 - IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P333+P313 – If skin irritation or a rash occurs - Get medical advice/attention. P321 – For specific first aid treatment (see section 4 of this Safety Data Sheet). P363 – Wash contaminated clothing before reuse. P403 + P235 - Store in a well-ventilated place. Keep container tightly closed. P501 - Dispose of contents/container through an authorized waste disposal facility.



16. OTHER INFORMATION

16.1 Other Information:

> Use only as directed. Avoid eye contact. If contact occurs, flush eye thoroughly with running water. Use only in a well-ventilated area. If redness or other signs of adverse reaction occur, discontinue use immediately. Keep container closed. KEEP OUT OF REACH OF CHILDREN.

16.2 Terms & Definitions:

Please see last page of this MSDS.

16.3

This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & 303 Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

16.4 Prepared for:

Gold Eagle Company 4400 S. Kildare Avenue Chicago, IL 60632-4372 Attn: Mike Profetto Tel: +1 (773) 376-4400 Fax: +1 (773) 376-8954 www.goldeagle.com



16.5 Prepared by:

> ShipMate, Inc. **PO Box 787** Sisters, OR 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

e-mail: shipmate@shipmate.com



Training & Consulting



Page 7 of 7

303-1008

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 4.0

MSDS Revision Date: 07/01/2012

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDs. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists	
TLV Threshold Limit Value		
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
IDLH	Immediately Dangerous to Life and Health	

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose
	heart has stopped receives manual chest compressions and breathing
	to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

A	S			
В	S			
С	B		*	
D			*	
E	S			
		m	—	





OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:		
Autoignition	Minimum temperature required to initiate combustion in air with no	
Temperature	other source of ignition	
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that	
	will explode or ignite in the presence of an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume,	
	that will explode or ignite in the presence of an ignition source	

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s	
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal	
ppm	Concentration expressed in parts of material per million parts	
TD _{Io}	Lowest dose to cause a symptom	
TCLo	Lowest concentration to cause a symptom	
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects	
TC, TCo, LCio, & LCo		
IARC	International Agency for Research on Cancer	
NTP	National Toxicology Program	
RTECS	Registry of Toxic Effects of Chemical Substances	
BCF	Bioconcentration Factor	
TLm	Median threshold limit	
log K _{OW} or log K _{OC}	Coefficient of Oil/Water Distribution	

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	DOT U.S. Department of Transportation	
TC	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	Canadian Non-Domestic Substance List	
PSL	Canadian Priority Substances List	
TSCA	U.S. Toxic Substance Control Act	
EU	EU European Union (European Union Directive 67/548/EEC)	
WGK	Wassergefährdungsklassen (German Water Hazard Class)	

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\oslash	*	(8)		(Ţ)	®		R	
Α	A B C		D1	D2	D3	E	F	
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive	

EC (67/548/EEC) INFORMATION:

	Í		M	*			×	X	
С		E F		N	0	T+	Xi	Xn	
Corros	ve	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful	

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Leftrightarrow		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment