****** MATERIAL SAFETY DATA SHEET ******

ASLC16 - AlumaSeal Leak Stopper

SEC 1 - PRODUCT AND MANUFACTURER INFO
SEC 2 - COMPOSITION INFORMATION
SEC 3 - HAZARDS IDENTIFICATION
SEC 4 - FIRST AID MEASURES
SEC 5 - FIRE FIGHTING MEASURES
SEC 6 - ACCIDENTAL RELEASE MEASURES
SEC 7 - HANDLING AND STORAGE
SEC 8 - EXPOSURE, PERS. PROTECTION
SEC 9 - PHYS, CHEM PROPERTIES
SEC 10 - STABILITY, REACTIVITY
SEC 11 - TOXICOLOGY INFORMATION
SEC 12 - ECOLOGICAL INFORMATION
SEC 13 - DISPOSAL CONSIDERATIONS
SEC 14 - TRANSPORT INFORMATION
SEC 15 - REGULATORY INFORMATION
SEC 16 - ADDITIONAL INFORMATION

**** SECTION 1 - CHEMICAL PRODUCT AND MANUFACTURER IDENTIFICATION ****

Product Name: ASLC16 - AlumaSeal Leak Stopper

Part Number:

ASLC16

Product CAS: (None)

Product Code: ASLC16

Synonyms: ASLC16 - AlumaSeal Leak Stopper

MANUFACTURER IDENTIFICATION
Name: Gold Eagle Company
Address: 4400 S. Kildare Blvd.
City: Chicago **State:** IL **Zip:** 60632-4372

For information call: 773-376-4400

Emergency Number: N/A

Emergency Agency: INFOTRAC

Agency Number: 1-800-535-5053

MSDS Effective Date: 4/22/2008

MSDS Supersedes Date: 3/1/2013
Miscellaneous:
Product CAS: Mixture

Brief Description: Organic based automotive radiator sealer.
Return to top

**** SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS ****

Chemical Name	CAS	MIN	MAX

Contains 95 - 100% Organic Vegetable Mea	(none)	0	0

Miscellaneous:

CHEMICAL NAME	LIMIT VALUES
Contains 95 - 100% Organic Vegetable Mealy	N/A

Return to top

**** SECTION 3 - HAZARDS IDENTIFICATION ****

EMERGENCY OVERVIEW:

NFPA: Health: 1 **Fire:** 0 **Reactivity:** 0 **Specific Hazard:** Dust

HMIS: Health: 1 **Flammability:** 0 **Reactivity:** 0 **PPE:** B

Miscellaneous:
This product does not contain any components above de minimus concentrations that
are considered carcinogenic by OSHA, IARC or NTP.

POTENTIAL HEALTH EFFECTS

Target Organs/Primary Route(s) of Entry:

Eye:
Slight irritant.

Skin:
Irritant.

Ingestion:
Harmful when swallowed.

Inhalation:
Potential irritant.

Miscellaneous:

Return to top

**** SECTION 4 - FIRST AID MEASURES ****

Eye:
If the product contacts the eyes, immediately wash the eyes with large quantities of
room temperature water for at least 15 minutes, occasionally lifting the lower and
upper lids. Get medical attention immediately. A follow up visit to an ophthalmologist should be made. Contact lenses should not be worn when

working with
this chemical.

Skin:
If the product contacts the skin, promptly wash the contaminated skin with soap and
water for at least 15 minutes. Get medical attention as required.

Ingestion:
Do not induce vomiting. Get medical attention immediately. Aspiration of material
into lungs due to vomiting can cause chemical pneumonitis which can be fatal.

Inhalation:
Move the exposed person to fresh air at once and call emergency medical care. If
breathing has stopped, give artificial respiration. If breathing is difficult, give
humidified oxygen.

Notes to Physician:
No data available.

Return to top

**** SECTION 5 - FIRE FIGHTING MEASURES ****

Flash Point: N/A

AutoIgnition Temperature: N/A

Flammable Limits
Lower Limit: Explosive Limit (LEL): N/A

Upper Limit: Explosive Limit (UEL): N/A

Extinguishing Media:
Carbon dioxide, dry chemical, foam and water fog.

Unusual Fire and Explosion Hazards:
Do not store product near halogenated hydrocarbons, alkalis, or oxidizers.

Special Fire Fighting Procedures:
Use SCBA apparatus operated in pressure demand or other positive pressure mode. Use
non sparking tools for cleanup.

General Information:

Return to top

**** SECTION 6 - ACCIDENTAL RELEASE MEASURES ****

Small Spills: Remove sources of heat or ignition, provide adequate ventilation,
contain leak using absorbent, inert, non-combustible material.

Large Spills: Contain spill, transfer to secure containers. In the event of an
uncontrolled material release, the user should determine if release is reportable
under applicable laws and regulations.
Return to top

**** SECTION 7 - HANDLING AND STORAGE ****

Handling:
See other sections of MSDS.

Storage:
See other sections of MSDS.

Return to top

**** SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION ****

GENERAL HYGIENE CONSIDERATIONS:
Use normal hygiene practices. Do not allow powder to remain on hands, skin or other
clothes or body extremities. Do not wear work shoes home.

OTHER PRECAUTIONS:
Warning: Large volumes of powder and creation of dust in the presence of a static
charge could cause an explosion. Always use non-sparking equipment for

cleaning
areas containing powder and/or dust.

ENGINEERING CONTROLS:
Local Exhaust: Provide local ventilation to maintain exposure levels below any
recommended limits.

Mechanical (General): In confined spaces, mechanical ventilation may be required.

PERSONAL PROTECTIVE EQUIPMENT
Eyes/face:
Use splash proof chemical, safety goggles or appropriate full-face shield.

Skin:
Use natural rubber or neoprene gloves as required.

Respirators:
Use an approved dust/carbon dust filter or a NIOSH approved dust respirator with
appropriate dust filters.

Other Protective Clothing/Equipment:
If there is a possibility of exposure of an individual's body to the product, wear
body covering clothes to avoid prolonged or repeated exposure.

Return to top

**** SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES ****

Appearance/Odor:
Tan colored powder
pH: N/A

Vapor Pressure: (MM HG): N/A

Vapor Density(Air=1): N/A

Evaporation Rate: N/A

Viscosity: N/A

Boiling Point: N/A

Freezing/Melting Point: N/A

Decomposition Temperature: N/A

Solubility in Water: N/A

Specific Gravity: 1

Molecular Formula: N/A

Molecular Weight: N/A

VOC Coating (minus water): 0 Lbs/Gallon

Coating Density : 0 Lbs/Gallon

Solvent Density : 0 Lbs/Gallon

Percent Solvent (volume): 0

Percent Solids (volume): 100

Percent Water (volume): 0

Percent Volatile by Weight: 0

Miscellaneous:
% Volatile/Volume: N/A

Percent Solvent (Volume): N/A

Percent Solids (Volume): N/A

Percent Water (Volume): N/A

Product may produce dust, wear a dust mask as required. Wash hands and skin as
needed, do not let product remain in contact with these areas.

Return to top

****** SECTION 10 - STABILITY AND REACTIVITY ******

Chemical Stability:
Stable: Yes

Conditions to Avoid:
Do not store near halogenated hydrocarbons, alkalis, and oxidizers. Aluminum is a
nuisance dust. If product is suspended in a dust laden cloud, it is readily ignited
and could be explosive.

Incompatibilities with Other Materials:
If product is suspended in a dust laden cloud and a static charge occurs explosion could result. Use only non-sparking tools and cleaning equipment when working with powder.

Hazardous Decomposition Products:
None.

Hazardous Polymerization:
Hazardous polymerization may occur: No

Return to top

**** SECTION 11 - TOXICOLOGICAL INFORMATION ****

No data available.

Return to top

**** SECTION 12 - ECOLOGICAL INFORMATION ****

No data available.

Return to top

**** SECTION 13 - DISPOSAL CONSIDERATIONS ****

Dispose of product in accordance with local, state, and federal regulations. Before attempting clean up, refer to other sections of MSDS for hazard warning information.

Return to top

**** SECTION 14 - TRANSPORT INFORMATION ****

Transportation Information:
Shipping Information (CFR 49 and IMDG):

Proper Shipping Name: Cement, radiator
DOT Hazard Class: None required.
DOT UN Number: None required.
IMDG Shipping Name: Non Hazardous Consumer Product

Label Information:
No data available.

Return to top

**** SECTION 15 - REGULATORY INFORMATION ****

SARA Title III:

Section 302: None
Section 304: None
Section 311: None
Section 313: None

CERCLA:

Section 311(b)(4): Requires discharges of crude oil and petroleum products in any kind or form to waters must be reported to the National Response Center at (800) 424-8802.

Return to top

**** SECTION 16 - ADDITIONAL INFORMATION ****

Disclaimer: Information presented herein is believed to be factual, as it has been derived from the works and opinions of persons believed to be qualified experts. However, nothing contained in this information is to be taken as warranty or representation for which the Gold Eagle Co. bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

Prepared by: Mike Profetto

Return to top