

# MSA G1 SCBA Cylinders List



## MSA G1 SCBA Standard Cylinders for Threaded Remote Connection

Cylinder Pressure	Cylinder Duration	Connection Type	Handwheel Type	Air	Less Air
2216 psig	30-minute	Threaded	Standard	10156422-SP	10156431-SP
4500 psig	30-minute	Threaded	Standard	10156423-SP	10156432-SP
4500 psig	45-minute LP*	Threaded	Standard	10156424-SP	10156433-SP
4500 psig	45-minute	Threaded	Standard	10156425-SP	10156434-SP
4500 psig	60-minute	Threaded	Standard	10156426-SP	10156435-SP
5500 psig	30-minute	Threaded	Standard	10185508	10185602
5500 psig	45-minute	Threaded	Standard	10185509	10185603
5500 psig	60-minute	Threaded	Standard	10185510	10185604
5500 psig	75-minute	Threaded	Standard	10185601	10185605

WHEN YOU GO IN, WE GO IN WITH YOU.

# MSA G1 SCBA Cylinders List



## MSA G1 SCBA Standard Cylinders for Quick-Connect Remote Connection

Cylinder Pressure	Cylinder Duration	Connection Type	Handwheel Type	Air	Less Air
2216 psig	30-minute	Quick-connect	Standard	10175706	10175711
4500 psig	30-minute	Quick-connect	Standard	10175707	10175712
4500 psig	45-minute LP*	Quick-connect	Standard	10175708	10175713
4500 psig	45-minute	Quick-connect	Standard	10175709	10175714
4500 psig	60-minute	Quick-connect	Standard	10175710	10175715
5500 psig	30-minute	Quick-connect	Standard	10181628	10181708
5500 psig	45-minute	Quick-connect	Standard	10181629	10181709
5500 psig	60-minute	Quick-connect	Standard	10181630	10181710
5500 psig	75-minute	Quick-connect	Standard	10181631	10181731

## MSA G1 SCBA Standard Cylinders for Threaded & Quick-Connect Remote Connection with Locking Handwheel

Cylinder Pressure	Cylinder Duration	Connection Type	Handwheel Type	Air	Less Air
4500 psig	30-minute	Threaded	Locking	10191802	10191838
4500 psig	45-minute LP*	Threaded	Locking	10191806	10191842
4500 psig	45-minute	Threaded	Locking	10191804	10191840
4500 psig	60-minute	Threaded	Locking	10191808	10191844
4500 psig	30-minute	Quick-connect	Locking	10191803	10191839
4500 psig	45-minute LP*	Quick-connect	Locking	10191807	10191843
4500 psig	45-minute	Quick-connect	Locking	10191805	10191841
4500 psig	60-minute	Quick-connect	Locking	10191809	10191845

PLEASE NOTE: 2216 psig and 5500 psig locking handwheel cylinders are available upon request.

## MSA G1 SCBA Eclipse Cylinders

Cylinder Pressure	Cylinder Duration	Connection Type	Handwheel Type	Air	Less Air
4500 psig	30-minute	Threaded	Standard	10204941	10204965
4500 psig	45-minute LP*	Threaded	Standard	10204945	10204969
4500 psig	30-minute	Quick-connect	Standard	10204942	10204966
4500 psig	45-minute LP*	Quick-connect	Standard	10204946	10204970
4500 psig	30-minute	Threaded	Locking	10204943	10204967
4500 psig	45-minute LP*	Threaded	Locking	10204947	10204971
4500 psig	30-minute	Quick-connect	Locking	10204944	10204968
4500 psig	45-minute LP*	Quick-connect	Locking	10204948	10204972

PLEASE NOTE: 5500 psig Eclipse Cylinders are also available upon request. \*Low Profile version of the 45 minute, 4500 psig cylinder

# MSA G1 SCBA Facepiece and Accessories List



## MSA G1 SCBA Facepieces

Part Number	Type	Size	Nosecup Size	Head Harness	ATO Configuration
10156458	Fire Service	Small	Small	4-pt adjustable	G1FP-F-S-1-S-4-0-1
10156459	Fire Service	Medium	Medium	4-pt adjustable	G1FP-F-M-1-M-4-0-1
10156460	Fire Service	Large	Large	4-pt adjustable	G1FP-F-L-1-L-4-0-1
10156461	Fire Service	Small	Small	Rubber	G1FP-F-S-1-S-R-0-1
10156462	Fire Service	Medium	Medium	Rubber	G1FP-F-M-1-M-R-0-1
10156463	Fire Service	Large	Large	Rubber	G1FP-F-L-1-L-R-0-1
10161812	Fire Service	Small	Small	5-pt. adjustable	G1FP-F-S-1-S-5-0-1
10161813	Fire Service	Medium	Medium	5-pt. adjustable	G1FP-F-M-1-M-5-0-1
10161814	Fire Service	Large	Large	5-pt. adjustable	G1FP-F-L-1-L-5-0-1

## MSA G1 SCBA Cylinder and Facepiece Accessories

Part Number	Description
10149701-SP	Quick-connect adapter for 2216 psig cylinders
10149702-SP	Quick-connect adapter for 4500/5500 psig cylinders
10158389	Retainer Kit for 4500 psig, 30 min cylinder (type 2 dovetail)
10158390	Retainer Kit for 4500 psig, 45 min LP cylinder (type 3 dovetail)
10158401	Retainer Kit for 4500 psig, 45 min cylinder (type 4 dovetail)
10158402	Retainer Kit for 4500 psig, 60 min cylinder (type 5 dovetail)
10162403	Quick-connect adapter for fill station
10183992	Kit, Protective Cap & Boot for 30 min cylinder
10183993	Kit, Protective Cap & Boot for 45 min LP cylinder
805078	Quik-Chek Fit Test Adapter
10144231-SP	APR filter adapter assembly
10189322	G1 CBRN Nosecup, Large
10189323	G1 CBRN Nosecup, Medium/Small
10046570	CBRN Canister
10144230	G1 Spectacle Kit
10144220-SP	Replacement cloth neck strap
10159699-SP	Replacement rubber neck strap

Note: This Bulletin contains only a general description of the products shown. While product uses and performance capabilities are generally described, the products shall not, under any circumstances, be used by untrained or unqualified individuals. The products shall not be used until the product instructions/user manual, which contains detailed information concerning the proper use and care of the products, including any warnings or cautions, have been thoroughly read and understood. Specifications are subject to change without prior notice.

MSA operates in over 40 countries worldwide. To find an MSA office near you, please visit [MSAsafety.com/offices](https://www.msasafety.com/offices).