

2018 G1 Upgrade Program

FREE MSA G1 SCBA UPGRADE to NFPA 2018
When You Buy Today



Effective Date January 1, 2018

Channel Partner/Manufacturer Rep. Information

Program Dates: January 1, 2018–June 30, 2018

The MSA G1 SCBA ("G1") was designed with the promise of being a platform for the future. As a result the G1 is well prepared for the 2018 editions of NFPA 1981 and 1982. In fact, the G1 already meets nearly all of the outlined requirements. To help eliminate any concerns customers may have about purchasing a 2013 NFPA edition SCBA, MSA is offering customers who purchase a G1 within the Program Period an optional FREE upgrade of their G1 to meet 2018 standards.

The G1 platform of the future enables this upgrade program. MSA is uniquely positioned to help firefighters get modern safety equipment without having to wait for a delayed standard.

To participate in this upgrade program, qualifying customers must opt-in following the Program instructions as provided by MSA. Once opted in, your qualifying G1 will be upgraded, FREE OF CHARGE, to meet the 2018 edition of NFPA 1981 and 1982.

There are two upgrade options available, depending on your G1 configuration.

- 1. Software Only:** The G1 SCBA platform enables software upgrades to be executed quickly through the use of integrated Bluetooth technology.
 - Customers receive a software update and 2018 edition approval labels
- 2. Software AND Universal EBSS:** A key component of the 2018 update is a Universal Emergency Breathing Support System (UEBSS) system which will allow interoperability among SCBA regardless of the manufacturer.
 - Customers will receive a UEBSS ExtendAire II Upgrade Kit and 2018 edition approval labels

TERMS AND CONDITIONS

- 1. The Opt-In form must be submitted with original purchase of the qualifying G1.**
- This Upgrade Program requires a separate SPR & purchase order from the original SCBA order and completion of program form.
- Orders must be submitted to fireorder@msasafety.com. MUST include Opt-In form.
- Order reason code B99 **must be referenced on both the 2013 edition SCBA and 2018 Upgrade SPR and purchase order.** If this reason code does not appear on the purchase order, it will not be processed properly. No credit and rebills will be issued.
- To qualify for the 2018 software and label upgrade the user must submit a second SPR and Purchase Order for the optional upgrade kit (PN: 10190818).
- To qualify for 2018 UEBSS upgrades the user must configure their G1 with an ExtendAire II selection (option 2, 3, or 7 under Emergency Breathing Options) on the original SCBA ATO within the SPR and Purchase Order and then submit a second SPR and Purchase Order for the optional upgrade kit (PN: 10190819).
- Any overage in labor outside of the specified work required to complete this upgrade will be the sole responsibility of the owner.
- The upgrades offered in this program are based upon the standard as it is defined on October 1, 2017. Upgrades to any and all changes to the standard after October 1, 2017 cannot be guaranteed by MSA and are expressly omitted from this program.
- The fire department name must be referenced on the order.
- Only eligible to US First Responder and CA Fire Service Channel Partners with access to NFPA PG01.
- Cannot be combined with any other promotion or special price.
- Program period is January 1, 2018–June 30, 2018.
- Upgrades will be provided upon MSA receiving 2018 NFPA approval and as inventory allows.
- MSA reserves the right to modify or cancel this program at any time.