

# **Certificate of Compliance**

**Certificate:** 1064727 (LM 101507) **Master Contract:** 155307

**Project:** 2616720 **Date Issued:** April 22, 2013

Issued to: MSA, Mine Safety Appliances Company

Ryan Labs-1100 Cranberry Woods Dr Cranberry Township, PA 16066

**USA** 

**Attention: Rebecca Dowling** 

## The products listed below are eligible to bear the CSA Mark shown



Dave Chudyk; C.E.T.

**Issued by:** Dave Chudyk; C.E.T.

#### **PRODUCTS**

CLASS 7217 03 - OCCUPATIONAL HEALTH AND SAFETY PRODUCTS - Fall Arresting

Devices-Self Retracting Devices for PFAS

**F1** 

The Following Products are CSA Certified to Class 7217-03, CSA Standard Z259.2.2-98 (R2009)

- Type 1 Self-Retracting Lanyard (SRL): "WORKMAN PFL" Series with the working length range from 1.8 m (6 ft) to 3.0 m (10 ft), and carrying the ATO Configuration #: "A-PFL-x-xx-x-x". (see Note #1 for Suffix "x").
- Type 2 Self-Retracting Lanyard Model APTURA LT-30 Carrying the ATO Configuration Number A-APT-Cxx-xx-xx-x

#### • Type 2 Self-Retracting Lanyard "DYNA-LOCK" (SRL)

Model	Cable Type	Cable Length
10006463	Stainless Steel	30m
10006464	Galvanized Steel	30m
10006465	Stainless Steel	22m
10006466	Galvanized Steel	22m

DQD 507 Rev. 2012-05-22 Page: 1



**Certificate:** 1064727 (LM 101507) **Master Contract:** 155307

**Project:** 2616720 **Date Issued:** April 22, 2013

10006467 Stainless Steel 16m Galvanized Steel 16m 10006468 10006469 Stainless Steel 10m Galvanized Steel 10m 10006470 6.1m 10017933 Stainless Steel 10006446 Nylon Webbing 6.1m 10006447 Nylon Webbing 6.1m

Type 3 RSRL, Dynevac II, Model: 10081821, 16m/50ft, 10007782, 16 m/50ft, 10007783, 30m/95ft

Type 3 RSRL, Lynx Rescuer Model 10023016, 16m/50ft, 10023017, 30m/95ft

Note #1: For Certified Products to Standard CAN/CSA-Z259.2.2-98 (R2004), (Class 7217-03)

"x" is either alphabetic or numerical codes, and denotes the type of the approval (5th Position – alphabetic code "C", "A" or "O"), the working lifeline length in ft (6th & 7th Position – numeric code "06", "07", "08", "09", "10" "07G", "08G", "09G", or "10G"), the type of PFL connectors (8th Position – numeric code "0", "1", "2", "3", "4", "5" or "6"), the type of lifeline connectors (9th Position – numeric code "1", "2", "3", "8", "9" "B", "D" or "E") and the replacement lifeline code (10th Position – alphabetic code "N" or "Y").

**F3** 

The Following Products are CSA Certified to Class 7217-03, CSA Standard Z259.2.2-98 (R2009)

Type 1 SRL "Workman Twin Leg"

Models: 10118937, 10120050, 10120052, 10125271, 10125272

Type 2 SRL "Workman" Series

DQD 507 Rev. 2012-05-22 Page: 2



**Certificate:** 1064727 (LM 101507) **Master Contract:** 155307

**Project:** 2616720 **Date Issued:** April 22, 2013

Models: 10119507, 10120724, 10121778, 10121834

### **APPLICABLE REQUIREMENTS**

Standard CAN/CSA-Z259.2.2-98 (R 2009) - Self-Retracting Devices for Personal Fall - Arrest Systems

DQD 507 Rev. 2012-05-22 Page: 3