

Chillgard® LE Monitor

B-LE -

1	2	3	4	5	6	7	8	
A	1	1	0	0	0	1	C	

1 Gas Type

- Gas Type
- A = R123
- B = R11
- C = R22
- D = R134A
- F = R12
- G = R404A
- H = R407C
- J = R410A
- K = R507
- L = R-1234YF
- M = R-1233ZD
- Consult Factory for Custom Gas

2 Sample Points

- 1 = Single Point
- 4 = Four Point

3 Sampling System

- 1 = Pump

4 Alarm Options

- 0 = None
- 1 = Beacon

5 Model Type

- 0 = Standard

6 Power Supply

- 0 = 24 VAC/DC (Standard)
- 1 = 110/220 supply (50 – 60 Hz)

7 Audio Alarm

- 0 = Buzzer (standard – 85 DB)
- 1 = 100 DB Horn

8 Custom Features

- 0 = None
- C = Custom

Accessories

- 467895 = 0.25 LPM Regulator
- 603806 = Polyurethane tubing
- 634674 = Strobe
- 711561 = End of line filter
- 10035292 = Calibration Box
- 10098216 = Remote Display, 110/220VAC
- 10098217 = Remote Display 24V
- 10117875 = Gateway, BACNET Output, Chillgard L Series