

PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## EU Type Examination Certificate

Date: 2019/06/25

n. 769192601/OE

Validity: 2024/06/24

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the	CARHARTT BV
PPE)	Cruquiusweg 109-D – <mark>1019 AG</mark> , Amsterdam (TH <mark>E N</mark> ETHERLANDS)
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials)
Category of PPE:	II : "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.
Model	"F700909.001"
Description:	<u>model</u> : B (ankle boot); <u>fastening system</u> : by means of laces; <u>processing</u> : direct injection; <u>sole</u> : black rubber marked "TOTAL GRIP HI SRC HRO CROSS OIL RESISTANT" (03046BN/00 – 003/1/00); <u>midsole</u> : black foam PU (MPI/001); <u>upper</u> : black leather ALASKA IDRO declared thickness 1,8/2,0 mm (ALA/NER), black leather ALASKA IDRO PUNZONATO, declared thickness 1,8/2,0 mm (KP4/NER), black starched fabric HOLIPOL 6 (HAP/6); <u>collar</u> : black fabric TECNIC L. coupled with PE40 (TLA/1081); <u>tongue</u> : black starched fabric HOLIPOL 6 (HAP/6), lined and padded; <u>bellow</u> : black starched fabric HOLIPOL 6 (HAP/6), lined and padded; <u>bellow</u> : black three-dimensional fabric AT 488 SPECIAL (A8S/NER); <u>vamp lining</u> : black non-woven material AITELLE 150 coupled with MTP4 D40 and CHARMEUSE color black (FCA/NEC); <u>rear lining</u> : black three-dimensional fabric AT 488 SPECIAL (A8S/NER); <u>heel-grip lining</u> : black microfiber MICROLIM 0,8 SCAMOSCINA (MI8/NER); <u>insole</u> : white multilayered fabric ZP03/1500 (LC/ZP03) with green printing, covered by the lining, <u>that serves also as penetration-resistant insert</u> ; <u>removable insock</u> : black agglomerated material with a reinforcement made of red foam material in the heel area, coupled with black/silver fabric in contact with the foot (FM126NA); <u>toe-cap</u> : glass fiber article 604 CONTENDER (604FV); as an alternatively, <u>toe-cap</u> : glass fiber article 604 SAFIT (604FV).
Technical Standard:	EN ISO 20344:2011 (UNI EN ISO 20344:2012) EN ISO 20345:2011 (UNI EN ISO 20345:2012)Personal protective equipment – Test methods for footwearPersonal protective equipment – Safety footwear
Intended use:	general industry, engineering industry, agriculture, warehouses, works on trucks, cranes
Size range:	from 35 to 48
Technical File:	DC-10552
Test report:	RCT n°3832423/E



Certificato ue E rev04 - 19/04/18



PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## EU Type Examination Certificate

Date: 2019/06/25

n. 769192601/OE

Validity: 2024/06/24



NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).



Certificato ue E rev04 - 19/04/18