

How to find a replacement tapered bearing

Tech tip

There are 3 ways to identify any component part, including bearings.

1) Application

- a. ie: Arvin Meritor 9,000 lb front axle model FD931N uses outer bearings BR3585/BR3525 and can be found in catalog 457601.

| Model | Capacity | Line No. |
|---------------|-----------------|----------|
| FD931N | 9000 lbs. | 2 |
| FD931TW | 9000 lbs. | 2 |
| FD933 | 9000 lbs. | 34 |
| FD961 | 10000 lbs. | 30 |

| Mfr Line Number | Scotseal® PlusXL | Scotseal® Classic | Scotseal® Longlife | Inner (Cone/Cup) | Outer (Cone/Cup) | Grease Seal Location | Number |
|------------------------------|------------------|-------------------|--------------------|--------------------------------|---------------------|----------------------|--------|
| ArvinMeritor Standard | | | | | | | |
| 1 Standard Axle | | 28820 | | BR45284/ BR45220 ▲SET410 | BR2780/ BR2720 | | |
| Ford | 28820 | | | BR45284/ BR45220 ▲SET410 | BR25880/ BR25820 | Inner | 28828 |
| Navistar | 28820 | | | BR45284/ BR45220 ▲SET410 | BR2780/ BR2720 | | |
| 2 | 35058 | 35066 | 35103 | BR39581/ BR39520 | BR3585/ BR3525 | Inner | 34980 |

(continued next page)



How to find a replacement tapered bearing-cont.

TT 11-005

March 2011

Page 2

1) Application - continued

- b) Application information for transmissions and differentials may be found in catalog 457604.


Eaton model index

Front axle

| | | | |
|------------|----------|---|----------|
| 34D3 | F-34,000 | w/ Taper Brg. On Input Shaft | SDK64-FE |
| 34DP | F-34,000 | w/ Taper Brg. On Input Shaft | SDK64-FE |
| 34DS | F-34,000 | w/ Ribbed Carrier & Taper Brg. On Input Shaft | SDK64-FE |
| | | w/ Conical Carrier & Taper Brg. On Input Shaft | SDK64-FD |
| 34DT..... | F-34,000 | w/ Taper Brg. On Input Shaft | SDK64-FE |
| 38D3 | F-38,000 | w/ Taper Brg. On Input Shaft | SDK64-FE |

2) Size and type

- a. ie: Cone BR3782 has an ID of 1.7500", length of 1.1930", and radius of .1400".
 - i. Cup BR3720 has a OD of 3.6718", length of .9375" and radius of .1300".
 - ii. The set SET406 has a standout of .2500" and set width of 1.875".
 - iii. Catalog 457601 SKF Heavy Duty Bearings and Seals catalog provides dimensional information.



(continued next page)

How to find a replacement tapered bearing-cont.

TT 11-005

March 2011

Page 3

3) Interchange

- a. SKF uses industry part numbers for bearings. However, a BR prefix is applied to the part number when the number does not include an existing alpha prefix.
 - i. ie: BR3720 = 3720
 - ii. ie: HM212011 = HM212011
- b. Interchanges may be found in SKF Bearing Interchange catalog 457013.
- c. Scotseal to bearing interchanges may be found in catalog 457601.

| Inner Cone/ Cup | Outer Cone/ Cup | Scotseal(s) |
|---------------------|---------------------|--------------|
| BR28995/ BR28920 | BR25580/ BR25523 | 28820 |
| BR33281/ BR33462 | BR39585/ BR39520 | 34387, 35000 |
| | BR3982/ BR3920 | 34387 |

| Inner Cone/ Cup | Outer Cone/ Cup | Scotseal(s) |
|---------------------|---------------------|---------------------|
| BR47686/ BR47620 | BR39590/ BR39520 | 38750 |
| BR47686/ BR47620 | BR39585/ BR39520 | 38780 |
| | BR39590/ BR39520 | 38750, 38780, 42550 |

Catalogs 457601, 457604 and 457013 may be found on-line at www.vsm.skf.com in pdf or e-cat versions.