



DTP-AMG-2015  
September 2015

# AXLE MODEL GUIDE



## DRIVETRAIN PRODUCTS

Applications include:  
**4x4/Off-Road, Diesel, Street, Strip, and Track.**



PERFORMANCE THAT BEGINS  
WHERE THE PAVEMENT ENDS.



THE  
**ULTIMATE**  
FOR THE JEEP® WRANGLER® JK



**THE ULTIMATE DANA 60™ FRONT & REAR AXLES for the JEEP® WRANGLER® JK**



For years, hardcore Jeep rock climbers and off-roaders have been modifying their vehicles and axles for even better performance over the rocks, across the sand, and through the mud. The Ultimate Dana 60™ front and rear axles are the biggest, strongest axles you can get under your vehicle, built to withstand even the toughest terrain. To find a dealer near you visit [SpicerParts.com/where-buy](http://SpicerParts.com/where-buy), and for more information on the Ultimate Dana 60™ axles visit [www.SpicerParts.com/Ultimate-60](http://www.SpicerParts.com/Ultimate-60).




[www.DanaUnleashed.com](http://www.DanaUnleashed.com)



# UNLEASH




## THE PERFORMANCE IN YOUR VEHICLE



From the punishing speeds of the circle track to the brutal terrain of off-road, Dana understands what it means to push the boundaries. Spicer and SVL aftermarket drivetrain products are trusted by the experts, wherever limits are tested and parts are proven. And with the innovative new Dana Crate Axle™ program, you get the original equipment quality you demand from genuine Dana axles straight out of the box. We engineer our parts to deliver peak performance and optimum strength, so you can hit the road, the track, or the trail with the confidence that comes from knowing you are backed by the industry leaders in high-performance parts.

## WHY DANA AFTERMARKET PARTS?



- Dana offers two strong brands, genuine Spicer® and SVL® all-makes, both of which deliver the best performance in their categories.
- Spicer parts are manufactured to the highest standards of premium performance and the quality you expect from Dana.
- SVL parts are engineered to meet the aftermarket product requirements of Dana, the most trusted name in drivetrain products.






# SPICER



# RING AND PINION GEARING



## Quiet, Durable, Easy to Set Up Gearing.

Get the benefits of precision-machined gearing for your Dana axles, including a smoother, quieter ride and up to double the life of non-genuine parts. Our statistically controlled processes make the difference:

- **Heat Treatment** for optimal hardness and increase durability
- **Face Hobbing** to ensure precise mating of gear teeth, so you get a quieter ride
- **Shot Peening** to double the fatigue life of the gear
- **Lapping** to reduce noise and heat



For more information on our full line of ring and pinion gearing visit [www.SpicerParts.com](http://www.SpicerParts.com).

# SVL®



# RING AND PINION GEARING



## Coverage for All Makes of Vehicles.

Backed by Dana, SVL® products are the best-in-category choice for reliable performance, engineered to meet your need for coverage, quality, and affordable gearing. The current SVL line also features reliable universal joints, manufactured to consistently outperform the leading non-genuine brands.

- Expanded ratios for all-makes coverage
- Expanded ratios available for Dana axles
- Designed with precision engineering
- Dana-validated and approved for quality and durability





**SPICER**



## STANDARD AND MASTER DIFFERENTIAL REBUILD KITS



### Standard Axle Bearing Kits

Not all bearings are created equal. Choose Spicer Axle Bearing Kits for just the right repair. Each kit comes with the exact combination of parts you need to get your axle back in shape and on the road.



#### Standard Axle Bearing Kits Include:

- Pinion Head & Tail Bearings
- Differential Bearings
- Pinion Seal
- Pinion Nut
- Collapsible Spacer (where applicable)
- RTV Sealant

### Master Axle Overhaul Kits

Our most comprehensive kit—complete with everything you need for a thorough and lasting repair.

- The highest quality mix of bearings, cups, and cones, each precisely selected for maximum performance in every position and application.
- Premium oil seals for your best protection against nagging leaks and damaging contamination.
- All the small parts to do the job right, including sealant, snap rings, gaskets, shims, and more.
- Production upgrades that ensure genuine Spicer parts are as good as—or better than—the OE parts they replace.

#### Master Overhaul Kits Include:

- Pinion Head & Tail Bearings
- Differential Bearings
- Pinion Seal
- Pinion Nut
- Pinion Adjusting Shims
- Differential Adjusting Shims
- Ring Gear Bolts
- Collapsible Spacer
- RTV Sealant



# SPICER



## FRONT AXLE SHAFTS FOR THE JEEP JK

### Upgraded Dana 30™ and Dana 44™ Axles for Jeep JK Drivers.

Today's Jeep owners are customizing their vehicles with larger tires that stand up to rough terrain. They want larger universal joints and an even stronger axle shaft for their Dana 30 and Dana 44.

These upgraded front axle shafts deliver with these design improvements:

#### Upgrades made to Dana 30 and Dana 44 axles

- Designed for larger tires and off-road use

#### U-joint size increased from 1310 to 1350 series

- 25% higher yield strength
- U-joint sealing package upgraded to Spicer Life Series® (SPL®)

#### Unparalleled strength and longer life

- Fatigue life improved by 300%
- 2000% improvement in high-angle fatigue life



#### Outer stub design re-engineered for added strength

- Improved snap retention for increased shock loading
- Material added to yoke ears and removed from body to equalize deflection through yoke and reduce bearing cap spinning
- Micro-alloy improves strength of shaft

See the "Front Axle Shaft" section of this catalog for addition year, make, and model coverage.

# SPICER



## NICKEL CHROMOLY STEEL AXLE SHAFTS

### Not All Chromoly Shafts are Alike.

At Dana, we've engineered the SAE-4340 nickel chromoly axle shaft to exceed OE standards and meet the exacting demands of off-road. Hit the trail with the confidence that comes from knowing you are backed by the global leaders in driveline products. Engineered to deliver added strength and durability, these genuine Spicer axle shafts are one more example of the innovations that we bring to performance applications.

### See the features and benefits of our high-performance axle shafts, including:

#### SAE-4340 nickel chromoly steel construction

- For ideal hardness throughout the part
  - Nickel provides additional toughness
  - Chromium ensures high-temperature strength and resistance to abrasion
  - Molybdenum helps maintain a specified hardenability

#### Heat treatment processes

- Delivering the same surface hardness and case hardness, while achieving a higher core hardness for greater strength

#### Optimized for high-performance strength and durability


Find out more about Spicer axle shafts, as well as a range of products engineered for performance applications. Visit [www.DanaUnleashed.com](http://www.DanaUnleashed.com) or talk to your Spicer parts representative today.



**SPICER**



## REAR AXLE SHAFTS



### 100% Genuine Quality. Tested and Proven.


- Ultrasonically tested for internal cracks that magnetic testing can miss
- Tested for straightness within rigorous range specifications
- Engineered for consistent quality and durability
- Built from a grade of steel that stands up to any grade on the market
- Complete repair solution, including studs, bearings, and seals where applicable



**SVL**



## REAR AXLE SHAFTS



### Available for All Makes. Backed by Dana.

Available for a wide range of applications, including hard-to-find models, SVL rear axle shafts are the only products in their category to earn the approval of Dana, the most trusted name in driveline components. SVL parts combine strength and durability, as well as a blend of coverage, performance, and value.

### See the features and benefits of our SVL rear axle shafts, including:

- Manufactured from SAE-1541 steel
- Precision heat-treated for optimal hardness and durability
- Rolled or cut splines depending on application
- Meets Dana's aftermarket requirements for:
  - Static ultimate strength
  - Torsional fatigue
  - Rotating/bending torque



In addition to SVL rear axle shafts, Dana also offers a line of SVL universal joints, center bearings, ring and pinion gearing, and inner gear kits with coverage for all makes of vehicles.


**Talk to your SVL parts representative today for more information.**



# THE ULTIMATE



## FRONT AXLES FOR THE JEEP® WRANGLER® JK



### Added Features for Added Confidence.

For years, hardcore off-roaders have been modifying their Dana 60™ axles for even better performance. Here at Dana, we're paying attention. We have incorporated a number of new features into the Ultimate Dana 60™ axle, including chromoly axle shafts, massive new Spicer® SPL®-70 u-joints, and more.

- Massive Spicer® SPL®-70 u-joints—exclusive to Dana
  - Providing optimal performance for lifted vehicles with larger tires
  - Improved “rock solid” seals for optimal protection from environmental contamination
  - Manufactured from cold-forged steel
  - Providing for higher torque load
- Spicer® 35 spline SAE-4340 nickel chromoly steel axle shafts
  - Designed for larger tires and off-road punishment
  - Ensuring maximum strength and durability
- Warn® 35 spline hub locks
- Dead spindle design
  - Ensuring additional strength
  - Allowing for wheel bearings to be serviced individually
  - Easier to repair and service than unit bearing design
- High-strength, heavy gauge brackets
  - Additional durability where it matters the most
  - Skid plate incorporated into lower control arm bracket
- High-clearance carrier with ribbed housing design
  - Cover face rotated back for greater ground clearance
  - Reinforced ribbing on bottom of carrier to prevent hang-ups on rocks or rough terrain
- Selectable electronic locking differentials
  - Precision-forged gears offer ideal meshing, strength and durability
- Heavy-duty 8 x 6.5" wheel bolt pattern
- Nodular iron diff cover with protective ribbing
  - Raised fill plug for increased fluid capacity due to increased pinion angles
- Upper and lower control arms in same location as OE
  - Better fit, less adjustment on control arm
  - Optimal articulation
  - Easy to install
  - Cast-in upper control mount for added strength and durability
- Genuine Made in the USA Spicer® 10" (256 mm) ring and pinion gear
  - Available ratios include 4.88 and 5.38
  - Precision heat treated for optimal hardness and durability
  - Face hobbled for precise mating of gear teeth and a quieter ride
  - Shot peened for double the fatigue life
  - Lapped to reduce noise and heat
- Spicer® 1350 Strap-style/Half-round end yoke
  - Provides added strength
- Axle tubes: 3½" tube diameter/.370" wall thickness
  - Offers superior strength
  - Helps prevent steering from being knocked out of alignment
- Upgraded heavy-duty brakes with plug-and-play ABS system
  - Massive vented rotors (360mm O.D.) and dual piston calipers for optimal braking power and optimal cooling



# REAR AXLES FOR THE JEEP® WRANGLER® JK



Made in USA

## Full-Float Design. Full-On Strength.

When you're taking on the roughest terrain, you need the biggest, strongest axles available. You need the Ultimate Dana 60™ axle. Engineered to be a direct-fit, bolt-in solution for the Jeep Wrangler JK, the Ultimate Dana 60™ axles can withstand the extreme punishment of extreme off-roading. Built for superior strength inside and out, these axles have what it takes to overcome even the toughest obstacles.

- Full-float design
  - Vehicle weight carried by housing instead of shaft
  - Delivers greater load-carrying ability
- 35 spline SAE-4340 nickel chromoly steel axle shafts
- Selectable electronic locking differentials
- Upgraded heavy-duty brakes with plug-and-play ABS system
  - Massive vented rotors (358mm O.D.) and dual piston calipers for optimal braking power and optimal cooling
- Genuine Made in the USA Spicer 9¾" (248 mm) ring and pinion gear inside
- Spicer® 1350 Strap-style/Half-round end yoke
- Axle tubes: 3½" outside diameter/.390" wall thickness
- Heavy-duty 8 x 6.5" wheel bolt pattern
- Heavy-duty brackets
- Nodular iron diff cover

For more information, contact your Dana Aftermarket sales representative or visit [www.DanaUnleashed.com](http://www.DanaUnleashed.com).



# THE ULTIMATE



## FRONT AXLES FOR THE JEEP® WRANGLER® JK



### In-Demand Modifications Built Right In.

Engineered for all Jeep® Wrangler® JKs, 2007 to current, the Ultimate Dana 44™ axle is a direct bolt-in solution. The Ultimate Dana 44™ axle requires use of your existing wheel ends. Featuring a number of upgrades for added on-trail durability, the Ultimate Dana 44™ axle is built to meet the demands of serious off-road enthusiasts.

- Thicker tubes
  - 5/16" thick for improved strength, rigidity, and durability
- Redesigned and thicker brackets
  - 1/4" steel to resist bending and endure the off-road environment
  - Works with most lift kits
- Upper and lower control arms in same location as OE
- Spicer® nickel chromoly axle shafts for optimal strength and performance
- Spicer Life Series® SPL® 1350-series u-joint with triple lip seals and full-circle clips for ultimate protection against the elements
- High-strength nodular iron performance differential cover and Spicer® performance gasket
  - Providing enhanced sealing and protection from off-road hazards
- Selectable electronic locking differentials
  - Harness sold separately
- Genuine Spicer® gearing
  - Precision design and manufacturing processes provide ultimate gear mating for optimal strength, life, and quiet performance
  - Expanded aftermarket gear ratios: 3.73, 4.10, 4.56, 4.88, 5.13, and 5.38
- Pinion angle optimized for lifted vehicles
- Increased gross axle weight rating (GAWR) allows for the added weight of suspension upgrades, bumpers, winches, and larger tires
- Improved caster angle for lifted Jeeps®
  - Reduces "bump steer"
- Dana recommends using military-tested and approved 75W-140 synthetic lube (not included)
  - Provides premium performance and reliability in the toughest environments



Built with genuine Spicer products.


**SPICER**



# DIFF CARRIER CASE ASSEMBLIES



**Made in USA**



## Strength and Durability Across Multiple Configurations.

For years, Spicer® differential case assemblies have delivered an effective solution across a range of applications, and we have made continuous improvements to ensure even better performance.

- Near-net formed spider gears engineered to be stronger than ever
- Assembly case built from a stronger grade of steel
- Available for open and limited slip differentials
- Built to meet OE standards set by Dana


**COMPLETE  
LOADED  
ASSEMBLY**



**SVL®**



# DIFFERENTIAL ASSEMBLY CASE



## Coverage for All Makes of Vehicles.

With SVL differential cases, you now have everything you need to replace your differential—and rest assured that your parts are backed by the global leader, Dana. With coverage for all makes, you're sure to find a part that's right for your vehicle. Take advantage of the coverage, value, and performance that SVL offers.

- Unloaded: available for open and limited slip differentials
- All-makes coverage





**SPICER**



# Information You Need. TOOLS YOU CAN USE.



## Spicer Parts on the Web

Get everything you need to know about the genuine Spicer parts you rely on. Discover the features and benefits of our OE-quality service parts, engineered for a range of applications. Dig into the complete library of Spicer literature, including manuals, catalogs, and more.

[www.SpicerParts.com](http://www.SpicerParts.com)

## Spicer iPhone and iPad App

Download the Spicer parts iPad app for quick access to our literature library and calculators, as well as application-specific product information and service videos. And get the most out of your Spicer parts with a wide range of calculators, each designed to make your installation and operation easier than ever. Available on the web, on the iPad, and on the iPhone.




For more information:  
[www.SpicerParts.com](http://www.SpicerParts.com) | 1.800.621.8084



# SPICER



## THIRD MEMBER FOR FORD 9" APPLICATIONS



### Two Options. One Brand. Maximum Performance.

Wherever limits are tested, Dana is there with products engineered to meet the needs of off-roaders, racers, and more. We offer Spicer® parts designed to deliver the strength, power, and endurance that give performance vehicle drivers a competitive edge. The Spicer third member is one more example, with two quick-exchange options for your specific requirements.

#### Choose from:

- Aluminum construction**
- Built from premium-grade aluminum
  - Lightweight for circle track, street rod, and other racing applications

#### Nodular iron construction

- Heavy-duty iron



#### Both offer:

- Fill plug**
- Built-in solution for easy maintenance
- Billet adjuster nut**
- Provides increased durability and strength

#### High-performance reusable gaskets


- Anti-stick coating on outside
- Woven steel core at the center
- Teflon coated for clean release



# SPICER



## SPICER LIFE SERIES® (SPL®) PREMIUM PERFORMANCE U-JOINT PACKS



### Spicer® Parts Are There When You Hit The Trail—And When The Trail Hits Back.

No matter what conditions you throw at your 4WD vehicle, trust Spicer SPL® u-joints. SPL u-joints are designed for premium performance and include triple-lip seals for ultimate protection against the elements. The Spicer SPL Premium Performance Packs include one of each u-joint in your driveline, so you always have what you need when you are on the trail. For a complete listing of applications, please visit [www.SpicerParts.com/](http://www.SpicerParts.com/) literature and download the catalog "K350-1-DSSP" from the driveshaft section.



**SPICER**



## DRIVESHAFTS FOR JEEP



Made in USA

### Greater Strength. Less Vibration. Direct-Fit.

Get the direct drop-in replacement for your driveshaft.

- Featuring a thicker tube for added strength
- One-piece flange eliminates run-out and the need for an adapter
- Improved clearance to exhaust due to smaller diameter
- Slip length designed for a 2" to 4" vehicle lift
- Includes transercase, half-round conversion yoke and hardware



Direct-fit, bolt-in replacement

**SPICER**



## ONE-PIECE ALUMINUM DRIVESHAFTS FOR THE FORD MUSTANG



Made in USA

### Lighter Weight for a Smoother, Quieter Ride.


- Reduces overall weight and rotating mass of the driveline for better acceleration
- Eliminates the need for a center bearing
- Bolts directly to the OE Mustang flange, with no need for an adapter
- Available in 3.5" and 4" diameters
- 4" diameter allows for higher RPMs with less noise, vibration, and harshness
- Includes hardware



# SPICER



## PERFORMANCE SPOOLS



### Spicer Parts. Built Tough for the Performance Market.

Spicer performance spools offer tremendous advantages for racing enthusiasts and hardcore off-roaders, providing features and benefits that standard differentials cannot offer. Spicer performance spools replace the need for a differential case, thus eliminating failures from high-torque, high-impact situations.

#### Forged from chromoly 4130 steel

- Provides optimal strength

#### Heat treated and metallurgically tested

- Ensures ideal hardness for performance applications

#### Available in lightweight versions

- Delivers lighter rotating mass

#### Available for all makes




#### Spicer spools are not recommended for everyday street driving,

but they offer incredible benefits in performance applications. Ask your Spicer parts representative about whether spools are right for your vehicle, and visit [www.DanaUnleashed.com](http://www.DanaUnleashed.com) to see our full line of specialty parts for off-road and racing vehicles!

# SPICER




## AXLE VENT BLADDER KIT



### Quick Solutions. Spicer Quality.

Spicer axle vent bladder kits protect your axle and the environment whether you are off-road or on the track. As oil and vapor expand in your carrier, the axle vent bladder captures any oil blow-out and returns it to the axle.


- Engineered for a universal fit
- Designed to recirculate oil back to your axle
- Protects your axle from water and mud off-road



| Spicer Part Number | Description           | Applications |
|--------------------|-----------------------|--------------|
| 2022623            | Axle Vent Bladder Kit | Universal    |



**COMMON U-JOINT KITS BY SERIES**



Once you've determined the driveshaft/u-joint series, the chart below provides options for easily identifying the appropriate Spicer® u-joint kit part number. For more information on genuine Spicer u-joints and u-joint kits, please refer to the K350 catalog at [www.SpicerParts.com/library](http://www.SpicerParts.com/library).

| Vehicle Type                       | Driveshaft Series         | Spicer® Service Kit<br>(Greaseable unless noted) | Spicer Life® OE Kit<br>(Greaseable) | Spicer Life® OE Kit<br>(Non-Greaseable) |
|------------------------------------|---------------------------|--------------------------------------------------|-------------------------------------|-----------------------------------------|
| <b>Light &amp; Medium Vehicles</b> | 1210                      | 5-443X                                           | -                                   | -                                       |
|                                    | 1310                      | 5-153X                                           | 5-1310-1X**                         | 5-1310X                                 |
|                                    | 1310 aluminum             | -                                                | -                                   | 5-3613X†                                |
|                                    | 1310/7260*                | -                                                | -                                   | 5-788X                                  |
|                                    | 1310 (Wheel Joint)        | -                                                | -                                   | 5-760X                                  |
|                                    | 1310SPEC                  | 5-1201X                                          | -                                   | 5-7439X                                 |
|                                    | 1330                      | 5-213X                                           | 5-1330-1X**                         | 5-1330X                                 |
|                                    | 1330 aluminum             | -                                                | -                                   | 5-3614X†                                |
|                                    | 1330SPEC                  | 5-1204X                                          | -                                   | 5-7438X                                 |
|                                    | 1330/S44*                 | 5-212X                                           | -                                   | 5-793X                                  |
|                                    | 1330/7290*                | -                                                | -                                   | 5-7437X                                 |
|                                    | 1350                      | 5-178X                                           | 5-1350-1X**                         | 5-1350X                                 |
|                                    | 1350 (Wheel Joint)*       | --                                               | -                                   | 5-7166X                                 |
|                                    | 1350/SPL30 aluminum       | -                                                | -                                   | 5-3615X†                                |
|                                    | 1350 x S44*               | 5-3205X                                          | -                                   | -                                       |
|                                    | 1355 AAM*                 | 5-3208X ***                                      | -                                   | -                                       |
|                                    | 1410                      | 5-160X                                           | 5-1410-1X**                         | 5-1410X                                 |
|                                    | 1410 aluminum             | -                                                | -                                   | 5-3616X†                                |
|                                    | 1415 AAM*                 | 5-3207X***                                       | -                                   | -                                       |
|                                    | 1480/SPL55                | 5-188X                                           | SPL55-1X                            | SPL55X                                  |
|                                    | 1480/SPL55 (Wheel Joint)* | -                                                | SPL55-4X                            | SPL55-3X                                |
|                                    | 1485 AAM*                 | 5-3206X***                                       | -                                   | -                                       |
|                                    | 1485 AAM (Wheel Joint)*   | -                                                | -                                   | 5006813                                 |
|                                    | 1550/SPL70                | 5-155X                                           | SPL70-1X                            | SPL70X                                  |
|                                    | SPL70 (Wheel Joint)*      | -                                                | SPL70-4X                            | -                                       |
|                                    | 7260*                     | 5-1306X                                          | -                                   | 5-789X                                  |
|                                    | 7290*                     | 5-1309X                                          | -                                   | 5-811X                                  |
|                                    | S44*                      | 5-3147X                                          | -                                   | 5-795X                                  |
| <b>Commercial Vehicles</b>         | SPL90/SPL100              | -                                                | SPL100-1X                           | -                                       |
|                                    | SPL140                    | -                                                | SPL140X                             | -                                       |
|                                    | SPL170                    | -                                                | SPL170-4X                           | SPL170-SF4X                             |
|                                    | SPL250                    | -                                                | SPL250-3X                           | SPL250-SF3X                             |
|                                    | SPL350                    | -                                                | SPL350X                             | SPL350SFX                               |
|                                    | 1610 (Full Round)         | 5-279X                                           | -                                   | -                                       |
|                                    | 1610 (Half Round)         | 5-674X                                           | -                                   | -                                       |
|                                    | 1650                      | 5-165X                                           | -                                   | -                                       |
|                                    | 1710 (Full Round)         | 5-280X                                           | -                                   | -                                       |
|                                    | 1710 (Half Round)         | 5-675X                                           | -                                   | -                                       |
|                                    | 1760 (Full Round)         | 5-407X                                           | -                                   | -                                       |
|                                    | 1760 (Half Round)         | 5-677X                                           | -                                   | -                                       |
|                                    | 1800 (Full Round)         | 5-124X                                           | -                                   | -                                       |
|                                    | 1810 (Full Round)         | 5-281X                                           | -                                   | -                                       |
|                                    | 1810 (Half Round)         | 5-676X                                           | -                                   | -                                       |
|                                    | 1880 (Full Round)         | 5-308X                                           | -                                   | -                                       |

\* Wheel joint or non-Spicer series - will not be on yoke ruler. Identify u-joint kit using Spicer K-350 Catalog. \*\* Zerk in Cap \*\*\*Non-Greaseable  
 † Used in aluminum driveshafts. U-joint has coated caps.



## Table of Contents

|                                                           |    |                                                  |    |
|-----------------------------------------------------------|----|--------------------------------------------------|----|
| Axle General Information.....                             | 2  | Dana 70™ .....                                   | 52 |
| AMC Model 20 .....                                        | 4  | Dana 80™ .....                                   | 56 |
| Chrysler 7.25" Rear.....                                  | 5  | Ford 7.5" .....                                  | 59 |
| Chrysler 8.25" Rear.....                                  | 6  | Ford 8.0" .....                                  | 60 |
| Chrysler 8.75" .....                                      | 7  | Ford 8.8" .....                                  | 61 |
| Chrysler 9.25" Rear.....                                  | 8  | Ford 8.8" Reverse Front.....                     | 64 |
| Chrysler 9.25" Front (American Axle).....                 | 9  | Ford 9" .....                                    | 65 |
| Dana 30™ Std. Rotation (181 MM).....                      | 10 | Ford 9.75" .....                                 | 67 |
| Dana 30™ Reverse Rotation (181 MM).....                   | 12 | Ford 10.25"/10.5" .....                          | 69 |
| Dana 30™ TJ/XJ/ZJ/WJ Front (181 MM)<br>Short Pinion ..... | 15 | GM 7.5" / 7.6" .....                             | 70 |
| Dana Super 30™ JK Front (186MM) .....                     | 18 | GM 8.2" 10 Bolt.....                             | 72 |
| Dana 35™ Rear (194MM).....                                | 21 | GM 8.25" IFS .....                               | 73 |
| Dana 205™ Front Nissan .....                              | 24 | GM 55 Passenger Cars (1955-64).....              | 73 |
| Dana 44™ Reverse Rotation Front (216MM) .....             | 25 | GM 8.5" & GM 8.6" 10 Bolt .....                  | 74 |
| Dana 44™ JK Front (216MM).....                            | 27 | GM 8.875" 12 Bolt Car .....                      | 77 |
| Dana 44™ (216MM) .....                                    | 30 | GM 8.875" 12 Bolt Truck.....                     | 78 |
| Dana Super 44™ JK Rear (226MM).....                       | 35 | GM 9.25" IFS Front (2010 & Down).....            | 79 |
| Dana 44™ Rear (WK WJ XK).....                             | 37 | GM 9.5" Rear .....                               | 80 |
| Dana 44™ Nissan.....                                      | 39 | GM 10.5" 14 Bolt.....                            | 81 |
| Dana 50™ .....                                            | 40 | GM 11.5" AAM.....                                | 83 |
| Dana 60™ Std. Rotation .....                              | 42 | Toyota 7.5" Standard Rotation .....              | 84 |
| Dana 60™ Reverse Rotation .....                           | 45 | Toyota 8" 4 Cyl.....                             | 85 |
| The Ultimate Dana 60™ - JK.....                           | 49 | Toyota V6 Truck & Tacoma w/OEM Locking Diff. ... | 86 |
| Dana 61™ .....                                            | 51 | Toyota T100 & Tacoma w/o OEM Locking Diff. ...   | 86 |
|                                                           |    | Toyota 9.5" Landcruiser Standard Rotation .....  | 87 |

### DISCLAIMER

WHILE EVERY EFFORT HAS BEEN MADE TO PROVIDE ACCURATE INFORMATION, NO GUARANTEE IS IMPOSED OR IMPLIED AS TO THE ACCURACY OF THE INFORMATION PROVIDED IN THIS PUBLICATION. DANA LIMITED IS NOT RESPONSIBLE FOR TYPOGRAPHICAL OR PICTORAL ERRORS. NO REPRESENTATION IS MADE IN REGARD TO THE SOURCE OF MANUFACTURE OF ANY SPECIFIC COMPONENT. COMPONENTS LISTED IN THIS PUBLICATION ARE NOT NECESSARILY MANUFACTURED BY THE ORIGINAL EQUIPMENT MANUFACTURER. ACTUAL PRODUCTS SUPPLIED MAY VARY. IF YOU HAVE QUESTIONS, PLEASE CONTACT US AT 1-800-621-8084 DURING REGULAR BUSINESS HOURS. WE WILL MAKE EVERY EFFORT TO PROVIDE YOU THE MOST ACCURATE, UP TO DATE INFORMATION; HOWEVER, IT IS ULTIMATELY YOUR RESPONSIBILITY, AS A USER, TO VERIFY THAT ALL DETAILS LISTED ARE ACCURATE.

### TRADEMARKS

REFERENCE TO COMPONENT NUMBERS OR TRADEMARKS OF OTHER COMPANIES ARE INTENDED ONLY FOR CROSS REFERENCE INFORMATIONAL PURPOSES. TRADEMARKS OF OTHER COMPANIES REFERRED TO IN THIS PUBLICATION (CHRYSLER®, FORD®, GM®, TOYOTA®), ARE SOLE PROPERTY OF THEIR RESPECTIVE ORGANIZATIONS AND ARE NOT AFFILIATED IN ANY WAY WITH DANA LIMITED®. DRAWINGS ARE PROVIDED FOR ILLUSTRATIVE PURPOSES ONLY.

© 2015, DANA LIMITED. ALL RIGHTS RESERVED.

## Axle General Information


### How To Identify A Spicer Axle

All Spicer Carrier Type axles are identified with a manufacturing date (1) and Bill of Material number (2) stamped on the right or left hand tube on driving axles. The Bill of Material number may also be found on the carrier in some models as shown in illustration (2A). For independent front suspension (IFS) axles, the B/M number may be located at one of three locations: 1) A vertically positioned tag near the center of the right hand side support arm, 2) stamped into the left hand side support arm (opposite end of the camber adjuster), or 3) stamped into the "nose end" of the axle carrier. The location of the information will depend on the manufacturing date of the axle.

The axle model number will be cast into one of the webs as shown (3), or it can be on the nose.

Each axle contains a gear ratio tag (4), and if the axle is equipped with a limited slip differential, it will have a tag specifying the type of limited slip lubricant to be used (5).

Refer to the appropriate model number section for parts identification and a breakdown of the Bill of Material.



### How To Change Gear Ratios

To increase or decrease a gear ratio, there are certain steps that must be taken. The differential case depends upon the ratio desired. For each axle model, there is a high-ratio and a low-ratio case as illustrated below:

| Axle Model             | Low Ratio Case | High Ratio Case | Axle Model   | Low Ratio Case     |
|------------------------|----------------|-----------------|--------------|--------------------|
| <b>High Ratio Case</b> |                |                 |              |                    |
| Model 27               | 3.73 and Down  | 3.92 and Up     | Model 50     | —                  |
| Model 28               | 3.45 and Down  | 3.73 and Up     | Model 60     | 4.56 and Up        |
| Model 28 IFS Aerostar  | 2.27, 3.73     | —               | Model 61     |                    |
| Model 30               | 3.55 and Down  | 3.73 and Up     | Semi Float   | 3.00 and 3.07 only |
| Model 35               | 2.35 only      | —               | Model 61     |                    |
| Model 35               | 2.73 - 3.31    | 3.54 and Up     | Full Float   | 3.31 and Down      |
| Model 36 ICA           | 2.73 and Down  | 3.07 and Up     | Model 70     | 4.10 and Down      |
| Model 44               | 3.73 and Down  | 3.92 and Up     | Model 70-3HD | 3.42 and Down      |
| Model 44 ICA           |                |                 | Model 70-2UA | 3.07 only          |
| 1984 & earlier         | 3.73 and Down  | 3.92 and Up     | Model 80     | 3.73 and Down      |
| Model 44 ICA           |                |                 |              | 4.10 and Up        |
| 1985 & later           | 2.87 and Down  | 3.07 and Up     |              |                    |

**Example** - If you have a model 44 Rear Axle with a 3.54 ratio and wish to change to a 3.73 ratio, you change only the ring gear and pinion assembly. If you change the ratio to a 4.09, you must change to a high-ratio case in addition to changing the ring gear and pinion. The application section will show you what case to use. When the vehicle is equipped with both front and rear driving axles, the gear ratios must be the same in both axles. **The drive gear screws are self-locking and must be replaced with new screws each time that they are removed.**

### How Limited Slip Differentials Operate

A conventional differential transmits all the ring gear torque through the differential gears to the axle shafts. Torque is at all times equal on the axle shafts, and if one wheel slips, the other wheel can only put out as much torque as the slipping wheel.

The Spicer Limited Slip differential has the same power flow as a conventional differential, plus a more direct flow which automatically takes effect as driving conditions demand. This more direct power flow is from the differential case to each axle shaft through a clutch plate and disc arrangement.

Arrangement of these plates and discs is at the option of the vehicle manufacturer, so care should be taken during disassembly to note the arrangement of these components.

The Limited Slip construction permits differential action when required for turning corners and transmits equal torque to both wheels when driving straight ahead. However, when one wheel tries to spin due to leaving the ground, a patch of ice, etc., the clutch packs automatically provide more torque to the wheel which is not trying to spin.

The Limited Slip differential resists wheel spin on bumpy roads and provides more pulling power when one wheel tries to slip. In many cases of differences in traction, pulling power will be automatically provided until both wheels start to slip.

In diagnosis of vehicle operators' complaints, it is important to recognize two things.

1. If, with unequal traction, both wheels slip, the Limited Slip Differential has done all it can possibly do.
2. In extreme cases of differences in traction, the wheel with the least traction may spin after the Limited Slip has transferred as much torque as possible to the non-slipping wheel.

### How To Distinguish a Powr-Lok™ from a Trac-Lok™


All Models **except Models 70/267 and 80/286**: The Powr-Lok design is identified by its 2-piece case. The Trac-Lok design is identified by its 1-piece case.

**Models 70/267 and 80/286 only**: Both the Powr-Lok and the Trac-Lok use 2-piece cases in the model 70 (267) and 80 (286) axle. The difference between the two is in the shape of the holes for the cross shaft. The Powr-Lok case will have cross shaft holes that are "U" shaped in one case half and "V" shaped in the other case half. The Trac-Lok case will have cross shaft holes that are semicircles in both case halves.


**Model 80/286 only**: It is also possible to replace an existing Powr-Lok unit with a complete Trac-Lok unit. For this purpose, the differential case assembly must be replaced.




**POWR-LOK™**  
2-Piece Case  
4 Pinion Mate Gears



**TRAC-LOK™**  
1 or 2-Piece Case  
2 or 4 Pinion Mate Gears



Cross shaft view  
of a Model 80  
Powr-Lok case



Cross shaft view  
of a Model 80  
Trac-Lok case

**SPICER**<sup>®</sup>



MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES


**SVL**<sup>®</sup>



## AMC Model 20

### Applications

| Year    | Make | Model    |
|---------|------|----------|
| 1968-70 | AMC  | AMX      |
| 1978-79 | AMC  | Concord  |
| 1970-77 | AMC  | Hornet   |
| 1967-74 | AMC  | Javelin  |
| 1971-78 | AMC  | Matador  |
| 1975-80 | AMC  | Pacer    |
| 1976-83 | Jeep | CJ5      |
| 1976-86 | Jeep | CJ7      |
| 1981-86 | Jeep | CJ8      |
| 1976-86 | Jeep | J10      |
| 1979-86 | Jeep | Wagoneer |



### Spools

| Description                       | Spicer Part No. |
|-----------------------------------|-----------------|
| AMC Model 20 3.08 & Up, 29 Spline | 2022497         |

### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |

**SPICER®**MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES**SVL®**

## Chrysler 7.25" Rear

### Applications

| Year    | Make     | Model        |
|---------|----------|--------------|
| 1980-83 | Chrysler | Cordoba      |
| 1983-89 | Chrysler | Fifth Avenue |
| 1977-81 | Chrysler | LeBaron      |
| 1982-83 | Chrysler | New Yorker   |
| 1976-79 | Dodge    | Aspen        |
| 1970-71 | Dodge    | Challenger   |
| 1968-71 | Dodge    | Charger      |
| 1966-71 | Dodge    | Coronet      |
| 1987-96 | Dodge    | Dakota       |
| 1963-72 | Dodge    | Dart         |
| 1977-89 | Dodge    | Diplomat     |
| 1980-83 | Dodge    | Mirada       |
| 1979-81 | Dodge    | St. Regis    |
| 1964-71 | Plymouth | Barracuda    |
| 1966-70 | Plymouth | Belvedere    |
| 1982-89 | Plymouth | Gran Fury    |
| 1966-71 | Plymouth | Satellite    |
| 1960-76 | Plymouth | Valiant      |
| 1976-80 | Plymouth | Volare       |



### Differential Rebuild Kits

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024019        |
| Master Overhaul Kit                | 10024020        |

### Misc. Components


| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |



## Chrysler 8.25" Rear

### Applications

| Year    | Make     | Model         |
|---------|----------|---------------|
| 1970-80 | Dodge    | B100          |
| 1981-94 | Dodge    | B150          |
| 1995-98 | Dodge    | B1500         |
| 1981-94 | Dodge    | B250          |
| 1995-95 | Dodge    | B2500         |
| 1968-75 | Dodge    | Charger       |
| 1963-76 | Dodge    | Coronet       |
| 1970-79 | Dodge    | D100 2WD      |
| 1976-93 | Dodge    | D150 2WD      |
| 1970-80 | Dodge    | D200 2WD      |
| 1987-04 | Dodge    | Dakota        |
| 1966-76 | Dodge    | Dart          |
| 1998-04 | Dodge    | Durango       |
| 2007-11 | Dodge    | Nitro         |
| 1994-04 | Dodge    | Ram 1500      |
| 1997-01 | Dodge    | Ram 2500      |
| 1970-89 | Dodge    | W100 4WD      |
| 1977-93 | Dodge    | W150 4WD      |
| 1991-92 | Jeep     | Comanche      |
| 2002-04 | Jeep     | Liberty       |
| 1991-01 | Jeep     | Cherokee (XJ) |
| 1964-74 | Plymouth | Barracuda     |
| 1970-76 | Plymouth | Duster        |
| 1966-78 | Plymouth | Fury          |
| 1968-71 | Plymouth | GTX           |
| 1968-80 | Plymouth | Road Runner   |
| 1965-74 | Plymouth | Satellite     |



### Ring & Pinions

| Ratio | SVL Part No. |
|-------|--------------|
| 3.55  | 10009172     |
| 3.73  | 10009173     |
| 4.88  | 10009174     |

### Differential Rebuild Kits

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024021        |
| Master Overhaul Kit                | 10024022        |

### Differential Carrier Case Kits

| Description                                 | Spicer Part No. |
|---------------------------------------------|-----------------|
| Trac Lok Limited Slip 2.56 & Up (27 Spline) | 75101X          |
| Trac Lok Limited Slip 2.56 & Up (29 Spline) | 84852           |

All cases come loaded with gearing unless otherwise noted.

### Misc. Components


| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |
| Trac Lok Clutch Kit             | 701046X         |
| Pinion Yoke - 1310 Strap        | 2-70-18X        |

**SPICER®**MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES**SVL®**

## Chrysler 8.75"

### Applications

| Year    | Make     | Model        |
|---------|----------|--------------|
| 1961-73 | Chrysler | Imperial     |
| 1961-73 | Chrysler | New Yorker   |
| 1970-73 | Dodge    | B100 Van     |
| 1970-73 | Dodge    | Challenger   |
| 1966-73 | Dodge    | Charger      |
| 1963-73 | Dodge    | Coronet      |
| 1961-73 | Dodge    | Dart         |
| 1961-73 | Dodge    | Ram Van 1500 |
| 1964-73 | Plymouth | Barracuda    |
| 1970-73 | Plymouth | Duster       |
| 1961-73 | Plymouth | Fury         |
| 1967-71 | Plymouth | GTX          |
| 1968-73 | Plymouth | Road Runner  |
| 1965-73 | Plymouth | Satellite    |



### Differential Rebuild Kits

#### Standard Differential Rebuild Kits

| Description                | Spicer Part No. |
|----------------------------|-----------------|
| w/1.75" Pinion Shaft O.D.  | 10024014        |
| w/1.875" Pinion Shaft O.D. | 10024016        |

#### Master Overhaul Kit

| Description                | Spicer Part No. |
|----------------------------|-----------------|
| w/1.75" Pinion Shaft O.D.  | 10024015        |
| w/1.875" Pinion Shaft O.D. | 10024017        |

### Spools

| Description | Spicer Part No. |
|-------------|-----------------|
| 30 Spline   | 2022497         |

### Misc. Components


| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |



## Chrysler 9.25" Rear

### Applications

| Year      | Make  | Model      |
|-----------|-------|------------|
| 1974 & Up | Dodge | W100/150   |
| 1974 & Up | Dodge | W200/250   |
| 1974 & Up | Dodge | D300/350   |
| 1974 & Up | Dodge | Ramcharger |
| 1998 & Up | Dodge | Dakota V8  |
| 1997 & Up | Dodge | Durango    |



### Ring & Pinions

| Ratio | SVL Part No. | Application Notes |
|-------|--------------|-------------------|
| 3.55  | 2020609      | Fits 74 - 2010    |
| 3.55  | 10006350*    | Fits 74 - Present |
| 3.90  | 2020612      | Fits 74 - 2010    |
| 3.92  | 10004209*    | Fits 74 - Present |
| 4.10  | 10004205*    | Fits 74 - Present |

\*Dual Drilled

### Differential Rebuild Kits

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024023        |
| Master Overhaul Kit                | 10024024        |

### Axle Shafts

| Application             | SVL Part No. |                    | SVL Part No. |                    |
|-------------------------|--------------|--------------------|--------------|--------------------|
|                         | Right        | Spline Length (in) | Left         | Spline Length (in) |
| 84-93 Dodge Ram Charger | 2022604      | 31 31.63"          | 2022604      | 31 31.63"          |
| 94-06 Ram 1500          | 2022617      | 31 34.06"          | 2022617      | 31 34.06"          |
| 97-04 Dakota/Durango    | 2022642-2    | 31 33.50"          | 2022642-1    | 31 33.32"          |

### Differential Carrier Cases

| Description                                   | Spicer Part No. | SVL Part No. |
|-----------------------------------------------|-----------------|--------------|
| Trac Lok Limited Slip (31 Spline) Loaded Assy | 80754           | -            |
| Open/Std Case, 2010 & down (Unloaded)         | -               | 10019421     |

### Carrier Case Inner Gear Kits

| Description                                  | SVL Part No. |
|----------------------------------------------|--------------|
| Chrysler 9.25" (31 Spline) Open Differential | 2023889      |

### Differential Cover Gaskets

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD52006         |

### Misc. Components


| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Trac Lok Clutch Kit             | 708203          |
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |

**SPICER®**MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES**SVL®**

## Chrysler 9.25" Front (American Axle)

### Applications

| Year    | Make  | Model            |
|---------|-------|------------------|
| 2006-13 | Dodge | Ram 1500 (Front) |
| 2003-14 | Dodge | Ram 2500 (Front) |
| 2003-14 | Dodge | Ram 3500 (Front) |
| 2005-12 | Dodge | Power Wagon      |



### Differential Carrier Case Kits

| Description                        | SVL Part No. |
|------------------------------------|--------------|
| Std/Open 3.42 & Up (Unloaded Case) | 10019420     |

### Chromoly Front Axle Shafts - (Inners/Outers)


| Application                   | Location   | Position | Spline Length (in) |       | WJ-Joint Part No. | Spicer Part No. |
|-------------------------------|------------|----------|--------------------|-------|-------------------|-----------------|
| 03-08 Ram 2500 4WD & 3500 4WD | .....Outer | RH/LH    | 33                 | 7.38  | 5-3212X           | 10031870        |
| 03-09 Ram 2500 4WD & 3500 4WD | .....Inner | RH       | 33                 | 38.06 | 5-3212X           | 10031871        |
| 03-09 Ram 2500 4WD & 3500 4WD | .....Inner | LH       | 33                 | 19.58 | 5-3212X           | 10031872        |

### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |

**Dana 30™ Std. Rotation (181 MM)****Applications**

| Year    | Make | Model               |
|---------|------|---------------------|
| 1980-87 | AMC  | Eagle               |
| 1967-71 | Ford | Bronco              |
| 1971-86 | Jeep | CJ                  |
| 1992-96 | Jeep | Grand Cherokee (ZJ) |

**Ring & Pinions**

| Ratio | Spicer Part No. | SVL Part No. |
|-------|-----------------|--------------|
| 3.54  | 29376-5X^       | 2020585      |
| 3.55  | 707300-4X*(a)   |              |
| 3.73  | 706503-3X*      | 2020584      |
| 3.73  | 707300-5X*(a)   |              |
| 4.10  | 23721-5X^       | 2020819      |
| 4.27  | 706503-8X*      | 10004575     |
| 4.56  | -               | 2020816      |
| 4.88  | -               | 2020822      |
| 5.38  | 70289-5X^       | 10004578     |

\* Includes HDW, Bearings, Seals, Shims, Spacer

^ Includes Nut and Ring Gear Bolts

(a) Fits Grand Cherokee ZJ Only

**Differential Rebuild Kits****92-94 Grand Cherokee**

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 2017365         |
| Master Overhaul Kit                | 2017382         |

**Chromoly Axle Shafts - (Inners/Outers)**

| Application                                    | Spline | Length (in) | Spicer Part No. |
|------------------------------------------------|--------|-------------|-----------------|
| 72-81 CJ5, 76-81 CJ7 (LH Inner) .....          | 27     | 27.01"      | 10007766        |
| 72-81 CJ5, 76-81 CJ7 (RH Inner).....           | 27     | 14.13"      | 10007770        |
| 72-83 CJ5, 76-86 CJ7, 71-80 Scout (Outer)..... | 27     | 8.72"       | 10007804        |
| 82-83 CJ5, 82-86 CJ7 (LH Inner) .....          | 27     | 28.69"      | 10007775        |
| 82-83 CJ5, 82-86 CJ7 (RH Inner).....           | 27     | 15.79"      | 10007777        |

**Differential Carrier Case Kits**

| Description                                | Spicer Part No. |
|--------------------------------------------|-----------------|
| Standard Diff. 3.73 & Up                   | 708115          |
| Standard Diff. 3.73 & Up (Unloaded Case)   | 706008X         |
| Standard Diff. 3.54 & Down                 | 706003X         |
| Standard Diff. 3.54 & Down (Unloaded Case) | 706007X         |

All cases come loaded with gearing unless otherwise noted.

**Carrier Case Inner Gear Kits**

| Description                            | Spicer Part No. | SVL Part No. |
|----------------------------------------|-----------------|--------------|
| Dana 30™ (27 Spline) Open Differential | 706010X         | 10020714     |

**Differential Cover Kits**

| Description                                             | Spicer Part No. |
|---------------------------------------------------------|-----------------|
| Stamped Steel Cover Kit (w/HDW)                         | 2007503         |
| Nodular Iron - Performance (w/HDW & Performance Gasket) | 10023534        |



**Dana 30™ Std. Rotation (181 MM) (Continued)**

**Differential Cover Gaskets**

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD52001         |
| Genuine Spicer OE Style     | 34684           |
| RTV Sealant (2.8 oz.)       | 38615           |

**U-Joints & Kits**

**Spicer Life Series (SPL) Premium Performance U-Joint Packs**

| Application                                                            | Spicer Part No. |
|------------------------------------------------------------------------|-----------------|
| 68-78 CJ5/CJ7/CJ8 (w/o CV Front Driveshaft).....                       | SPL1026JK       |
| 82-86 CJ5/CJ7/CJ8 (w/ CV Front Driveshaft).....                        | SPL1027JK       |
| 94-98 Grand Cherokee (ZJ) w/ Two Inside & Two Outside Snap Rings.....  | SPL1013JK       |
| 94-98 Grand Cherokee (ZJ) w/ Four Outside Snap Rings .....             | SPL1014JK       |
| 94-98 Grand Cherokee (ZJ) w/ Four Inside Snap Rings (7290 Series)..... | SPL1015JK       |

**Axle Shaft U-Joint**

| Description                       | Spicer Part No. |
|-----------------------------------|-----------------|
| Premium Spicer Life Series (1310) | 5-760X          |
| Genuine Spicer (1310)             | 5-260X          |
| SVL (1310)                        | 15-260X         |

**Ball Joints**

| Description                           | Spicer Part No. |
|---------------------------------------|-----------------|
| Ball Joint Kit (Upper/Lower Per Side) | 706116X         |
| Upper Ball Joint                      | 40112           |
| Lower Ball Joint                      | 40113           |

**Misc. Components**

| Description                     | Spicer Part No. | Description                    | Spicer Part No. |
|---------------------------------|-----------------|--------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           | Carrier Cover Bolts            | 34279           |
| RTV Sealant (2.8 oz.)           | 38615           | Differential Bearing Kit       | 706016X         |
| Inner Pinion Bearing Kit        | 706015X         | Differential Bearing Shim Kit  | 706937X         |
| Diff & Pinion Bearing Shim Kit  | 706938X         | Ring Gear Bolt                 | 41221           |
| Pinion Bearing Shim Kit         | 706936X         | Inner Axle Seal                | 46470           |
| Baffle - Pinion Bearing         | 32349           | Knuckle Bolt                   | 36326-1         |
| Outer Pinion Bearing Kit        | 706030X         | Slinger - Spindle Yoke (Inner) | 35168           |
| Slinger - Outer Pinion Bearing  | 13575           | Slinger - Spindle Yoke (Outer) | 36364           |
| Pinion Oil Seal                 | 44895           | Spindle Seal & Bearing Kit     | 706527X         |
| Pinion Yoke Assy.               | 2-4-8091-1X     | Spindle Seal (Inner)           | 36361           |
| Slinger - End Yoke              | 41498           | Axle Shaft Seal (vee block)    | 38128           |
| Pinion Nut Washer               | 30186           | Spacer - Wheel Bearing Spindle | 38106           |
| Pinion Nut                      | 30185           | Outer Wheel Bearing Kit        | 706111X         |

**U-Joint Hardware**


| Description                          | Spicer Part No. |
|--------------------------------------|-----------------|
| 1310 Series - U Bolt Style           | 2-94-28X        |
| 1210/1310/1330 Series - Bolt & Strap | 2-70-18X        |
| 1330 Series - Bolt & Strap           | 2-70-28X        |
| 1350 Series - Bolt & Strap           | 3-70-28X        |



## Dana 30™ Reverse Rotation (181 MM)

### Applications

| Year    | Make | Model       |
|---------|------|-------------|
| 1987-96 | Jeep | Wrangler YJ |
| 1984-99 | Jeep | Cherokee XJ |



### Ring & Pinions

| Ratio | Spicer Part No. | SVL Part No. |
|-------|-----------------|--------------|
| 3.07  | 706930-2X*      | 2020588      |
| 3.54  | 706930-8X*      | -            |
| 3.73  | 706930-5X*      | 2020834      |
| 4.10  | 706930-4X*      | 2020837      |
| 4.56  | 706930-6X*      | 2020826      |
| 4.88  | -               | 2020831      |

\* Includes HDW, Bearings, Seals, Shims, Spacer  
^ Includes Nut and Ring Gear Bolts

### Differential Rebuild Kits

#### 87-96 Wrangler YJ, 87-00 Cherokee XJ

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 2017361         |
| Master Overhaul Kit                | 2017371         |

### Axle Shafts

| Application                                                                       | Spicer Part No. Right | Spicer Part No. Left |
|-----------------------------------------------------------------------------------|-----------------------|----------------------|
| 86-96 Wrangler YJ, 87-92 Cherokee w/o ABS, w/Disconnect (Shaft & Joint Assy)..... | 75588-1X              | 75814-1X             |
| 93-96 Wrangler YJ w/ ABS, w/Disconnect (Shaft & Joint Assy) .....                 | 75589-1X              | 75815-1X             |
| 86-96 Wrangler YJ, 84-01 Cherokee XJ w/o Disconnect (Shaft & Joint Assy).....     | 75814-2X              | 75814-1X             |
| 86-96 Wrangler YJ, 87-92 Cherokee (Outer - Tone Ring Sold Separate) .....         | 43205                 | 43205                |
| 86-96 Wrangler YJ, 87-92 Cherokee w/Disconnect (Inner).....                       | 75527-1X              | 73898-1X             |
| 86-96 Wrangler YJ, 84-01 Cherokee XJ w/o Disconnect (Inner).....                  | 73898-2X              | 75814-1X             |

### Chromoly Axle Shafts - (Inners/Outers)

| Application                                                                                                                   | Spline | Length (in) | Spicer Part No. |
|-------------------------------------------------------------------------------------------------------------------------------|--------|-------------|-----------------|
| 97-06 Wrangler TJ, 84-01 Cherokee XJ, 87-95 Wrangler YJ (LH Inner) .....                                                      | 27     | 16.61"      | 10007743        |
| 97-06 Wrangler TJ, 84-01 Cherokee XJ, 87-95 Wrangler YJ (RH Inner) .....                                                      | 27     | 32.36"      | 10007744        |
| 97-06 Wrangler TJ, 03-06 Wrangler TJ Rubicon, 84-01 Cherokee XJ, 87-95 Wrangler YJ (Outer).....                               | 27     | 6.10"       | 10007747        |
| 97-06 Wrangler TJ, 84-01 Cherokee, 87-95 Wrangler YJ (Designed for applications converting to manual locking hubs only) ..... | 27     | 8.31"       | 10007742        |

### Differential Carrier Case Kits

| Application                          | Description                | Loaded Assy Kit Spicer Part No. | Case Kit Only Spicer Part No. |
|--------------------------------------|----------------------------|---------------------------------|-------------------------------|
| 86-89 Wrangler YJ, 84-89 Cherokee XJ | Standard Diff. 3.73 & Up   | -                               | 706934X                       |
| 90-96 Wrangler YJ, 90-98 Cherokee XJ | Standard Diff. 3.73 & Up   | 707159X                         | 706934X                       |
| 86-89 Wrangler YJ, 84-89 Cherokee XJ | Standard Diff. 3.54 & Down | -                               | 706933X                       |
| 90-96 Wrangler YJ, 90-98 Cherokee XJ | Standard Diff. 3.54 & Down | 2002913                         | 706933X                       |

**Dana 30™ Reverse Rotation (181 MM) (Continued)****Spicer Carrier Case Inner Gear Kits****Application****Spicer Part No.**

86-89 Wrangler YJ, 84-89 Cherokee XJ (Open/Std. - 27 Spline).....706935X

90-96 Wrangler YJ, 90-98 Cherokee XJ (Open/Std. - 27 Spline).....2002914

**SVL Carrier Case Inner Gear Kits****Description****SVL Part No.**

Dana 30™ (27 Spline) Open Differential

10020714

**Differential Cover Kits****Description****Spicer Part No.**

Stamped Steel Cover Kit (w/HDW)

707180X

Nodular Iron - Performance (w/HDW &amp; Performance Gasket)

10023534

**Differential Cover Gaskets****Description****Spicer Part No.**

High Performance / Reusable

RD52001

Genuine Spicer OE Style

34684

RTV Sealant (2.8 oz.)

38615

**U-Joints & Kits****Spicer Life Series (SPL) Premium Performance U-Joint Packs****Application****Spicer Part No.**

87-95 Wrangler (YJ) ..... SPL1026JK

84-85 Cherokee (XJ) ..... SPL1026JK

87-93 Cherokee (XJ) w/o CV Front Driveshaft..... SPL1026JK

87-93 Cherokee (XJ) w/ CV Front Driveshaft..... SPL1027JK

95-98 Cherokee (XJ) w/Two inside &amp; Two Outside Snap Rings..... SPL1013JK

95-98 Cherokee (XJ) w/Four Outside Snap Rings ..... SPL1014JK

95-98 Cherokee (XJ) w/Four Inside Snap Rings (7290 Series) ..... SPL1015JK

99-01 Cherokee (XJ) w/Automatic..... SPL1014JK

**Axle Shaft U-Joint****Description****Spicer Part No.**

Premium Spicer Life Series (1310)

5-760X

Genuine Spicer (1310)

5-260X

SVL (1310)

15-260X

**Ball Joints****Description****Spicer Part No.**

Ball Joint Kit (Upper/Lower Per Side)

706944X

Upper Ball Joint


40583

Lower Ball Joint

40916

**Dana 30™ Reverse Rotation (181 MM) (Continued)****Misc. Components**

| <b>Description</b>                    | <b>Spicer Part No.</b> |
|---------------------------------------|------------------------|
| Friction Modifier/POSI Additive       | 43161                  |
| RTV Sealant (2.8 oz.)                 | 38615                  |
| Inner Pinion Bearing Kit              | 706015X                |
| Diff & Pinion Bearing Shim Kit        | 706938X                |
| Pinion Bearing Shim Kit               | 706936X                |
| Baffle - Pinion Bearing               | 32349                  |
| Outer Pinion Bearing Kit              | 706030X                |
| Slinger - Outer Pinion Bearing        | 13575                  |
| Pinion Oil Seal                       | 44895                  |
| Pinion Yoke Assy                      | 2-4-6561-1             |
| Slinger - End Yoke                    | 41498                  |
| Pinion Nut Washer                     | 30186                  |
| Pinion Nut                            | 30185                  |
| Carrier Cover Bolts                   | 34279                  |
| Differential Bearing Kit              | 706016X                |
| Differential Bearing Shim Kit         | 706937X                |
| Ring Gear Bolt                        | 41221                  |
| Inner Axle Seal                       | 46470                  |
| Slinger-ABS Tone Ring (Exc. 94-96 YJ) | 40589                  |
| Slinger-ABS Tone Ring (94-96 YJ)      | 46988                  |
| 4WD Air Actuator Kit                  | 707245X                |
| Shift Fork Kit                        | 706941X                |
| Shift Fork Clip Kit                   | 706824X                |
| Shift Fork                            | 42585                  |
| Disconnect Housing Cover Gasket       | 41494                  |
| Disconnect Shaft Seal                 | 42500                  |
| Bushing - Disconnect Shaft            | 43342                  |
| Knuckle Bolt                          | 41027                  |


**U-Joint Hardware**

| <b>Description</b>                   | <b>Spicer Part No.</b> |
|--------------------------------------|------------------------|
| 1310 Series - U Bolt Style           | 2-94-28X               |
| 1210/1310/1330 Series - Bolt & Strap | 2-70-18X               |
| 1330 Series - Bolt & Strap           | 2-70-28X               |
| 1350 Series - Bolt & Strap           | 3-70-28X               |

**Dana 30™ TJ/XJ/ZJ/WJ Front (181 MM) Short Pinion**

**Applications**

| Year    | Make | Model |
|---------|------|-------|
| 1997-05 | Jeep | TJ    |
| 2000-05 | Jeep | XJ    |
| 1996-98 | Jeep | ZJ    |
| 1999-04 | Jeep | WJ    |



**Ring & Pinions**

| Ratio | Spicer Part No. | SVL Part No. |
|-------|-----------------|--------------|
| 3.07  | 707344-2X*      | -            |
| 3.55  | 707344-8X*      | 10001301     |
| 3.73  | 707344-11X*     | 2020840      |
| 4.10  | 707344-6X*      | 2020591      |
| 4.56  | 708132-5*       | 2020594      |
| 4.88  | -               | 2020597      |

\* Includes HDW, Bearings, Seals, Shims, Spacer

^ Includes Nut and Ring Gear Bolts

**Differential Rebuild Kits**

**Standard Differential Rebuild Kits**

| Application                        | Spicer Part No. |
|------------------------------------|-----------------|
| 97-01 Wrangler TJ & 00 Cherokee XJ | 2017365         |
| 01 Cherokee XJ                     | 2017369         |
| 02-06 Wrangler TJ                  | 2017370         |

**Master Overhaul Kit**

| Application                        | Spicer Part No. |
|------------------------------------|-----------------|
| 97-01 Wrangler TJ & 00 Cherokee XJ | 2017383         |
| 01 Cherokee XJ                     | 2017380         |
| 02-06 Wrangler TJ                  | 2017381         |

**Axle Shafts**

| Application                                                                                              | Spicer Part No. |
|----------------------------------------------------------------------------------------------------------|-----------------|
| 97-06 Wrangler TJ (Right Shaft & Joint Assy)                                                             | 75814-2X        |
| 97-06 Wrangler TJ (Left Shaft & Joint Assy)                                                              | 75814-1X        |
| 97-06 Jeep Wrangler TJ, 85-01 Cherokee,<br>94-98 Grand Cherokee (w/ABS), 86-94 Wrangler YJ, (Outer Stub) | 43205           |
| 97-06 Wrangler TJ (Right Inner Shaft)                                                                    | 73898-2X        |
| 97-06 Wrangler TJ (Left Inner Shaft)                                                                     | 73898-1X        |

**Chromoly Axle Shafts - (Inners/Outers)**


| Application                                                                                                                   | Spline | Length (in) | Spicer Part No. |
|-------------------------------------------------------------------------------------------------------------------------------|--------|-------------|-----------------|
| 97-06 Wrangler TJ (Left Inner Shaft)                                                                                          | 27     | 16.61"      | 10007743        |
| 97-06 Wrangler TJ (Right Inner Shaft)                                                                                         | 27     | 32.36"      | 10007744        |
| 97-06 Wrangler TJ, 03-06 Wrangler TJ Rubicon,<br>84-01 Cherokee XJ, 87-95 Wrangler YJ (Outer Front)                           | 27     | 6.11"       | 10007747        |
| 97-06 Wrangler TJ, 84-01 Cherokee,<br>87-95 Wrangler YJ (Designed for applications converting to<br>manual locking hubs only) | 27     | 8.31"       | 10007742        |



## Dana 30™ TJ/XJ/ZJ/WJ Front (181 MM) Short Pinion (Continued)

### Differential Carrier Case Kits

| Description                                | Spicer Part No. |
|--------------------------------------------|-----------------|
| Standard Diff. 3.73 & Up                   | 707159X         |
| Standard Diff. 3.73 & Up (Unloaded Case)   | 706008X         |
| Standard Diff. 3.54 & Down                 | 2002913         |
| Standard Diff. 3.54 & Down (Unloaded Case) | 706007X         |



### Carrier Case Inner Gear Kits

| Description                       | Spicer Part No. | SVL Part No. |
|-----------------------------------|-----------------|--------------|
| Dana 30™ TJ Open/Std. (27 Spline) | 2002914         | -            |
| Dana 30™ Open/Std. (27 Spline)    | -               | 10020714     |

### Differential Cover Kits

| Description                                             | Spicer Part No. |
|---------------------------------------------------------|-----------------|
| Stamped Steel Cover Kit (w/HDW)                         | 2007353         |
| Stamped Steel Cover Kit (w/HDW) WJ                      | 707486X         |
| Nodular Iron - Performance (w/HDW & Performance Gasket) | 10023534        |

### Differential Cover Gaskets

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD52001         |
| Genuine Spicer OE Style     | 34684           |
| RTV Sealant (2.8 oz.)       | 38615           |

### U-Joints & Kits

#### Spicer Life Series (SPL) Premium Performance U-Joint Packs

| Application                                                         | Spicer Part No. |
|---------------------------------------------------------------------|-----------------|
| 84-85 Cherokee XJ.....                                              | SPL1026JK       |
| 87-93 Cherokee XJ (All w/o CV front driveshaft).....                | SPL1026JK       |
| 87-93 Cherokee XJ (All w/ CV front driveshaft).....                 | SPL1027JK       |
| 95-98 Cherokee XJ (w/ 2 inside and 2 outside snap rings).....       | SPL1013JK       |
| 95-98 Cherokee XJ (w/4 outside snap rings).....                     | SPL1014JK       |
| 95-98 Cherokee XJ (w/4 inside snap rings, 7290 series).....         | SPL1015JK       |
| 99-01 Cherokee XJ (w/ auto trans).....                              | SPL1014JK       |
| 94-98 Grand Cherokee ZJ (w/ 2 inside and 2 outside snap rings)..... | SPL1013JK       |
| 94-98 Grand Cherokee ZJ (w/4 outside snap rings).....               | SPL1014JK       |
| 94-98 Grand Cherokee ZJ (w/4 inside snap rings, 7290 series).....   | SPL1015JK       |
| 99 Grand Cherokee WJ.....                                           | SPL1014JK       |
| 00 Grand Cherokee WJ.....                                           | SPL1016JK       |
| 01-03 Grand Cherokee WJ (4.7L engine wo/Selec-Trac).....            | SPL1016JK       |
| 01-03 Grand Cherokee WJ (4.7L engine w/Selec-Trac).....             | SPL1017JK       |
| 04 Grand Cherokee WJ (4.7L engine).....                             | SPL1016JK       |
| 97-98 Wrangler TJ.....                                              | SPL1018JK       |
| 99-02 Wrangler TJ.....                                              | SPL1014JK       |
| 03-04 Wrangler TJ (Exc. Rubicon).....                               | SPL1014JK       |
| 03-04 Wrangler TJ (Rubicon).....                                    | SPL1019JK       |
| 05-06 Wrangler TJ (Exc. Rubicon).....                               | SPL1014JK       |
| 05-06 Wrangler (Rubicon 2 Door).....                                | SPL1019JK       |
| 05-06 Wrangler (Unlimited Rubicon).....                             | SPL1020JK       |



## Dana 30™ TJ/XJ/ZJ/WJ Front (181 MM) Short Pinion (Continued)

### Axle Shaft U-Joint

| Description                       | Spicer Part No. |
|-----------------------------------|-----------------|
| Premium Spicer Life Series (1310) | 5-760X          |
| Genuine Spicer (1310)             | 5-260X          |
| SVL (1310)                        | 15-260X         |

### Ball Joints

| Description                           | Spicer Part No. |
|---------------------------------------|-----------------|
| Ball Joint Kit (Upper/Lower Per Side) | 706944X         |
| Upper Ball Joint                      | 40916           |
| Lower Ball Joint                      | 40583           |

### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |
| Inner Pinion Bearing Kit        | 706015X         |
| Collapsible Spacer              | 50576           |
| Outer Pinion Bearing Kit        | 706894X         |
| Pinion Bearing Slinger - Outer  | 13575           |
| Pinion Oil Seal (2001-06)       | 50660           |
| Pinion Oil Seal (1996-00)       | 44895           |
| End Yoke                        | 2-4-6561-1      |
| Pinion Nut                      | 30185           |
| Carrier Cover Bolts             | 34279           |
| Differential Bearing Kit        | 706016X         |
| Differential Bearing Shim Kit   | 701004X         |
| Ring Gear Bolts                 | 41221           |
| Axle Shaft Nut                  | 2002954         |
| Axle Seal                       | 46470           |
| Knuckle Bolt                    | 41027           |
| Axle Shaft Dust Slinger         | 46849           |
| Oil Slinger - Hub (w/o ABS)     | 46988           |
| ABS Tone Ring                   | 44646           |
| Axle Nut                        | 40598           |

### Pinion Yokes

| Description                      | Spicer Part No. |
|----------------------------------|-----------------|
| 1310 Series - U Bolt Style       | 2-4-8091X       |
| 1310 Series - Bolt & Strap Style | 2-4-8091-1X     |
| 1330 Series - Bolt & Strap Style | 2-4-3581-1X     |

### U-Joint Hardware

| Description                          | Spicer Part No. |
|--------------------------------------|-----------------|
| 1310 Series - U Bolt Style           | 2-94-28X        |
| 1210/1310/1330 Series - Bolt & Strap | 2-70-18X        |
| 1330 Series - Bolt & Strap           | 2-70-28X        |
| 1350 Series - Bolt & Strap           | 3-70-28X        |




**Dana Super 30™ JK Front (186MM)**

**Applications**

| Year    | Make | Model    |
|---------|------|----------|
| 2007-15 | Jeep | Wrangler |

**Ring & Pinions**

| Ratio | Spicer Part No. | SVL Part No. |
|-------|-----------------|--------------|
| 3.73  | 2005021-5*      | -            |
| 4.10  | 2005027-5*      | -            |
| 4.56  | 10026645        | 10010173     |
| 4.88  | 10026639        | 10010176     |
| 5.13  | 10026642        | 10010179     |



\* Includes Ring Gear Bolts & Pinion Nut

**Differential Rebuild Kits**

**2007-15 Wrangler JK**

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 2017366         |
| Master Overhaul Kit                | 2017378         |

**Axle Shafts - Upgraded Design**

| Application                                  | Spicer Part No. Right | Spicer Part No. Left |
|----------------------------------------------|-----------------------|----------------------|
| 07-15 Wrangler JK Rubicon (1350 Series)..... | 2014616-2             | 2014616-1            |

**Chromoly Axle Shafts - (Inners/Outers)**

| Application                               | Location | Position | Spline Length (in) | U-Joint Part No. | SVL Part No. |
|-------------------------------------------|----------|----------|--------------------|------------------|--------------|
| 07-15 Jeep Wrangler JK (1310 Series) .... | Outer    | RH/LH    | 32 6.33"           | 5-760X           | 10014979     |
| 07-15 Jeep Wrangler JK (1350 Series) .... | Outer    | RH/LH    | 32 6.33"           | 5-7166X          | 10015183     |
| 07-15 Jeep Wrangler JK (1310 Series) .... | Inner    | LH       | 27 18.8"           | 5-760X           | 10014980     |
| 07-15 Jeep Wrangler JK (1310 Series) .... | Inner    | RH       | 27 34.5"           | 5-760X           | 10014981     |
| 07-15 Jeep Wrangler JK (1350 Series) .... | Inner    | LH       | 27 18.8"           | 5-7166X          | 10015196     |
| 07-15 Jeep Wrangler JK (1350 Series) .... | Inner    | RH       | 27 34.5"           | 5-7166X          | 10015344     |

**Differential Carrier Cases**

| Description                              | Spicer Part No. |
|------------------------------------------|-----------------|
| Standard Diff. 3.73 & Up                 | 2005974         |
| Standard Diff. 3.73 & Up (Unloaded Case) | 2010999         |
| Standard Diff. 3.54 & Down               | 2005961         |

**Carrier Case Inner Gear Kits**

| Description          | Spicer Part No. |
|----------------------|-----------------|
| JK Std. Differential | 2005962         |

**Differential Cover Kits**

| Description                                             | Spicer Part No. |
|---------------------------------------------------------|-----------------|
| Stamped Steel Cover Kit (w/HDW)                         | 2007503         |
| Nodular Iron - Performance (w/HDW & Performance Gasket) | 10023534        |

**Differential Cover Gaskets**

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD52001         |
| Genuine Spicer OE Style     | 34684           |
| RTV Sealant (2.8 oz.)       | 38615           |



**Dana Super 30™ JK Front (186MM) (Continued)**

**Driveshafts**

**Heavy Duty Upgrade - 1310 Series**

| Description                            | Spicer Part No. |
|----------------------------------------|-----------------|
| Front 0-2" Lift (w/ T-Case Yoke & HDW) | 10018230        |
| Front 2-4" Lift (w/ T-Case Yoke & HDW) | 10020345        |

**U-Joints & Kits**

**Spicer Life Series (SPL) Premium Performance U-Joint Packs**

| Application                                                          | Spicer Part No. |
|----------------------------------------------------------------------|-----------------|
| 07-11 JK w/ Aftermarket 1310 Driveshafts w/CV Front Driveshaft ..... | SPL1014JK       |
| 07-11 JK w/ Aftermarket 1350 Driveshafts w/CV Front Driveshaft ..... | SPL1029JK       |
| 12-15 JK w/ Aftermarket 1310 Driveshafts w/CV Front Driveshaft ..... | SPL1028JK       |
| 12-15 JK w/ Aftermarket 1350 Driveshafts w/CV Front Driveshaft ..... | SPL1030JK       |

**Axle Shaft U-Joints**

| Description                                     | Spicer Part No. |
|-------------------------------------------------|-----------------|
| Premium Spicer Life Series (1350 Non-Greasable) | 5-7166X         |
| Premium Spicer Life Series (1350 Greasable)     | 5-1350-1X       |
| Premium Spicer Life Series (1310 Non-Greasable) | 5-760X          |
| Genuine Spicer (1310 Greasable)                 | 5-260X          |
| SVL (1310 Greasable)                            | 15-260X         |

**Performance Adjustable Shocks**

| Application                      | Spicer Part No. |
|----------------------------------|-----------------|
| Wrangler JK w/3-5" Lift (Front)* | 2023594         |
| Wrangler JK w/3-5" Lift (Rear)*  | 2023595         |

\* Sold Individually

**The Ultimate Dana 44™ Front Crate Axle (Bolt In Axle Assy.)**

| Application                                        | Spicer Part No. |
|----------------------------------------------------|-----------------|
| 07 & Up Jeep Wrangler JK - Front (3.73 Ratio)..... | 10010519        |
| 07 & Up Jeep Wrangler JK - Front (4.10 Ratio)..... | 10010455        |
| 07 & Up Jeep Wrangler JK - Front (4.56 Ratio)..... | 10010520        |
| 07 & Up Jeep Wrangler JK - Front (4.88 Ratio)..... | 10010521        |
| 07 & Up Jeep Wrangler JK - Front (5.13 Ratio)..... | 10010522        |
| 07 & Up Jeep Wrangler JK - Front (5.38 Ratio)..... | 10010742        |

Coming Soon

**The Ultimate Dana 60™ Crate Axle (Bolt In Axle Assy.)**


| Application                                        | Spicer Part No. |
|----------------------------------------------------|-----------------|
| 07 & Up Jeep Wrangler JK - Front (4.88 Ratio)..... | 10005778        |
| 07 & Up Jeep Wrangler JK - Front (5.38 Ratio)..... | 10005777        |
| 07 & Up Jeep Wrangler JK - Rear (4.88 Ratio) ..... | 2023612-1       |
| 07 & Up Jeep Wrangler JK - Rear (5.38 Ratio) ..... | 10005942        |

**Ball Joints**

| Description                           | Spicer Part No. |
|---------------------------------------|-----------------|
| Ball Joint Kit (Upper/Lower Per Side) | 2007354         |
| Upper Ball Joint                      | 2005838         |
| Lower Ball Joint                      | 2011892         |

**SPICER®**MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES**SVL®****Dana Super 30™ JK Front (186MM) (Continued)****Misc. Components**

| <b>Description</b>              | <b>Spicer Part No.</b> |
|---------------------------------|------------------------|
| Friction Modifier/POSI Additive | 43161                  |
| RTV Sealant (2.8 oz.)           | 38615                  |
| Inner Pinion Bearing Kit        | 707064X                |
| Baffle - Pinion Oil             | 48741-3                |
| Collapsible Spacer              | 50614                  |
| Outer Pinion Bearing Kit        | 706015X                |
| Pinion Bearing Slinger - Outer  | 2005565                |
| Pinion Oil Seal                 | 2004670                |
| Pinion Nut                      | 44189                  |
| Carrier Cover Bolts             | 34279                  |
| Differential Bearing Kit        | 706016X                |
| Ring Gear Bolt                  | 41221                  |
| Axle Shaft Nut                  | 2008564                |
| Axle Seal - Original Design     | 54381                  |
| Axle Seal - Upgraded Design     | 2013455*               |



\* New design includes integrated axle guide to reduce seal damage during install and three sealing lips compared to one on original.


> Replaces OE Style Companion Flange



**Dana 35™ Rear (194MM)**

**Applications**

| Year    | Make | Model                  |
|---------|------|------------------------|
| 1984-89 | Jeep | Cherokee XJ Non C-Clip |
| 1990-05 | Jeep | Cherokee XJ C-Clip     |
| 1987-89 | Jeep | Wrangler YJ Non-C-Clip |
| 1990-96 | Jeep | Wrangler YJ C-Clip     |
| 1997-06 | Jeep | Wrangler TJ            |
| 1992-98 | Jeep | Grand Cherokee ZJ      |
| 1999-04 | Jeep | Grand Cherokee WJ      |
| 2002-04 | Jeep | Liberty KJ             |



**Ring & Pinions**

| Ratio | Spicer Part No. | SVL Part No. |
|-------|-----------------|--------------|
| 3.07  | 73442-5X^       | -            |
| 3.27  | 707359-1X*      | -            |
| 3.55  | 73386-5X^       | 2020468      |
| 3.73  | 75137-5X^       | 2020481      |
| 4.11  | 73383-5X^       | 2020487      |
| 4.56  | 73382-5X^       | 2020464      |
| 4.88  | -               | 2020484      |

\* Includes HDW, Bearings, Seals, Shims, Spacer  
^ Includes Nut and Ring Gear Bolts Only

**Differential Rebuild Kits**

**Standard Differential Rebuild Kits**

| Application                                                     | SVL Part No. |
|-----------------------------------------------------------------|--------------|
| 90-01 Cherokee (XJ) Rear .....                                  | 2017137      |
| 90-93 Comanche (MJ) Rear .....                                  | 2017137      |
| 90-96 Wrangler (YJ & TJ) Rear .....                             | 2017137      |
| 93-96 Grand Cherokee (ZJ) Rear w/ABS.....                       | 2017137      |
| 97-00 Wrangler (TJ) Rear w/ABS.....                             | 2017137      |
| 01 Wrangler (TJ) Rear w/ABS (Axle BOM# 606655-1 & 60655-2)..... | 2017137      |
| 01 Wrangler (TJ) Rear w/ABS (Axle BOM# 606563-1 & 60655-6)..... | 2017137      |
| 02-06 Wrangler (TJ) Rear w/ABS.....                             | 2017137      |

**Master Overhaul Kit**

| Application                                                     | SVL Part No. |
|-----------------------------------------------------------------|--------------|
| 90-01 Cherokee (XJ) Rear .....                                  | 2017141      |
| 90-93 Comanche (MJ) Rear .....                                  | 2017141      |
| 90-96 Wrangler (YJ & TJ) Rear .....                             | 2017141      |
| 93-96 Grand Cherokee (ZJ) Rear w/ABS.....                       | 2017141      |
| 97-00 Wrangler (TJ) Rear w/ABS.....                             | 2017141      |
| 01 Wrangler (TJ) Rear w/ABS (Axle BOM# 606655-1 & 60655-2)..... | 2017145      |
| 01 Wrangler (TJ) Rear w/ABS (Axle BOM# 606563-1 & 60655-6)..... | 2017141      |
| 02-06 Wrangler (TJ) Rear w/ABS.....                             | 2017145      |



**Dana 35™ Rear (194MM) (Continued)**


**Differential Carrier Case Kits**

| Description                                                              | Spicer Part No. |
|--------------------------------------------------------------------------|-----------------|
| Trac- Lok Limited Slip 3.31 & Down (27 Spline ) Until 2001 .....         | 74215X          |
| Trac- Lok Limited Slip 3.31 & Down (27 Spline ) 2001 & After .....       | 708138          |
| Trac- Lok Limited Slip 3.54 & Up (27 Spline) Until 2001 .....            | 74210X          |
| Trac- Lok Limited Slip 3.54 & Up (27 Spline) 99-01 WJ w/ABS, 01 XJ ..... | 708110          |
| Trac- Lok Limited Slip 3.54 & Up (27 Spline) 01-06 TJ, 02-04 KJ .....    | 708183          |
| Open/Std 3.31 & Down (27 Spline) Until 2001 .....                        | 75053X          |
| Open/Std 3.31 & Down (27 Spline) 2001 & After .....                      | 708141          |
| Open/Std 3.54 & Up (27 Spline) Until 2001 .....                          | 75054X          |
| Open/Std 3.54 & Up (27 Spline) 01 XJ, 01 TJ LHD .....                    | 80880           |
| Open/Std 3.54 & Up (27 Spline) 02-06 TJ, 99-03 WJ .....                  | 708109          |
| Open/Std Case, 3.54 & Up, (27 Spline) 1.625" dia. Hub (Unloaded) .....   | 10019418        |

All cases come loaded with gearing unless otherwise noted.

**Spicer Carrier Case Inner Gear Kits**

| Description                       | Spicer Part No. |
|-----------------------------------|-----------------|
| Std/Open 93 & Up (27 Spline)      | 707321X         |
| Std/Open 93 & Down (27 Spline)    | 707247X         |
| Trac-Lok Limited Slip (27 Spline) | 708184          |



**SVL Carrier Case Inner Gear Kits**

| Description                                | SVL Part No. |
|--------------------------------------------|--------------|
| Std/Open 27 Spline (1.560" Side Gear Bore) | 10020717     |
| Std/Open 27 Spline (1.625" Side Gear Bore) | 10020716     |

**Differential Cover Kits**

| Description                                             | Spicer Part No. |
|---------------------------------------------------------|-----------------|
| Sampled Steel Cover Kit (w/HDW)                         | 74208X          |
| Nodular Iron - Performance (w/HDW & Performance Gasket) | 10023535        |

**Axle Shafts**

| Application                                                                             | Location | Spline | Length (in) | Spicer Part No. | SVL Part No. | OE Part No. | Hollander Part No.  |
|-----------------------------------------------------------------------------------------|----------|--------|-------------|-----------------|--------------|-------------|---------------------|
| 91-90 Cherokee, 91-90 Comanche, 90 Wagoneer, 92-91 Wrangler .....                       | RH       | 27     | 29.25"      | 73624-1X        | 2022614-3    | 5252956     | 447-1979R/447-1832R |
| 91-90 Cherokee, 91-90 Comanche, 90 Wagoneer, 92-91 Wrangler .....                       | LH       | 27     | 30.67"      | 73624-2X        | 2022614-4    | 5252957     | 447-1797L           |
| 95-93 Wrangler, 01-92 Cherokee, 94-93 Grand Cherokee, 92 Comanche (w/Drum Brakes) ..... | RH       | 27     | 29.25"      | 74356-1X        | 2022659-1    | 4713192     | 447-2204R           |
| 95-93 Wrangler, 01-92 Cherokee, 94-93 Grand Cherokee, 92 Comanche (w/Drum Brakes) ..... | LH       | 27     | 30.69"      | 74356-2X        | 2022659-2    | 4713193     | 447-2204L           |
| 98-94 Grand Cherokee (w/Disc Brakes) .....                                              | RH       | 27     | 29.24"      | 74789-1X        | 2022614-6    | 4762194     | 447-2081R           |
| 98-94 Grand Cherokee (w/Disc Brakes) .....                                              | LH       | 27     | 30.67"      | 74789-2X        | 2022614-5    | 4762195     | 447-2081L           |
| 04-99 Grand Cherokee (w/Disc Brakes) .....                                              | LH       | 27     | 32.43"      | 76467-4X        | 2022668-2    | 5012821AA   | 447-2462L           |
| 04-99 Grand Cherokee (w/Disc Brakes) .....                                              | RH       | 27     | 32.94"      | 76467-3X        | 2022668-1    | 5012820AA   | 447-2461R           |

Note: See Axle Shaft Detailed Application Section for year/make/model search



**Dana 35™ Rear (194MM) (Continued)**

**U-Joints & Kits**

**Spicer Life Series (SPL) Premium Performance U-Joint Packs**

| <b>Application</b>                                                | <b>Spicer Part No.</b> |
|-------------------------------------------------------------------|------------------------|
| 84-85 Cherokee XJ.....                                            | SPL1026JK              |
| 87-93 Cherokee XJ w/CV Front Driveshaft .....                     | SPL1027JK              |
| 87-93 Cherokee XJ w/O CV Front Driveshaft.....                    | SPL1026JK              |
| 87-95 Wrangler YJ.....                                            | SPL1026JK              |
| 94-98 Grand Cherokee ZJ w/2 inside & 2 outside snap rings .....   | SPL1013JK              |
| 94-98 Grand Cherokee ZJ w/4 inside snap rings w/7290 series ..... | SPL1015JK              |
| 94-98 Grand Cherokee ZJ w/4 outside snap rings .....              | SPL1014JK              |
| 95-98 Cherokee XJ w/2 w/2 inside & 2 outside snap rings .....     | SPL1013JK              |
| 95-98 Cherokee XJ w/4 inside snap rings w/7290 series.....        | SPL1015JK              |
| 95-98 Cherokee XJ w/4 outside snap rings.....                     | SPL1014JK              |
| 97-98 Wrangler TJ.....                                            | SPL1018JK              |
| 99 Grand Cherokee WJ.....                                         | SPL1014JK              |
| 99 Grand Cherokee WJ.....                                         | SPL1016JK              |
| 99-01 Cherokee XJ w/automatic transmission .....                  | SPL1014JK              |
| 99-02 Wrangler TJ.....                                            | SPL1014JK              |
| 01-03 Grand Cherokee WJ 4.7L w/ Selec-Trac.....                   | SPL1017JK              |
| 01-03 Grand Cherokee WJ 4.7L w/o Selec-Trac.....                  | SPL1016JK              |
| 03-04 Wrangler TJ Exc. Rubicon.....                               | SPL1014JK              |
| 03-04 Wrangler TJ Rubicon.....                                    | SPL1019JK              |
| 04 Grand Cherokee WJ 4.7L.....                                    | SPL1016JK              |
| 05-06 Wrangler TJ Exc. Rubicon.....                               | SPL1014JK              |
| 05-06 Wrangler TJ Rubicon.....                                    | SPL1019JK              |
| 05-06 Wrangler TJ Unlimited Rubicon.....                          | SPL1020JK              |

**Misc. Components**

| <b>Description</b>              | <b>Spicer Part No.</b> |
|---------------------------------|------------------------|
| Friction Modifier/POSI Additive | 43161                  |
| RTV Sealant (2.8 oz.)           | 38615                  |
| Inner Pinion Bearing Kit        | 707162X                |
| Collapsible Spacer              | 42102                  |
| Outer Pinion Bearing Kit        | 706894X                |
| Pinion Oil Seal                 | 43085                  |
| Pinion Nut                      | 44189                  |
| Carrier Cover Bolts             | 34279                  |
| Differential Bearing Kit        | 706016X                |
| Axle Shaft Wheel Bearing        | 566121                 |
| Wheel Seal                      | 46485                  |
| Clutch Kit Trac-Lok             | 707165X                |

**Pinion Yokes**

| <b>Description</b>               | <b>Spicer Part No.</b> |
|----------------------------------|------------------------|
| 1310 Series - Bolt & Strap Style | 2-4-4601-1             |

**U-Joint Hardware**

| <b>Description</b>         | <b>Spicer Part No.</b> |
|----------------------------|------------------------|
| 1310 Series - U Bolt Style | 2-94-28X               |
| 1310 Series - Bolt & Strap | 2-70-1X                |
| 1330 Series - Bolt & Strap | 2-70-18X               |

**SPICER®**MADE IN THE U.S.A.  
**Genuine**DANA  
CRATE AXLES**SVL®**


## Dana 205™ Front Nissan

### Applications

| Year    | Make   | Model                     |
|---------|--------|---------------------------|
| 2003-06 | Nissan | Armada, Titan             |
| 2006-14 | Nissan | Armada, Pathfinder, Titan |

### Ring & Pinions

| Ratio | Spicer Part No. |
|-------|-----------------|
| 2.94  | 2006105-5^      |
| 3.36  | 2006106-5^      |



^ Includes Nut and Ring Gear Bolts Only

### Misc. Components


| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |
| Collapsible Spacer              | 50313           |
| Pinion Seal                     | 54417           |
| Pinion Nut                      | 50366           |
| Diff Cover Dowel Pin            | 54509-1         |
| Bearing - RH Outer              | 566063          |
| Bearing - LH Tube               | 566131          |
| Retaining Ring - Shaft          | 2002390         |



**Dana 44™ Reverse Rotation Front (216MM)**

**Applications**

| Year    | Make  | Model  |
|---------|-------|--------|
| 1978-79 | Ford  | Bronco |
| 1975-79 | Ford  | F-250  |
| 1966-79 | Ford  | F-150  |
| 2001-95 | Dodge | W 1500 |



**Ring & Pinions**

| Ratio | Spicer Part No. | SVL Part No. |
|-------|-----------------|--------------|
| 3.54  | -               | 10001714     |
| 3.73  | -               | 2020799      |
| 4.09  | 24649-5X*       | 2020455      |
| 4.56  | -               | 10001294     |
| 4.88  | -               | 2019335      |
| 5.13  | -               | 2020452      |
| 5.38  | -               | 2020458      |

\* Includes Ring Gear Bolts & Pinion Nut

**Differential Carrier Cases**

| Description                                | Spicer Part No. |
|--------------------------------------------|-----------------|
| Trac-Lok Limited Slip 3.92& Up (30 Spline) | 707150X         |
| Std/Open W1500 3.73 & Down                 | 707021-1X       |
| Std/Open W1500 3.73 & Down (Unloaded Case) | 706024X         |

All cases come loaded with gearing unless otherwise noted.

**Carrier Case Inner Gear Kits**

| Description    | Spicer Part No. |
|----------------|-----------------|
| Std/Open W1500 | 707025-1X       |

**Differential Cover Kits**

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Stamped Steel Cover Kit (w/HDW)    | 707014X         |
| Nodular Iron - Performance (w/HDW) | 10023536        |

**Differential Cover Gaskets**

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD52000         |
| Genuine Spicer OE Style     | 34685           |

**Front Axle Shafts**

| Application                                                                                                    | Right Spicer Part No. | Left Spicer Part No. |
|----------------------------------------------------------------------------------------------------------------|-----------------------|----------------------|
| 78-79 Bronco, 73-79 F-150 (Inner).....                                                                         | 27902-3X              | 27902-4X             |
| 77-79 F250 & F150 Super Cab (Inner).....                                                                       | 27902-35X             | 27902-31X            |
| 74-79 Wagoneer, 74 Ram Charger, 72-74 Dodge W100,<br>71-79 Bronco, 71-79 F150/250, 74-76 Wagoneer (Outer)..... | 620200                | 620200               |
| 80-86 F150 & Bronco (Outer).....                                                                               | 39905                 | 39905                |



**Dana 44™ Reverse Rotation Front (216MM) (Continued)**

**Chromoly Front Axle Shafts - (Inners/Outers)**

| Application                                                                                                | Location | Position | Spline | Length (in) | U-Joint Part No. | SVL Part No. |
|------------------------------------------------------------------------------------------------------------|----------|----------|--------|-------------|------------------|--------------|
| 69-77 Blazer, 69-80 K10/K1500,<br>69-80 K20/K2500, 69-80 K5 Blazer,<br>69-80 Suburban, 74-92 Wagoneer..... | Outer    | RH/LH    | 19     | 9.94"       | 5-760X           | 10007802     |
| 78-79 Bronco, 71-79 F-150, 79 F-250 .....                                                                  | Outer    | RH/LH    | 19     | 9.72"       | 5-760X           | 10007803     |
| 76-77 F250 .....                                                                                           | Outer    | RH/LH    | 19     | 10.66"      | 5-760X           | 10008247     |
| 76-78 F-150, F-250.....                                                                                    | Inner    | LH       | 30     | 18.63"      | 5-760X           | 10008249     |
| 76-78 F-150, F-250.....                                                                                    | Inner    | RH       | 30     | 34.75"      | 5-760X           | 10008248     |
| 78-79 Bronco, 73-79 F-150 .....                                                                            | Inner    | LH       | 30     | 18.92"      | 5-760X           | 10007805     |
| 78-79 Bronco, 73-79 F-150 .....                                                                            | Inner    | RH       | 30     | 33.91"      | 5-760X           | 10007806     |
| 85-89 D600 Export<br>72-74 Ramcharger & Trailduster .....                                                  | Inner    | RH       | 30     | 18.39"      | 5-760X           | 10007800     |


**U-Joints & Kits**

**Axle Shaft U-Joints**

| Description                                     | Spicer Part No. |
|-------------------------------------------------|-----------------|
| Premium Spicer Life Series (1310 Non-Greasable) | 5-760X          |

**Ball Joints**

| Description                                      | Spicer Part No. |
|--------------------------------------------------|-----------------|
| Ball Joint Kit (Upper/Lower Per Side) Solid Axle | 706116X         |



**Misc. Components**

| Description                                             | Spicer Part No. |
|---------------------------------------------------------|-----------------|
| Friction Modifier/POSI Additive                         | 43161           |
| RTV Sealant (2.8 oz.)                                   | 38615           |
| Front Inner Axle Seal - 77 & Earlier F-100/F-150/Bronco | 620216          |
| Front Inner Axle Seal - 79 & Earlier F250 Open Knuckle  | 620216          |
| Front Inner Axle Seal - 78-79 F-150 & Bronco            | 620257          |
| Differential Carrier Bearings                           | 706032X         |
| Outer Pinion Bearing                                    | 706030X         |
| Inner Pinion Bearing                                    | 706031X         |
| Inner Pinion Bearing 95-96 F-150 & Bronco               | 706015X         |
| PWR Lok Clutch Kit                                      | 22233X          |
| Trac Lok Clutch Kit                                     | 708203          |
| Diff & Pinion Bearing Shim Kit                          | 706358X         |
| Pinion Bearing Shim Kit                                 | 706358X         |
| Pinion Oil Seal                                         | 44895           |
| Pinion Nut                                              | 30185           |

**Pinion Yokes**

| Description                      | Spicer Part No. |
|----------------------------------|-----------------|
| 1310 Series - U Bolt Style       | 2-4-8091X       |
| 1310 Series - Bolt & Strap Style | 2-4-8091-1X     |
| 1330 Series - Bolt & Strap Style | 2-4-3581-1X     |

**U-Joint Hardware**

| Description                          | Spicer Part No. |
|--------------------------------------|-----------------|
| 1310 Series - U Bolt Style           | 2-94-28X        |
| 1210/1310/1330 Series - Bolt & Strap | 2-70-18X        |
| 1330 Series - Bolt & Strap           | 2-70-28X        |
| 1330 Series - U Bolt Style           | 2-94-58X        |
| 1350 Series - U Bolt Style           | 3-70-28X        |




**Dana 44™ JK Front (216MM)**

**Applications**

| Year    | Make | Model    |
|---------|------|----------|
| 2007-15 | Jeep | Wrangler |

**Ring & Pinions**

| Ratio | Spicer Part No. | SVL Part No. |
|-------|-----------------|--------------|
| 3.73  | 2013742-5*      | -            |
| 4.10  | 2005024-5*      | -            |
| 4.56  | 2019746         | 10010200     |
| 4.88  | 2019749         | 10010203     |
| 5.13  | 2019752         | 10010206     |
| 5.38  | 10010738        | 10010209     |



\* Includes Ring Gear Bolts & Pinion Nut

**Differential Rebuild Kits**

| Description                       | Spicer Part No. |
|-----------------------------------|-----------------|
| Standard Differential Rebuild Kit | 2017088         |
| Master Overhaul Kit               | 2017106         |

**Axle Shafts - Upgraded Design**

| Application                                  | Right Spicer Part No. | Left Spicer Part No. |
|----------------------------------------------|-----------------------|----------------------|
| 07-15 Wrangler JK Rubicon (1350 Series)..... | 2014169-2             | 2014169-1            |

**Chromoly Axle Shafts - (Inners/Outers)**

| Application                                                      | Location | Position | Spline | Length (in) | U-Joint Part No. | Spicer Part No. |
|------------------------------------------------------------------|----------|----------|--------|-------------|------------------|-----------------|
| 07-14 Jeep Wrangler JK (1350 Series) ....                        | Outer    | RH/LH    | 32     | 6.33"       | 5-7166X          | 10015183        |
| 07-14 Jeep Wrangler JK (1350 Series) ....                        | Inner    | LH       | 30     | 19.78"      | 5-7166X          | 10015185        |
| 07-14 Jeep Wrangler JK (1350 Series) ....                        | Inner    | RH       | 30     | 33.57"      | 5-7166X          | 10015186        |
| 07-14 Jeep Wrangler JK (1350 Series) w/ Aftermarket Locker ..... | Inner    | LH       | 30     | 19.11"      | 5-7166X          | 10014982        |
| 07-14 Jeep Wrangler JK (1350 Series) w/ Aftermarket Locker ..... | Inner    | RH       | 30     | 34.19"      | 5-7166X          | 10014983        |

**Differential Carrier Cases**

| Application                         | Spicer Part No. |
|-------------------------------------|-----------------|
| JK Rubicon Electric Locker          | 2007503         |
| JK Rubicon E- Locker Solenoid Assy. | 2005193         |

All cases come loaded with gearing unless otherwise noted.

**Differential Cover Kits**

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Stamped Steel Cover Kit (W/HDW)    | 708175          |
| Nodular Iron - Performance (W/HDW) | 10023536        |

**Differential Cover Gaskets**

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD52000         |
| Genuine Spicer OE Style     | 34685           |



## Dana 44™ JK Front (216MM) (Continued)

### Driveshafts

#### Heavy Duty Upgrade - 1310 Series

| Application                            | SVL Part No. |
|----------------------------------------|--------------|
| Front 0-2" Lift (W/ T-Case Yoke & HDW) | 10018230     |
| Front 2-4" Lift (W/ T-Case Yoke & HDW) | 10020345     |

### U-Joints & Kits

#### Spicer Life Series (SPL) Premium Performance U-Joint Packs

| Application                                                        | Spicer Part No. |
|--------------------------------------------------------------------|-----------------|
| 07-11 JK w/Aftermarket 1310 Driveshafts w/CV Front Driveshaft..... | SPL1014JK       |
| 07-11 JK w/Aftermarket 1350 Driveshafts w/CV Front Driveshaft..... | SPL1029JK       |
| 12-15 JK w/Aftermarket 1310 Driveshafts w/CV Front Driveshaft..... | SPL1028JK       |
| 12-15 JK w/Aftermarket 1350 Driveshafts w/CV Front Driveshaft..... | SPL1030JK       |

### Axle Shaft U-Joints

| Description                                     | Spicer Part No. |
|-------------------------------------------------|-----------------|
| Premium Spicer Life Series (1350 Non-Greasable) | 5-7166X         |
| Premium Spicer Life Series (1350 Greasable)     | 5-1350-1X       |

### Performance Adjustable Shocks

| Application                            | Spicer Part No. |
|----------------------------------------|-----------------|
| Wrangler JK w/3-5" Lift (Front)* ..... | 2023594         |
| Wrangler JK w/3-5" Lift (Rear)* .....  | 2023595         |

\*Sold Individually

### The Ultimate Dana 44™ Front Crate Axle (Bolt In Axle Assy.)

| Application                                        | Spicer Part No. |
|----------------------------------------------------|-----------------|
| 07 & Up Jeep Wrangler JK - Front (3.73 Ratio)..... | 10010519        |
| 07 & Up Jeep Wrangler JK - Front (4.10 Ratio)..... | 10010455        |
| 07 & Up Jeep Wrangler JK - Front (4.56 Ratio)..... | 10010520        |
| 07 & Up Jeep Wrangler JK - Front (4.88 Ratio)..... | 10010521        |
| 07 & Up Jeep Wrangler JK - Front (5.13 Ratio)..... | 10010522        |
| 07 & Up Jeep Wrangler JK - Front (5.38 Ratio)..... | 10010742        |

Coming Soon

### The Ultimate Dana 60™ Crate Axle (Bolt In Axle Assy.)

| Application                                        | Spicer Part No. |
|----------------------------------------------------|-----------------|
| 07 & Up Jeep Wrangler JK - Front (4.88 Ratio)..... | 10005778        |
| 07 & Up Jeep Wrangler JK - Front (5.38 Ratio)..... | 10005777        |
| 07 & Up Jeep Wrangler JK - Rear (4.88 Ratio) ..... | 2023612-1       |
| 07 & Up Jeep Wrangler JK - Rear (5.38 Ratio) ..... | 10005942        |


### Ball Joints

| Description                           | SVL Part No. |
|---------------------------------------|--------------|
| Ball Joint Kit (Upper/Lower Per Side) | 2007354      |
| Upper Ball Joint                      | 2005838      |
| Lower Ball Joint                      | 2011892      |

## Dana 44™ JK Front (216MM) (Continued)

### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| RTV Sealant (2.8 oz.)           | 38615           |
| Friction Modifier/POSI Additive | 43161           |
| Inner Pinion Bearing Kit        | 707064X         |
| Baffle - Pinion Oil             | 48741-3         |
| Collapsible Spacer              | 50614           |
| Outer Pinion Bearing Kit        | 706015X         |
| Pinion Bearing Slinger - Outer  | 2005565         |
| Pinion Oil Seal                 | 2004670         |
| Pinion Nut                      | 44189           |
| Carrier Cover Bolts             | 34279           |
| Differential Bearing Kit        | 2007293         |
| Diff. Bearing Shim Kit          | 2007294         |
| Axle Shaft Nut                  | 2008564         |
| Axle Seal - Original Design     | 54381           |
| Axle Seal - Upgraded Design     | 2013455*        |




\* New design includes integrated axle guide to reduce seal damage during install and three sealing lips compare to one on original  
 > Replaces OE Style Companion Flange



**Dana 44™ (216MM)**

**Applications**

| Year    | Make          | Model                |
|---------|---------------|----------------------|
| 1960-80 | Chevrolet     | K10/25 Front         |
| 1969-01 | Dodge         | W100/150/200/300     |
| 1971-77 | Ford          | F100/150/250 Front   |
| 1972-82 | International | Scout Front          |
| 1968-81 | International | Scout Rear           |
| 1974-83 | Jeep          | Wagoneer             |
| 1974-83 | Jeep          | Cherokee             |
| 1974-88 | Jeep          | Truck                |
| 1974-86 | Jeep          | CJ5                  |
| 1986    | Jeep          | CJ7                  |
| 1986-92 | Jeep          | XJ Rear              |
| 1984-92 | Jeep          | Grand Wagoneer Front |
| 1994-98 | Jeep          | Grand Cherokee ZJ    |
| 1999-04 | Jeep          | Grand Cherokee WJ    |
| 1972-79 | Jeep          | Wagoneer Rear        |
| 1997-06 | Jeep          | Wrangler TJ Rear     |



**Ring & Pinions**

| Ratio | Spicer Part No. | SVL Part No. | SVL Thick Gear |
|-------|-----------------|--------------|----------------|
| 3.07  | 706017-1X*      | -            | -              |
| 3.23  | -               | -            | -              |
| 3.31  | 706017-2X*      | -            | -              |
| 3.54  | 22856-5X^       | 2020428      | -              |
| 3.73  | 22736-5X^       | 10001434     | -              |
| 3.92  | 22104-5X^       | 2020809      | -              |
| 4.09  | 22745-5X^       | 2020425      | 10001711       |
| 4.27  | 706017-10X*     | 2020793      | -              |
| 4.56  | 22105-5X^       | 10001274     | 10001279       |
| 4.88  | -               | 10005314     | 10001282       |
| 5.13  | -               | 10001288     | 10001291       |
| 5.38  | 706017-8X*      | 2020806      | -              |
| 5.89  | 706017-9X*      | 2020431      | -              |

\* Includes HDW, Bearings, Seals, Shims, Spacer  
^ Includes Nut and Ring Gear Bolts Only

**Differential Rebuild Kits**

**Standard Differential Rebuild Kits**

| Application                                                                                                                            | Front/Rear | Spicer Part No. |
|----------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------|
| 98-00 Wrangler TJ (Trac Lok).....                                                                                                      | Rear       | 2017080         |
| 01-03 Wrangler TJ (Axle BOM# 606647-1,2, 606851-1,2, 607006-1,2, 606646, 606648, 606850, 606852, 606875).....                          | Rear       | 2017084         |
| 01-02 Wrangler TJ w/Trac Lok (Axle BOM# 606565-4, 606567-3 & 606626).....                                                              | Rear       | 2017080         |
| 03-06 TJ Wrangler.....                                                                                                                 | Front      | 2017085         |
| 03-06 Wrangler TJ ( Axle BOM# 606642, 607001, 607012, 607015-1,2,3,4, 6070016-1,2, 2003690, 205809, 2006233-1,2,3,4, 2006234-1,2)..... | Rear       | 2017084         |
| 03-06 Wrangler TJ (Axle BOM# 606960-1,2, 606959, 606961, 607007, 607008, 2006231-1,2,3,4, 2006232-1,2,3).....                          | Rear       | 2017084         |
| 03-06 Wrangler TJ (w/OE Air Locker).....                                                                                               | Rear       | 2017085         |
| 04-06 (Axle BOM# 606998, 2001543, 2003688, 2003689, 2003691, 2004422, 2004423, 2005796, 2005806, 2005807).....                         | Rear       | 2017084         |



**Dana 44™ (216MM) (Continued)**


**Differential Rebuild Kits (Continued)**

**Master Overhaul Kit**

| Application                                                                                                                             | Front/Rear | Spicer Part No. |
|-----------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------|
| 98-00 Wrangler TJ (Trac Lok).....                                                                                                       | Rear       | 2017091         |
| 01-03 Wrangler TJ (Axle BOM# 606647-1,2, 606851-1,2, 607006-1,2, 606646, 606648, 606850, 606852, 606875).....                           | Rear       | 2017096         |
| 01-02 Wrangler TJ w/Trac Lok (Axle BOM# 606565-4, 606567-3 & 606626).....                                                               | Rear       | 2017091         |
| 03-06 Wrangler TJ Rubicon.....                                                                                                          | Front      | 2017101         |
| 03-06 Wrangler TJ ( (Axle BOM# 606642, 607001, 607012, 607015-1,2,3,4, 6070016-1,2, 2003690, 205809, 2006233-1,2,3,4, 2006234-1,2)..... | Rear       | 2017100         |
| 03-06 Wrangler TJ (Axle BOM# 606960-1,2, 606959, 606961, 607007, 607008, 2006231-1,2,3,4, 2006232-1,2,3).....                           | Rear       | 2017098         |
| 03-06 Wrangler TJ (w/OE Air Locker).....                                                                                                | Rear       | 2017097         |
| 04-06 (Axle BOM# 606998, 2001543, 2003688, 2003689, 2003691, 2004422, 2004423, 2005796, 2005806, 2005807).....                          | Rear       | 2017099         |

**Differential Carrier Cases**

| Description                                   | Spicer Part No. |
|-----------------------------------------------|-----------------|
| Air Locker - TJ Rubicon Rear                  | 84336           |
| Air Locker - TJ Rubicon Front                 | 84650           |
| Trac- Lok Limited Slip 4.10 & Down            | 707115X         |
| Trac- Lok Limited Slip 3.73 & Down 2003-06 TJ | 708218          |
| Trac- Lok Limited Slip 3.92 & Up              | 707150X         |
| Open/Std. 3.73 & Down                         | 707021-1X       |
| Open/Std. 3.73 & Down 2003-06 TJ              | 708216          |
| Open/Std 3.92 & Up                            | 707022-1X       |



All cases come loaded with gearing unless otherwise noted.

**Carrier Case Inner Gear Kits**

| Description                      | Spicer Part No. |
|----------------------------------|-----------------|
| Trac-Lok Limited Slip 97-03 TJ   | 708204          |
| Trac-Lok Limited Slip 2003-06 TJ | 708204          |
| Open/Std.                        | 707025-1X       |
| Open/Std. 2003-06 TJ             | 2017077         |

**Spools**

| Description          | Spline    | Spicer Part No. |
|----------------------|-----------|-----------------|
| Dana 44™ 3.92 & Up   | 30 Spline | 2023397         |
| Dana 44™ 3.73 & Down | 30 Spline | 2023547         |
| Mini-Spool           | 30 Spline | 2023540         |

**Differential Cover Kits**

| Description                                             | Spicer Part No. |
|---------------------------------------------------------|-----------------|
| Stamped Steel Cover Kit (w/HDW)                         | 707014X         |
| Nodular Iron - Performance (w/HDW & Performance Gasket) | 10023536        |

**Differential Cover Gaskets**

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD52000         |
| Genuine Spicer OE Style     | 34685           |



**Dana 44™ (216MM) (Continued)**

**Chromoly Axle Shafts - (Inners/Outers)**

| Application                                                                                         | Location | Position | Spline | Length (in) | U-Joint Part No. | Spicer Part No. |
|-----------------------------------------------------------------------------------------------------|----------|----------|--------|-------------|------------------|-----------------|
| 69-80 Blazer, 69-80 K10/1500,<br>77-80 K20/2500, 69-80 K5 Blazer,<br>69-80 Suburban .....           | Inner    | LH       | 30     | 36.13"      | 5-760X           | 10007813        |
| 71-77 Bronco .....                                                                                  | Inner    | LH       | 27     | 18.44"      | 5-760X           | 10007779        |
| 71-77 Bronco .....                                                                                  | Inner    | RH       | 27     | 28.06"      | 5-760X           | 10007781        |
| 71-77 Bronco .....                                                                                  | Inner    | RH       | 30     | 27.94"      | 5-760X           | 10007801        |
| 72-83 CJ5, 76-86 CJ7, 71-80 Scout .....                                                             | Outer    | RH/LH    | 27     | 8.72"       | 5-760X           | 10007804        |
| 72-83 CJ5, 76-86 CJ7, 71-80 Scout .....                                                             | Outer    | RH/LH    | 30     | 8.72"       | 5-760X           | 10007764        |
| 74-79 Wagoneer .....                                                                                | Inner    | LH       | 30     | 32.95"      | 5-760X           | 10007768        |
| 74-79 Wagoneer, 71-80 Scout II .....                                                                | Inner    | RH       | 30     | 14.78"      | 5-760X           | 10007799        |
| 80-92 Wagoneer .....                                                                                | Inner    | LH       | 30     | 32.12"      | 5-760X           | 10007811        |
| 80-92 Wagoneer .....                                                                                | Inner    | RH       | 30     | 15.80"      | 5-760X           | 10007810        |
| 97-06 Wrangler TJ,<br>2003-06 Wrangler TJ Rubicon,<br>84-01 Cherokee XJ,<br>87-95 Wrangler YJ ..... | Outer    | RH/LH    | 27     | 6.11"       | 5-760X           | 10007747        |
| 03-06 Wrangler TJ Rubicon .....                                                                     | Outer    | RH/LH    | 30     | 6.16"       | 5-760X           | 10008250        |
| 03-06 Wrangler TJ Rubicon .....                                                                     | Inner    | LH       | 30     | 16.96"      | 5-760X           | 10007745        |
| 03-06 Wrangler TJ Rubicon .....                                                                     | Inner    | RH       | 30     | 31.84"      | 5-760X           | 10007746        |

**Front Axle Shafts**

| Application                                                                                                             | Right Spicer Part No. | Left Spicer Part No. |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------|
| 69-80 Blazer, 77-80 K20/K25/K2500, 69-80 K5 Blazer,<br>69-80 Suburban, 69-80 K15/K1500 (Inners).....                    | 27902-1X              | 27902-2X             |
| 69-77 Blazer, 69-87 K10/K15/K1500, 69-87 K20/K25/K2500,<br>69-80 K5 Blazer, 69-87 Suburban, 74-92 Wagoneer (Outer)..... | 41677                 | 41677                |
| 74-79 Wagoneer, 74 Ram Charger, 72-74 Dodge W100,<br>71-79 Bronco, 71-79 F150/250, 74-76 Wagoneer (Outer).....          | 620200                | 620200               |
| 94-99 Ram 1500, 95-98 Ram 2500 (Complete Axle Shaft Assy.).....                                                         | 76812-1X              | 76813-1X             |
| 94-01 Ram 1500 (Outer) .....                                                                                            | 74917X                | 74917X               |
| 94-00 Ram 1500 (Inner) .....                                                                                            | 76815-1X              | 76814-1X             |
| 03-06 Wrangler Rubicon TJ (Complete Axle Shaft Assy.) .....                                                             | 84378-1               | 84378-2              |

**Rear Axle Shafts**

| Application                                | Position | Spline | Length (in) | Spicer Part No. | SVL Part No. | OE Part No. | Hollander Part No.      |
|--------------------------------------------|----------|--------|-------------|-----------------|--------------|-------------|-------------------------|
| 94-98 Grand Cherokee .....                 | RH       | 30     | 29.38"      | 74871-1X        | 2022661-1    | 4856332     | 447-2232R               |
| 94-98 Grand Cherokee .....                 | LH       | 30     | 30.38"      | 74871-2X        | 2022661-4    | 4856333     | 447-2232L               |
| 00-02 Wrangler & 01-00 Cherokee.....       | RH       | 30     | 29.68"      | 75786-1X        | -            | 4882350     | 447-1567R/<br>447-2416R |
| 00-02 Wrangler & 01-00 Cherokee.....       | LH       | 30     | 29.25"      | 75786-2X        | -            | 4882351     | 447-2416L/<br>447-1567L |
| 99-04 Grand Cherokee w/Vari-Lok.....       | RH       | 30     | 29.38"      | 76454-1X        | 2023481-1    | 5012872AA   | 447-2703R               |
| 99-04 Grand Cherokee w/Vari-Lok.....       | LH       | 30     | 32.38"      | 76454-2X        | 2023481-2    | 5012873AA   | 447-2704L               |
| 99-04 Grand Cherokee w/o Vari-Lok.....     | RH       | 30     | 30.44"      | 76454-3X        | 2023482-1    | 5012850AA   | 447-2705R               |
| 99-04 Grand Cherokee w/o Vari-Lok.....     | LH       | 30     | 31.44"      | 76454-4X        | 2023482-2    | 5012851AA   | 447-2706L               |
| 03-06 Wrangler w/Trac-Lok or Air Lock..... | RH       | 30     | 29.94"      | 84377-1         | -            | 5083676AA   | 447-2717R               |
| 03-06 Wrangler w/Trac-Lok or Air Lock..... | LH       | 30     | 29.21"      | 84377-2         | -            | 5083677AA   | 447-2718L               |
| 03-06 Wrangler w/Std. Diff .....           | RH       | 30     | 29.71"      | 85233-1         | -            | 5086632AA   | 447-2719R               |
| 03-06 Wrangler w/Std. Diff .....           | LH       | 30     | 29.21"      | 85233-2         | -            | 5086633AA   | 447-2720L               |

Note: See Axle Shaft Detailed Application Section for year/make/model search

**Dana 44™ (216MM) (Continued)**

**U-Joints & Kits**

**Spicer Life Series (SPL) Premium Performance U-Joint Packs**

| <b>Application</b>                                                | <b>Spicer Part No.</b> |
|-------------------------------------------------------------------|------------------------|
| 68-78 CJ5, CJ7, CJ8 w/o CV front driveshaft.....                  | SPL1026JK              |
| 82-86 CJ5, CJ7, CJ8 w/o CV front driveshaft.....                  | SPL1026JK              |
| 79-81 CJ5, CJ7, CJ8 w/ CV front driveshaft.....                   | SPL1027JK              |
| 87-95 Wrangler YJ.....                                            | SPL1026JK              |
| 97-98 Wrangler TJ.....                                            | SPL1018JK              |
| 94-98 Grand Cherokee ZJ w/2 inside & 2 outside snap rings .....   | SPL1013JK              |
| 94-98 Grand Cherokee ZJ w/4 outside snap rings .....              | SPL1014JK              |
| 94-98 Grand Cherokee ZJ w/4 inside snap rings w/7290 series ..... | SPL1015JK              |
| 99 Grand Cherokee WJ.....                                         | SPL1014JK              |
| 99 Grand Cherokee WJ.....                                         | SPL1016JK              |
| 99-02 Wrangler TJ.....                                            | SPL1014JK              |
| 01-03 Grand Cherokee WJ 4.7L w/o Selec-Trac.....                  | SPL1016JK              |
| 01-03 Grand Cherokee WJ 4.7L w/ Selec-Trac.....                   | SPL1017JK              |
| 04 Grand Cherokee WJ 4.7L.....                                    | SPL1016JK              |
| 03-04 Wrangler TJ Exc. Rubicon.....                               | SPL1014JK              |
| 03-04 Wrangler TJ Rubicon.....                                    | SPL1019JK              |
| 05-06 Wrangler TJ Exc. Rubicon.....                               | SPL1014JK              |
| 05-06 Wrangler TJ Rubicon.....                                    | SPL1019JK              |
| 05-06 Wrangler TJ Unlimited Rubicon.....                          | SPL1020JK              |

**Axle Shaft U-Joints**

| <b>Description</b>                              | <b>Spicer Part No.</b> |
|-------------------------------------------------|------------------------|
| Premium Spicer Life Series (1310 Non-Greasable) | 5-760X                 |


**Misc. Components - Rear**

| <b>Description</b>                  | <b>Spicer Part No.</b> |
|-------------------------------------|------------------------|
| RTV Sealant (2.8 oz.)               | 38615                  |
| Friction Modifier/POSI Additive     | 43161                  |
| Inner Pinion Bearing Kit            | 706031X                |
| Inner Pinion Bearing Kit WJ         | 707064X                |
| Outer Pinion Bearing Kit            | 706030X                |
| Outer Pinion Bearing Kit WJ         | 706123X                |
| Pinion Bearing Slinger              | 13575                  |
| Pinion Oil Seal TJ w/Air Locker     | 50531                  |
| Pinion Oil Seal TJ w/o Locker 02-06 | 50660                  |
| Pinion Oil Seal TJ w/o Locker 97-01 | 44895                  |
| Pinion Oil Seal WJ                  | 50574                  |
| Oil Seal TJ w/Air Locker            | 47762                  |
| Oil Seal WJ                         | 47886                  |
| Differential Bearing Kit TJ         | 706032X                |
| Differential Bearing Kit WJ         | 706988X                |
| Wheel Bearing                       | 565903                 |
| Wheel Bearing WJ                    | 566075                 |
| Axle Shaft Outboard Seal            | 35239                  |
| Axle Shaft Outboard Seal WJ         | 35938                  |
| TJ Locker Actuator Assembly         | 84307                  |
| PWR Lok Clutch Kit                  | 22233X                 |
| Trac Lok Clutch Kit                 | 708203                 |



**Dana 44™ (216MM) (Continued)****Misc. Components - Front**

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| RTV Sealant (2.8 oz.)           | 38615           |
| Friction Modifier/POSI Additive | 43161           |
| PWR Lok Clutch Kit              | 22233X          |
| Trac Lok Clutch Kit             | 708203          |
| Pinion Seal                     | 44895           |
| Pinion Seal- TJ                 | 50531           |
| Outer Pinion Bearing Kit        | 706030X         |
| Outer Pinion Bearing Kit        | 706031X         |
| Ball Joint Kit (Upper/Lower)    | 706116X         |
| Ball Joint Kit (Upper/Lower) TJ | 706944X         |
| TJ Locker Actuator Assembly     | 84307           |
| Pinion Nut - TJ                 | 50560           |
| Differential Bearing Kit - TJ   | 706032X         |
| Ring Gear Bolt - TJ             | 701071-10       |

**Pinion Yokes**

| Description                      | Spicer Part No. |
|----------------------------------|-----------------|
| 1310 Series - U Bolt Style       | 2-4-8091X       |
| 1310 Series - Bolt & Strap Style | 2-4-8091-1X     |
| 1330 Series - Bolt & Strap Style | 2-4-3581-1X     |

**U-Joint Hardware**

| Description                | Spicer Part No. |
|----------------------------|-----------------|
| 1310 Series - U Bolt Style | 2-94-28X        |
| 1310 Series - Bolt & Strap | 2-70-18X        |
| 1330 Series - Bolt & Strap | 2-70-28X        |
| 1330 Series - U Bolt Style | 2-94-58X        |
| 1350 Series - U Bolt Style | 3-70-28X        |




**Dana Super 44™ JK Rear (226MM)**

**Applications**

| Year    | Make | Model    |
|---------|------|----------|
| 2007-15 | Jeep | Wrangler |

**Ring & Pinions**

| Ratio | Spicer Part No. | SVL Part No. |
|-------|-----------------|--------------|
| 4.56  | 2018737         | 2020746      |
| 4.88  | 2018747         | 2020749      |
| 5.13  | 2018756         | 2020752      |
| 5.38  | 10027182        | 10012316     |



**Differential Rebuild Kits**

**Standard Differential Rebuild Kits**

| Application                  | Spicer Part No. |
|------------------------------|-----------------|
| Wrangler JK Non-Rubicon..... | 2017086         |
| Wrangler JK Rubicon.....     | 2017087         |

**Master Overhaul Kit**

| Application                        | Spicer Part No. |
|------------------------------------|-----------------|
| 08-15 Wrangler JK Non-Rubicon..... | 2017110         |
| 08-15 Wrangler JK Rubicon.....     | 2017109         |
| 07 Wrangler JK Non-Rubicon.....    | 2017102         |
| 07 Wrangler JK Rubicon.....        | 2017103         |

**Differential Carrier Cases**

| Application                              | Spicer Part No. |
|------------------------------------------|-----------------|
| JK Std. Differential.....                | 2008572         |
| JK Trac Lok Limited Slip.....            | 2008571         |
| JK Rubicon Electric Locker.....          | 2008559         |
| JK Rubicon E- Locker Solenoid Assy. .... | 2005193         |

All cases come loaded with gearing unless otherwise noted.

**Carrier Case Inner Gear Kits**

| Application                                      | Spicer Part No. |
|--------------------------------------------------|-----------------|
| JK Std. Differential.....                        | 2009155         |
| JK Trac Lok Limited Slip Clutch & Plate Kit..... | 2007326         |

**Differential Cover Kits**

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Stamped Steel Cover Kit (W/HDW)    | 707111X         |
| Stamped Steel (Cover Only)         | 42960-1         |
| Nodular Iron - Performance (W/HDW) | 10023536        |

**Differential Cover Gaskets**

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD52000         |
| Genuine Spicer OE Style     | 34685           |

**Axle Shafts**

| Application                  | Spicer Part No. |           |
|------------------------------|-----------------|-----------|
|                              | Right           | Left      |
| Wrangler JK Rubicon.....     | 2004785-3       | 2004785-2 |
| Wrangler JK Non-Rubicon..... | 2004449-1       | 2004449-1 |



## Dana Super 44™ JK Rear (226MM) (Continued)

### Driveshafts

#### Heavy Duty Upgrade - 1310 Series

| Application                                 | Spicer Part No. |
|---------------------------------------------|-----------------|
| Front 0-2" Lift (w/ T-Case Yoke & HDW)..... | 10018230        |
| Front 2-4" Lift (w/ T-Case Yoke & HDW)..... | 10020345        |

### U-Joints & Kits

#### Spicer Life Series (SPL) Premium Performance U-Joint Packs

| Application                                                        | Spicer Part No. |
|--------------------------------------------------------------------|-----------------|
| 07-11 JK w/Aftermarket 1310 Driveshafts w/CV Front Driveshaft..... | SPL1014JK       |
| 07-11 JK w/Aftermarket 1350 Driveshafts w/CV Front Driveshaft..... | SPL1029JK       |
| 12-15 JK w/Aftermarket 1310 Driveshafts w/CV Front Driveshaft..... | SPL1028JK       |
| 12-15 JK w/Aftermarket 1350 Driveshafts w/CV Front Driveshaft..... | SPL1030JK       |

### Performance Adjustable Shocks

| Application                            | Spicer Part No. |
|----------------------------------------|-----------------|
| Wrangler JK w/3-5" Lift (Front)* ..... | 2023594         |
| Wrangler JK w/3-5" Lift (Rear)* .....  | 2023595         |

\* Sold Individually

### The Ultimate Dana 44™ Front Crate Axle (Bolt In Axle Assy.)

| Application                                        | Spicer Part No. |
|----------------------------------------------------|-----------------|
| 07 & Up Jeep Wrangler JK - Front (3.73 Ratio)..... | 10010519        |
| 07 & Up Jeep Wrangler JK - Front (4.10 Ratio)..... | 10010455        |
| 07 & Up Jeep Wrangler JK - Front (4.56 Ratio)..... | 10010520        |
| 07 & Up Jeep Wrangler JK - Front (4.88 Ratio)..... | 10010521        |
| 07 & Up Jeep Wrangler JK - Front (5.13 Ratio)..... | 10010522        |
| 07 & Up Jeep Wrangler JK - Front (5.38 Ratio)..... | 10010742        |

Coming Soon

### The Ultimate Dana 60™ Crate Axle (Bolt In Axle Assy.)

| Application                                        | Spicer Part No. |
|----------------------------------------------------|-----------------|
| 07 & Up Jeep Wrangler JK - Front (4.88 Ratio)..... | 10005778        |
| 07 & Up Jeep Wrangler JK - Front (5.38 Ratio)..... | 10005777        |
| 07 & Up Jeep Wrangler JK - Rear (4.88 Ratio) ..... | 2023612-1       |
| 07 & Up Jeep Wrangler JK - Rear (5.38 Ratio) ..... | 10005942        |

### Misc. Components

| Description                      | Spicer Part No. | Description                             | Spicer Part No. |
|----------------------------------|-----------------|-----------------------------------------|-----------------|
| RTV Sealant (2.8 oz.)            | 38615           | Differential Cover Bolts                | 34279           |
| Friction Modifier/POSI Additive  | 43161           | Ring Gear Bolt-7/16" (15/16" long)      | 701125-1X       |
| Inner Pinion Bearing Kit         | 707064X         | Ring Gear Bolt-7/16" (3/4" long)        | 701071-10       |
| Other Pinion Bearing Kit         | 706123X         | Ring Gear Bolt-1/2" (31/32" long)       | 703034          |
| Collapsible Spacer               | 46925           | Carrier Case Cross Shaft (std/trac lok) | 47658           |
| Pinion Thrust washer             | 42737           | Wheel Bearing Retainer                  | 36797           |
| Pinion Seal                      | 2004101         | Wheel Bearing Assy.                     | 565903          |
| Companion Flange                 | 2004431         | Outboard Axle Shaft Seal                | 52765           |
| Pinion Nut Washer                | 30275           | Axle Shaft Oil Seal Retainer            | 2004703         |
| Pinion Nut                       | 2001153         | Axle Shaft Bolt                         | 2004789         |
| T-Case Yoke (1310 - 1/2 Round) * | 10016266        |                                         |                 |

\* Replaces OE Style Companion Flange



**Dana 44™ Rear (WK WJ XK)**

**Applications**

| Year    | Make | Model             |
|---------|------|-------------------|
| 1999-04 | Jeep | Grand Cherokee WJ |
| 2005-08 | Jeep | Grand Cherokee WK |
| 2006-08 | Jeep | Commander XK      |



**Ring & Pinions**

| Ratio | Spicer Part No. | Application Notes                     |
|-------|-----------------|---------------------------------------|
| 3.55  | 84073-5^        | 3/2000-04 WJ w/ 7/16" Ring Gear Bolts |
| 3.73  | 76542-5X^       | 99-3/00 WJ w/ 3/8" Ring Gear Bolts    |
| 3.73  | 84212-5^        | 3/2000-04 WJ w/ 7/16" Ring Gear Bolts |
| 3.73  | 2003488-5^      | 2005-08 WK, 2006-08 XK                |
| 3.91  | 84213-5^        | 3/2000-04 WJ w/ 7/16" Ring Gear Bolts |

\* Includes HDW, Bearings, Seals, Shims, Spacer  
^ Includes Nut and Ring Gear Bolts Only

**Differential Rebuild Kits**

**Standard Differential Rebuild Kits**

| Application                                            | Spicer Part No. |
|--------------------------------------------------------|-----------------|
| 99-00 Grand Cherokee WJ w/ 7/16" Ring Gear Bolts ..... | 2017081         |
| 00-04 Grand Cherokee WJ.....                           | 2017082         |

**Master Overhaul Kit**

| Application                                              | Spicer Part No. |
|----------------------------------------------------------|-----------------|
| 99-3/00 Grand Cherokee WJ w/ 7/16" Ring Gear Bolts ..... | 2017092         |
| 3/00-04 Grand Cherokee WJ.....                           | 2017093         |

**Differential Carrier Cases**

| Application                                                       | Spicer Part No. |
|-------------------------------------------------------------------|-----------------|
| 99-00 Grand Cherokee WJ w/ 3/8" Ring Gear Bolts (Std.).....       | 707382X         |
| 00-04 Grand Cherokee WJ w/ 7/16" Ring Gear Bolts (Std.).....      | 708107          |
| 00-04 Grand Cherokee WJ w/ 7/16" Ring Gear Bolts (Trac Lok) ..... | 708108          |
| 00-04 Grand Cherokee WJ w/ 7/16" Ring Gear Bolts (Hydra Lok)..... | 84084           |
| 05-08 Grand Cherokee WK, Commander XK (Std.).....                 | 2005084         |

All cases come loaded with gearing unless otherwise noted.

**Carrier Case Inner Gear Kits**

| Application                                       | Spicer Part No. |
|---------------------------------------------------|-----------------|
| 99-04 Grand Cherokee WJ (Std.).....               | 707384X         |
| 99-04 Grand Cherokee WJ (Trac Lok) .....          | 707385X         |
| 05-10 Grand Cherokee WK, Commander XK (Std.)..... | 2005085         |

**Differential Cover Gaskets**

| Description                   | Spicer Part No. |
|-------------------------------|-----------------|
| Genuine Spicer OE Style (RTV) | 38615           |



**Dana 44™ Rear (WK WJ XK) (Continued)**

**Axle Shafts**

| Application                                          | Location | Spline | Length (in) | Spicer Part No. | SVL Part No. | OE Part No. | Hollander Part No. |
|------------------------------------------------------|----------|--------|-------------|-----------------|--------------|-------------|--------------------|
| 99-04 Grand Cherokee WJ (Std., Trac Lok)...          | RH       | 30     | 30.44"      | 76454-3X        | 2022589-3    | 5012850AA   | 447-2705R          |
| 99-04 Grand Cherokee WJ (Std., Trac Lok)....         | LH       | 30     | 31.44"      | 76454-4X        | 2022589-2    | 5012851AA   | 447-2706L          |
| 99-04 Grand Cherokee WJ (Hydra Lok).....             | RH       | 30     | 29.38"      | 76454-1X        | 2023686-6    | 5012872AA   | 447-2703R          |
| 99-04 Grand Cherokee WJ (Hydra Lok).....             | LH       | 30     | 32.38"      | 76454-2X        | 2022608      | 5012873AA   | 447-2704L          |
| 05-10 Grand Cherokee WK,<br>Commander XK (Std.)..... | RH       | 30     | 30.89"      | 2003906-1       | -            | 5183528AA   | 447-2872R          |
| 05-10 Grand Cherokee WK,<br>Commander XK (Std.)..... | LH       | 30     | 32.37"      | 2003906-2       | -            | 5183529AA   | 447-2873L          |


**U-Joints & Kits**

**Spicer Life Series (SPL) Premium Performance U-Joint Packs**

| Application                                                          | Spicer Part No. |
|----------------------------------------------------------------------|-----------------|
| 94-98 Grand Cherokee ZJ (w/ 2 inside and 2 outside snap rings) ..... | SPL1013JK       |
| 94-98 Grand Cherokee ZJ (w/4 outside snap rings).....                | SPL1014JK       |
| 94-98 Grand Cherokee ZJ (w/4 inside snap rings, 7290 series) .....   | SPL1015JK       |
| 99 Grand Cherokee WJ .....                                           | SPL1014JK       |
| 00 Grand Cherokee WJ .....                                           | SPL1016JK       |
| 01-03 Grand Cherokee WJ (4.7L engine wo/Selec-Trac).....             | SPL1016JK       |
| 01-03 Grand Cherokee WJ (4.7L engine w/Selec-Trac).....              | SPL1017JK       |
| 04 Grand Cherokee WJ (4.7L engine).....                              | SPL1016JK       |

**Misc. Components**

| Description                                                      | Spicer Part No.                |
|------------------------------------------------------------------|--------------------------------|
| RTV Sealant (2.8 oz.)                                            | 38615                          |
| Friction Modifier/POSI Additive                                  | 43161                          |
| Inner Pinion Bearing Kit (99-04 Grand Cherokee WJ)               | 707064X                        |
| Inner Pinion Bearing Kit (05-08 Grand Cherokee WK, Commander XK) | 2005899                        |
| Outer Pinion Bearing Kit                                         | 706123X                        |
| Collapsible Spacer (99-04 Grand Cherokee WJ)                     | 43916                          |
| Collapsible Spacer (05-08 Grand Cherokee WK, Commander XK)       | 46925                          |
| Pinion Seal (Refer to BOM)                                       | 54458, 2004101, 47885, 2009802 |
| Pinion Nut Washer                                                | 30275                          |
| Pinion Nut                                                       | 30271                          |
| Differential Cover Bolts                                         | 34279                          |
| Wheel Bearing Retainer (99-04 Grand Cherokee WJ)                 | 49766                          |
| Outer Wheel Seal (99-04 Grand Cherokee WJ)                       | 35938                          |
| Trac-Lok Rebuild Kit                                             | 707018X                        |






**Dana 44™ Nissan**

**Applications**

| Year    | Make   | Model      |
|---------|--------|------------|
| 2003-08 | Nissan | Armada     |
| 2004-12 | Nissan | Frontier   |
| 2003-07 | Nissan | Pathfinder |
| 2003-12 | Nissan | Titan      |
| 2005-12 | Nissan | Xterra     |



**Ring & Pinions**

| Ratio | Spicer Part No. |
|-------|-----------------|
| 2.94  | 2002551-5^      |
| 3.13  | 2002561-5^      |
| 3.36  | 2002556-5^      |
| 3.54  | 2002566-5^      |
| 3.69  | 2006272-5^      |

^ Includes Nut and Ring Gear Bolts Only

Note: Pinions are 24 spline. Some original gears sets may be 29 spline. If this is the case contact tech service with axle BOM number to identify proper replacement flange

**Differential Carrier Cases**

| Application                                 | Spicer Part No. |
|---------------------------------------------|-----------------|
| 2003-12 All Nissan (E-Locker) (loaded case) | 2016950         |

**Differential Cover Kits**

| Application                                  | Spicer Part No. |
|----------------------------------------------|-----------------|
| 2005-12 Frontier, Pathfinder, Xterra, Titan* | 2016953         |
| 2003-12 Nissan Armada, Pathfinder, Titan*    | 2003409         |

\*refer to BOM

**Axle Shafts**

| Application                  | Spicer Part No. |           |
|------------------------------|-----------------|-----------|
|                              | Right           | Left      |
| 2007-12 Titan (Exc E-Locker) | 2005994-1       | 2005994-1 |
| 2007-12 Titan (w/E-Locker)   | 2006070-1       | 2006070-2 |

**Misc. Components**


| Description                                                                          | Spicer Part No. | Description                                                                                                   | Spicer Part No. |
|--------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------|-----------------|
| RTV Sealant (2.8 oz.)                                                                | 38615           | Ring Gear Bolt                                                                                                | 2003431         |
| Friction Modifier/POSI Additive                                                      | 43161           | Wheel Brg Retainer (refer to BOM)                                                                             | 36797           |
| Inner Pinion Bearing Kit                                                             | 706046X         | Wheel Brg Retainer (refer to BOM)                                                                             | 35961           |
| Other Pinion Bearing Kit                                                             | 706123X         | Wheel Brg Assy. (refer to BOM)                                                                                | 565903          |
| Collapsible Spacer                                                                   | 46925           | Wheel Brg Assy. (refer to BOM)                                                                                | 565904          |
| Companion Flange (03-12 Titan,<br>03-08 Armada, 05-12 Frontier,<br>03-07 Pathfinder) | 2006269         | Outboard Axle Shaft Seal<br>(03-07 Titan, 03-08 Armada,<br>05-12 Frontier, 03-07 Pathfinder-<br>refer to BOM) | 52765           |
| Pinion Nut Washer                                                                    | 30275           | ABS Tone Ring (refer to BOM)                                                                                  | 2001331         |
| Pinion Nut                                                                           | 30271           | ABS Tone Ring (refer to BOM)                                                                                  | 55466           |
| Differential Cover Bolts                                                             | 34279           |                                                                                                               |                 |

**SPICER®**MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES**SVL®****Dana 50™****Applications**

| Year    | Make | Model                            |
|---------|------|----------------------------------|
| 1999-02 | Ford | F-250/F-350 Superduty, Excursion |
| 1980-98 | Ford | F-250/F-350 IFS Front            |

**Ring & Pinions**

| Ratio | Spicer Part No. | SVL Part No. |
|-------|-----------------|--------------|
| 3.54  | -               | 10001304     |
| 3.73  | 76127-5X^       | 10001307     |
| 4.10  | 660319-5^       | 10001310     |
| 4.30  | 76136-5X^       | 2020927      |
| 4.56  | -               | 2020930      |
| 4.89  | -               | 2020933      |
| 5.13  | -               | 2020924      |
| 5.38  | -               | 2020936      |



\* Includes HDW, Bearings, Seals, Shims, Spacer

^ Includes Nut and Ring Gear Bolts Only

**Carrier Case Inner Gear Kits**

| Description          | SVL Part No. |
|----------------------|--------------|
| Std/Open (30 Spline) | 10005774     |

**Front Axle Shafts**

| Description      | Spicer Part No. |
|------------------|-----------------|
| Dana 50™ - Outer | 44449           |

**Ball Joints**

| Description                                          | Spicer Part No. |
|------------------------------------------------------|-----------------|
| Ball Joint Kit (Upper/Lower Joints) 99-04 Super Duty | 700238-2X^      |

^ Kit includes one upper ball joint and one lower ball joint

**Misc. Components**

| Description                                                | Spicer Part No. |
|------------------------------------------------------------|-----------------|
| RTV Sealant (2.8 oz.)                                      | 38615           |
| Friction Modifier/POSI Additive                            | 43161           |
| Pkg - Shim Kit 99-02 F-250/F-350                           | 701160X         |
| Pkg - Shim Kit 80-98 F-250/F-350                           | 707235X         |
| Inner Pinion Bearing Kit                                   | 706015X         |
| Outer Pinion Bearing Kit                                   | 706030X         |
| Carrier Bearing                                            | 700097          |
| Collapsible Spacer (99-02 F-250/F-350)                     | 44896           |
| Pinion Seal (80-98 F-250/F-350)                            | 44895           |
| Pinion Seal (98-00 F-250/F-350)                            | 50092           |
| Pinion Seal (00-02 F-250/F-350)                            | 50531           |
| Pinion Nut Washer                                          | 30186           |
| Pinion Nut                                                 | 30185           |
| Differential Cover Bolts (99-02 F-250/F-350)               | 47508-2         |
| Ring Gear Bolt                                             | 45784           |
| Carrier Case Cross Shaft (std)                             | 620414          |
| Inner Axle Shaft Seal (99-02 F-250/F-350, triple lip seal) | 52148           |
| Inner Axle Shaft Seal (99-02 F-250/F-350, single lip seal) | 36487           |
| Inner Axle Shaft Seal (80-98 F-250/F-350)                  | 40710           |
| Inner Axle Shaft Seal Inner (80-82 F-250/F-350)            | 35938           |
| Inner Axle Shaft Seal Inner (83-98 F-250/F-350)            | 40773           |

**SPICER®**MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES**SVL®**

## Dana 50™ (Continued)

### Misc. Components (Continued)

| Description                                        | Spicer Part No. |
|----------------------------------------------------|-----------------|
| Outboard Axle Shaft Seal Inner (99-02 F-250/F-350) | 50381           |
| Outboard Axle Shaft Seal Outer (99-02 F-250/F-350) | 50491           |
| Outboard Axle Shaft Seal (80-88 F-250/F-350) LH    | 37311           |
| Outboard Axle Shaft Seal (89-98 F-250/F-350)       | 50381           |
| Snap Ring - Hub                                    | 620142          |

### Pinion Yokes

| Application                                                                 | Description | Spicer Part No. |
|-----------------------------------------------------------------------------|-------------|-----------------|
| 99-02 F-250/F-350 (26 Spline 1.550" Hub Dia. 3.000" C/L to End 1350 Series) | End Yoke    | 3-4-13761-1     |
| 80-98 F-250/F-350 (26 Spline 1.562" Hub Dia. 3.000" C/L to End 1330 Series) | End Yoke    | 2-4-6111X       |




**Dana 60™ Std. Rotation**

**Applications**

| Year    | Make  | Model                 | Year    | Make     | Model           |
|---------|-------|-----------------------|---------|----------|-----------------|
| 1967-72 | Chevy | C-10 (2WD)            | 1960-80 | Dodge    | W300 (4WD)      |
| 1965-74 | Chevy | C-20/C-30 (Rear)      | 1981-93 | Dodge    | W350 (4WD)      |
| 2003-13 | Chevy | Express Van (3/4 Ton) | 1980-15 | Ford     | E-250           |
| 1968-72 | Chevy | G10 (1/2 Ton)         | 1975-15 | Ford     | E-350           |
| 1979-87 | Chevy | G30 (1 Ton)           | 2000-08 | Ford     | E-450           |
| 1967-82 | Chevy | K10/K1500 (4WD)       | 1965-71 | Ford     | F-100           |
| 1977-91 | Chevy | K30/K3500 (4WD)       | 1954-86 | Ford     | F-250           |
| 1967-72 | Chevy | Suburban (1/2 Ton)    | 1975-78 | Ford     | F-350           |
| 1964-72 | Chevy | Suburban (3/4 Ton)    | 1967-72 | GMC      | C15/C1500 (2WD) |
| 1970-81 | Dodge | B100/B200 Van         | 1964-72 | GMC      | C25/C2500 (2WD) |
| 1981-94 | Dodge | B250 Van              | 1973-91 | GMC      | G35/G3500       |
| 1995-98 | Dodge | B2500 Van             | 1967-72 | GMC      | K15/1500 (4WD)  |
| 1970-80 | Dodge | B300 Van              | 1977-91 | GMC      | K35/3500 (4WD)  |
| 1981-94 | Dodge | B350 Van              | 2003-13 | GMC      | Savana 2500     |
| 1995-98 | Dodge | B3500 Van             | 1964-72 | GMC      | Suburban        |
| 1966-74 | Dodge | Charger               | 1963-73 | Jeep     | Truck           |
| 1960-80 | Dodge | D200/D300 (2WD)       | 1974-88 | Jeep     | J20 Pickup      |
| 1965-83 | Dodge | D250/D350 (2WD)       | 1968-74 | Plymouth | Barracuda       |
| 1968-77 | Dodge | Dart                  | 1969-76 | Plymouth | Duster          |
| 1994-02 | Dodge | Ram 2500/3500 (Front) | 1968-76 | Plymouth | Fury            |
| 1971-03 | Dodge | Ram Van 2500/3500     | 1968-74 | Plymouth | GTX             |
| 1963-88 | Dodge | W200 (4WD)            | 1968-77 | Plymouth | Road Runner     |
| 1981-93 | Dodge | W250 (4WD)            |         |          |                 |

**Ring & Pinions**

| Ratio | Spicer Part No. | Spicer Part No. Thick | SVL Part No. |
|-------|-----------------|-----------------------|--------------|
| 3.54  | 24813X          | -                     | 2020874      |
| 3.73  | 76089X          | -                     | 2021412      |
| 4.10  | 76047X          | -                     | 2020880      |
| 4.56  | 25127-5X*       | 70907X (a)            | 2020603      |
| 4.88  | 25334X          | 2019214 (a)           | 10001720     |
| 5.13  | -               | 2019217 (a)           | 2020606      |
| 5.38  | 27518X          | -                     | 2020877      |
| 5.86  | 25784X          | -                     | 10001723     |
| 6.17  | 26628X          | -                     | 10001726     |
| 7.17  | 26756X          | -                     | 10001729     |



\* Includes HDW  
(a) use with 4.10 & down carrier case

**Differential Rebuild Kits**

**Standard Differential Rebuild Kits**

| Application                                | Spicer Part No. |
|--------------------------------------------|-----------------|
| 90-92 GM G-Van (125" WB - Full Float)      | 2017590         |
| 90-92 GM G-Van (146" WB - Full Float)      | 2017590         |
| 93-94 Ford E-350 Van (Rear SRW/Full Float) | 2017590         |
| 02 GM Savana/Express (Rear)                | 2017590         |
| 08-10 GM Savana/Express (Rear)             | 2017590         |

**Master Overhaul Kit**

| Application                                | Spicer Part No. |
|--------------------------------------------|-----------------|
| 90-92 GM G-Van (125" WB - Full Float)      | 2017592         |
| 90-92 GM G-Van (146" WB - Full Float)      | 2017592         |
| 93-94 Ford E-350 Van (Rear SRW/Full Float) | 2017592         |
| 02 GM Savana/Express (Rear)                | 2017593         |
| 08-10 GM Savana/Express (Rear)             | 2017593         |



**Dana 60™ Std. Rotation (Continued)**

**Differential Carrier Cases**

| Description                             | Spicer Part No. | Notes                |
|-----------------------------------------|-----------------|----------------------|
| Open/Std. 4.30 & Down (Front)           | 2005502         | 1.50" Dia. 35 Spline |
| Open/Std. 4.56 & Up (Front)             | 2005501         | 1.50" Dia. 35 Spline |
| Open/Std. 4.10 & Down (Semi-Float Rear) | 707211-1X       | 1.50" Dia. 35 Spline |
| Trac-Lok 4.10 & Down (Semi-Float Rear)  | 707427X         | 1.50" Dia. 35 Spline |
| Open/Std. 4.10 & Down (Full-Float Rear) | 707387-1X       | 1.37" Dia. 32 Spline |
| Trac-Lok 4.10 & Down (Front)            | 707090-4X       | 1.50" Dia. 35 Spline |
| Trac-Lok 4.10 & Down (Full Float Rear)  | 708013          | 1.31" Dia. 30 Spline |
| Trac-Lok 4.56 & Up (Full Float Rear)    | 707097X         |                      |
| Eaton E-Locker 4.56 & Up                | 10024012        | 35 Spline            |

All cases come loaded with gearing unless otherwise noted.

**Spicer Carrier Case Inner Gear Kits**

| Application                                                     | Spicer Part No. | Notes                |
|-----------------------------------------------------------------|-----------------|----------------------|
| Open/Std. (98-02 Ford, 79-93 Dodge D-600/D-700, 77-91 GM Front) | 706702X         | 1.50" Dia. 35 Spline |
| 02-11 Ford Open/Std.                                            | 708236          | 1.50" Dia. 35 Spline |
| Open/Std. (Semi-Float Rear)                                     | 706844X         | 1.50" Dia. 35 Spline |
| Trac-Lok (Semi-Float Rear)                                      | 707435X         | 1.50" Dia. 35 Spline |
| Open/Std. (Full-Float Rear)                                     | 2002976         | 1.37" Dia. 32 Spline |
| Open/Std. (Full-Float Rear)                                     | 706043X         | 1.31" Dia. 30 Spline |
| Trac-Lok (Full-Float Rear)                                      | 707084X         | 1.31" Dia. 30 Spline |

**SVL Carrier Case Inner Gear Kits**

| Description                    | SVL Part No. |
|--------------------------------|--------------|
| Open/Std. Dana 60™ (30 Spline) | 2023872      |
| Open/Std. Dana 60™ (32 Spline) | 10003692     |
| Open/Std. Dana 60™ (35 Spline) | 10020715     |

**Spools**

| Description                      | Spline    | Spicer Part No. |
|----------------------------------|-----------|-----------------|
| Dana 60™ 4.56 & Up               | 30 Spline | 2023542         |
| Dana 60™ 4.10 & Down             | 30 Spline | 2023545         |
| Dana 60™ 4.10 & Down             | 35 Spline | 2023541         |
| Dana 60™ 4.56 & Up (Thin Flange) | 35 Spline | 2023546         |
| Dana 60™ 4.56 & Up               | 35 Spline | 10002216        |
| Dana 60™ 4.56 & Up               | 40 Spline | 10002217        |

**Differential Cover Kits**

| Description                                             | Spicer Part No. |
|---------------------------------------------------------|-----------------|
| Stamped Steel Cover Kit (W/HDW)                         | 707105-1X       |
| Nodular Iron - Performance (W/HDW & Performance Gasket) | 10024090        |

**Differential Cover Gaskets**

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD51999         |
| Genuine Spicer OE Style     | 34687           |

**Front Axle Shafts**

| Application                                      | Right Spicer Part No. | Left Spicer Part No. |
|--------------------------------------------------|-----------------------|----------------------|
| 94-97 Dodge W2500 HD, 95-97 W3500 (w/ABS) .....  | 76627X                | 76628X               |
| 94-98 Dodge W2500 HD, 95-98 W3500 (w/o ABS)..... | 76471X                | 76472X               |




**Dana 60™ Std. Rotation (Continued)**

**Rear Axle Shafts**

| Application                                  | Position | Splines | Length (in) | Spicer Part No. | OE Part No. | Hollander Part No. |
|----------------------------------------------|----------|---------|-------------|-----------------|-------------|--------------------|
| 95-2010 E-250 Van (Semi Float).....          | RH       | 35      | 31.41       | 75344-1X        | F5UZ4234A   | 447-2122R          |
| 95-2010 E-250 Van (Semi Float).....          | LH       | 35      | 34.13       | 75344-2X        | F5UZ4234B   | 447-2123L          |
| 79-91 Chevy G-Van .....                      | RH/LH    | 35      | 39.69       | 41100-1         | 15599687    | 447-1070           |
| 98-11 E250/E350 (SRW Semi Float w/ABS) ..... | RH       | 35      | 31.36       | 76002-1X        | F8UZ4234AA  | 447-2680R          |
| 98-11 E250/E350 (SRW Semi Float w/ABS) ..... | LH       | 35      | 34.08       | 76002-2X        | F8UZ4234AB  | 447-2681L          |

**Axle Shaft U-Joints**

| Description                                     | Spicer Part No. |
|-------------------------------------------------|-----------------|
| Premium Spicer Life Series (1480 Non-Greasable) | SPL55-3X        |
| Premium Spicer Life Series (1480 Greasable)     | SPL55-4X        |



**Misc. Components**

| Description                                                                                                                | Spicer Part No. |
|----------------------------------------------------------------------------------------------------------------------------|-----------------|
| RTV Sealant (2.8 oz.)                                                                                                      | 38615           |
| Friction Modifier/POSI Additive                                                                                            | 43161           |
| Pkg - Shim Kit (Pinion Only, 94-98 Dodge Front)                                                                            | 701126X         |
| Pkg - Shim Kit (Ford E-150/E-250/E-350 Rear Refer to BOM)                                                                  | 707431X         |
| Pkg - Shim Kit (79-93 Dodge D-600/D-700, 79-97 Ford Refer to BOM, 77-91 GM, Jeep)                                          | 708020          |
| Pkg - Shim Kit (Ford Rear Refer to BOM)                                                                                    | 706838X         |
| Pinion Baffle                                                                                                              | 30982           |
| KIT - Disc & Plate (Trac-Lok)                                                                                              | 701151X         |
| Inner Pinion Bearing Kit                                                                                                   | 706046X         |
| Outer Pinion Bearing Kit                                                                                                   | 706045X         |
| Pinion Thrust washer                                                                                                       | 42737           |
| Pinion Seal (98-11 Ford E-150/E-250/E-350 Rear) Confirm fit using axle BOM                                                 | 50637           |
| Pinion Seal (79-11 Ford E-150/E-250/E-350 Rear, 79-98 Ford Front, 79-98 Dodge Front, GM, Jeep) Confirms fit using axle BOM | 42449           |
| Differential Cover Bolts                                                                                                   | 34822           |
| Inboard Axle Shaft Seal (94-99 Dodge Front) 58.06 MM O.D.                                                                  | 620216          |
| Inboard Axle Shaft Seal (77-91 GM Front) 66.67 MM O.D.                                                                     | 36487           |
| Axle Shaft C-Clip/Retainer (Rear Semi-Float)                                                                               | 39213           |
| Vacuum Disconnect Mount Gasket (94-99 Dodge)                                                                               | 41494           |
| Axle Shaft Bolt (Rear Full Float)                                                                                          | 45720           |
| Gasket - Axle Flange (Rear Full Float)                                                                                     | 39697           |
| Drive Flange Kit (35 Spline)                                                                                               | 10028883        |

**Pinion Yokes**

| Description                                                        | Spicer Part No. |
|--------------------------------------------------------------------|-----------------|
| Companion Flange (98-11 Ford E-150/E-250/E-350 Rear)               | 2010948         |
| End Yoke 29 Spline 1.875" Hub Dia. 2.938" C/L to End (1310 Series) | 2-4-3801-1X     |
| End Yoke 29 Spline 1.875" Hub Dia. 2.996" C/L to End (1310 Series) | 2-4-8391-1X     |
| End Yoke 29 Spline 1.875" Hub Dia. 2.938" C/L to End (1330 Series) | 2-4-4291-1X     |
| End Yoke 29 Spline 1.875" Hub Dia. 3.000" C/L to End (1350 Series) | 3-4-13031-2X    |
| End Yoke 29 Spline 1.875" Hub Dia. 3.000" C/L to End (1350 Series) | 3-4-5731-1X     |



**Dana 60™ Reverse Rotation**

**Applications**

| Year    | Make | Model                    |
|---------|------|--------------------------|
| 1978-79 | Ford | F-250/F-350 Snow Fighter |
| 2002-15 | Ford | F-250 Super Duty         |
| 1978-98 | Ford | F-350                    |
| 1999-15 | Ford | F-350 Super Duty         |
| 2000-14 | Ford | F-450 Super Duty         |
| 2000-13 | Ford | F-550 Super Duty         |



**Ring & Pinions**

| Ratio | Spicer Part No. | SVL Part No. |
|-------|-----------------|--------------|
| 3.54  | 700020-1*       | 10001732 (a) |
| 4.10  | 76159-5X^       | -            |
| 4.30  | 708233-3*       | 10004584 (a) |
| 4.56  | -               | 10004587 (a) |
| 4.88  | 708123-4*       | 2020921 (a)  |
| 4.88  | 84676 (b)       | -            |
| 5.13  | -               | 2020849 (a)  |
| 5.38  | 708123-5*       | 2020852      |
| 5.38  | 84677 (b)       | -            |
| 5.38  | -               | 10004590 (a) |

\* Kit includes bearings, seals, shims, ring gear bolts and pinion nut

^ Kit includes ring gear bolts and pinion nut

(a) must be used with 4.10 & down carrier case

(b) Dana Super 60 Gear - 256 MM

**Differential Carrier Cases**

| Description                       | Spicer Part No. | Notes                      |
|-----------------------------------|-----------------|----------------------------|
| Open/Std. 4.30 & Down             | 2005502         | 1.50 Spline Dia. 35 Spline |
| Open/Std. 4.56 & Up               | 2005501         | 1.50 Spline Dia. 35 Spline |
| Trac-Lok Limited Slip 4.10 & Down | 707090-4X       | 1.50 Spline Dia. 35 Spline |
| Trac-Lok Limited Slip 4.56 & Up   | 707097-4X       | 1.50 Spline Dia. 35 Spline |
| Eaton E-Locker 4.56 & Up          | 10024012        | 35 Spline                  |

All cases come loaded with gearing unless otherwise noted.

**Carrier Case Inner Gear Kits**

| Description | Spicer Part No. | Notes                      |
|-------------|-----------------|----------------------------|
| Open/Std.   | 708236          | 1.50 Spline Dia. 35 Spline |

**Spools**

| Description                      | Spline    | Spicer Part No. |
|----------------------------------|-----------|-----------------|
| Dana 60™ 4.56 & Up               | 30 Spline | 2023542         |
| Dana 60™ 4.10 & Down             | 30 Spline | 2023545         |
| Dana 60™ 4.10 & Down             | 35 Spline | 2023541         |
| Dana 60™ 4.56 & Up (Thin Flange) | 35 Spline | 2023546         |
| Dana 60™ 4.56 & Up               | 35 Spline | 10002216        |
| Dana 60™ 4.56 & Up               | 40 Spline | 10002217        |

**Differential Cover Kits**

| Description                                 | Spicer Part No. |
|---------------------------------------------|-----------------|
| Stamped Steel Cover Kit (w/o HDW)           | 47707-1         |
| Nodular Iron - Performance (w/HDW & Gasket) | 10024090        |



## Dana 60™ Reverse Rotation (Continued)

### Differential Cover Gaskets

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD51999         |
| Genuine Spicer OE Style     | 34687           |

### Chromoly Front Axle Shafts - (Inners/Outers)

| Application                                         | Location | Position | Spline | Length (in) | U-Joint Part No. | SVL Part No. |
|-----------------------------------------------------|----------|----------|--------|-------------|------------------|--------------|
| 78-79 F350 Snow Fighter                             | Inner    | RH       | 35     | 34.56"      | SPL55-3X         | 10007820     |
| 78-79 F350 Snow Fighter                             | Inner    | LH       | 35     | 18.70"      | SPL55-3X         | 10007817     |
| 78-88 F350                                          | Outer    | RH/LH    | 35     | 11.38"      | SPL55-3X         | 10007814     |
| 78-88 F350 (Outer Spline Snap Ring Location)        | Outer    | RH/LH    | 30     | 11.40"      | SPL55-3X         | 10007822     |
| 85-88 F-350                                         | Inner    | RH       | 35     | 36.68"      | SPL55-3X         | 10007819     |
| 85-88 Ford F350, 81-93 W250, 76-80 W300, 81-93 W350 | Inner    | LH       | 35     | 15.96"      | SPL55-3X         | 10007816     |
| 88-98 F350                                          | Inner    | RH       | 35     | 36.97"      | SPL55-4X         | 10007748     |
| 88-98 F350                                          | Inner    | LH       | 35     | 16.17"      | SPL55-4X         | 10007749     |
| 88-98 F350 (Inner Spline Snap Ring Location)        | Outer    | RH/LH    | 30     | 11.38"      | SPL55-3X         | 10007762     |

### Front Axle Shafts

| Application                                         | Spicer Part No. |
|-----------------------------------------------------|-----------------|
| 78-79 F-250/F-350 Snow Fighter (Inner LH)           | 660182-11       |
| 78-79 F-250/F-350 Snow Fighter (Inner RH)           | 660182-10       |
| 78-79 F-250/F-350 Snow Fighter, 83-88 F-350 (Outer) | 620085          |
| 85-88 F-350 (Inner LH)                              | 660182-1        |
| 85-88 F-350 (Inner RH)                              | 660182-36       |
| 89-97 F-350 (Inner LH)                              | 76660-1X        |
| 89-97 F-350 (Inner RH)                              | 76660-2X        |
| 89-97 F-350 (Outer)                                 | 48903           |
| 04-11 F-250/F-350 Super Duty (Outer)                | 2002692         |

### Axle Shaft U-Joints

| Description                                                  | Spicer Part No. |
|--------------------------------------------------------------|-----------------|
| Premium Spicer Life Series (SPL55/1480 Series Greasable)     | SPL55-4X        |
| Premium Spicer Life Series (SPL55/1480 Series Non-Greasable) | SPL55-3X        |

### Ball Joints

| Description                                                                                                                                                            | Spicer Part No. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| Ball Joint Repair Kit (99-04 Super Duty)<br>- Includes Upper/Lower Ball Joints (RH/LH)<br>- Inner & Outer Axle Seals (RH/LH)<br>- Vacuum O-Rings (RH/LH)<br>- Hardware | 2020314         |
| Ball Joint Kit (Upper/Lower Joints) 99-04 Super Duty                                                                                                                   | 700238-2X^      |
| Upper Ball Joint (99-04 Super Duty)                                                                                                                                    | 2001257         |
| Lower Ball Joint (99-04 Super Duty)                                                                                                                                    | 2001258         |
| Ball Joint Kit (Upper/Lower Joints) 05 & Up Super Duty                                                                                                                 | 2016801*^       |
| Ball Joint Kit (Upper/Lower Joints) 78-98 Ford                                                                                                                         | 700238-2X^      |
| Upper Ball Joint 78-98 Ford                                                                                                                                            | 2001257         |
| Lower Ball Joint 78-98 Ford                                                                                                                                            | 2001258         |

\* Fits axle BOMs 2003204/05, 2003729, 2004632/33, 2006738, 2008007, 2009785/86, 2011581/82, 2012290, 2013916, 2013981/82/83, 2014038, 611356/57


^ Kit includes one upper ball joint and one lower ball joint



**Dana 60™ Reverse Rotation (Continued)**

**King Pin Components**

| Description                  | Spicer Part No. |
|------------------------------|-----------------|
| King Pin Bearing Kit - Lower | 706150X         |
| King Pin Oil Seal            | 41777           |
| King Pin Cap - Upper RH      | 620132          |
| King Pin Cap Gasket          | 37307           |
| King Pin                     | 37302           |
| Upper King Pin Bushing       | 41886           |
| King Pin Bearing Cap - Lower | 37299           |



**Misc. Components (1999 & Up Super Duty)**

| Description                                                    | Spicer Part No. |
|----------------------------------------------------------------|-----------------|
| RTV Sealant (2.8 oz.)                                          | 38615           |
| Friction Modifier/POSI Additive                                | 43161           |
| Shim Kit - Inner Pinion Adj (1999-04)                          | 701161X         |
| Shim Kit - Inner Pinion Adj (2005 & Up)                        | 703032          |
| Slinger                                                        | 47890           |
| Inner Pinion Bearing                                           | 706046X         |
| Pinion Bearing Baffle                                          | 30982           |
| Collapsible Spacer                                             | 45658           |
| Outer Pinion Bearing Kit                                       | 706045X         |
| Pinion Seal - Confirm Using Axle BOM                           | 2009802         |
| Pinion Seal - Confirm Using Axle BOM                           | 47885           |
| Pinion Nut (1999-04)                                           | 30271           |
| Pinion Nut (2005 & Up)                                         | 2001153         |
| Differential Bearing Kit                                       | 706047X         |
| Differential Bearing Shim Adj. Kit                             | 708012          |
| Ring Gear Bolt                                                 | 40638           |
| Inner Axle Shaft Oil Seal (1999-04)                            | 50381           |
| Inner Axle Shaft Oil Seal (2005 & Up) - Confirm Using Axle BOM | 2017426         |
| Inner Axle Shaft Oil Seal (2005 & Up) - Confirm Using Axle BOM | 53877           |
| Outer Axle Shaft Oil Seal (2005 & Up)                          | 2017426         |
| O-Ring - Vacuum Hub (1999-04)                                  | 41784-2         |
| O-Ring - Vacuum Hub (2005 & Up)                                | 54983           |
| Drive Flange Kit (35 Spline)                                   | 10028883        |

**Misc. Components (1978-98 Ford)**


| Description                                                               | Spicer Part No. |
|---------------------------------------------------------------------------|-----------------|
| RTV Sealant (2.8 oz.)                                                     | 38615           |
| Friction Modifier/POSI Additive                                           | 43161           |
| Inner Pinion Bearing                                                      | 706046X         |
| Diff & Pinion Bearing Shims Kit                                           | 708020          |
| Outer Pinion Bearing Kit                                                  | 706045X         |
| Axle Shaft Slinger (78-79 Snow Fighter, 83-88 F-350)                      | 37308           |
| PWR LOK Clutch Pack Kit                                                   | 2021288         |
| Pinion Seal                                                               | 42449           |
| Pinion Nut                                                                | 30271           |
| Differential Bearing Kit                                                  | 706047X         |
| Diff Bearing Shim Kit                                                     | 706378X         |
| King Pin Rebuild Kit (Upper Seal, Grease Retainer, Oil Seal, Bearing Kit) | 707042X         |
| Spindle Seal & Bearing Kit (78-79 Snow Fighter, 83-91 F-350)              | 700014          |
| Spindle Seal & Bearing Kit (92-98 F-350)                                  | 708084          |
| Spindle Kit (78-79 Snow Fighter, 83-91 F-350)                             | 700022          |
| Spindle Kit (92-98 F-350)                                                 | 708085          |
| Outer Axle Shaft Seal (78-79 Snow Fighter, 83-91 F-350)                   | 37311           |

**Dana 60™ Reverse Rotation (Continued)****Misc. Components (1978-98 Ford) (Continued)****Description**

Outer Axle Shaft Seal (92-98 F-350)  
 Inner Axle Seal (77-96 F-350)  
 Inner Axle Seal (93-05 F-350, 2002-05 F-350)  
 Spindle Oil Seal  
 Inner Spindle Wheel Bearing Kit  
 Outer Spindle Wheel Bearing Kit  
 Trac-Lok Clutch/Plate Rebuild Kit  
 Axleshaft thrust bushing (1999 & Up)  
 Outer Axle Shaft Oil Seal (1999-04)  
 Front Axle Thrust Washer Kit (1998 to 2011)  
 Drive Flange Kit (35 Spline)

**Spicer Part No.**

50381  
 34687  
 52148  
 48816  
 706411X  
 706074X  
 707083X  
 47766  
 50491  
 701166X  
 10028883

**Pinion Yokes****Description**

Companion Flange (98-11 Ford E-150/E-250/E-350 Rear)  
 End Yoke 29 Spline 1.875" Hub Dia. 2.938" C/L to End (1310 Series)  
 End Yoke 29 Spline 1.875" Hub Dia. 2.996" C/L to End (1310 Series)  
 End Yoke 29 Spline 1.875" Hub Dia. 2.938" C/L to End (1330 Series)  
 End Yoke 29 Spline 1.875" Hub Dia. 3.000" C/L to End (1350 Series)  
 End Yoke 29 Spline 1.875" Hub Dia. 3.000" C/L to End (1350 Series)

**Spicer Part No.**

2010948  
 2-4-3801-1X  
 2-4-8391-1X  
 2-4-4291-1X  
 3-4-13031-2X  
 3-4-5731-1X

**U-Joint Hardware****Description**

1310 Series - Bolt & Strap  
 1330 Series - Bolt & Strap  
 1330 Series - U Bolt Style  
 1350 Series - U Bolt Style

**Spicer Part No.**

2-70-18X  
 2-70-28X  
 2-94-58X  
 3-70-28X

## The Ultimate Dana 60™ - JK

### Applications

| Year      | Make | Model    |
|-----------|------|----------|
| 2007 & Up | Jeep | Wrangler |


### The Ultimate Dana 60™ Crate Axle (Bolt In Axle Assy.)

| Application                                       | Spicer Part No. |
|---------------------------------------------------|-----------------|
| 14-07 Jeep Wrangler JK - Front (4.88 Ratio) ..... | 10005778        |
| 14-07 Jeep Wrangler JK - Front (5.38 Ratio) ..... | 10005777        |
| 14-07 Jeep Wrangler JK - Rear (4.88 Ratio) .....  | 2023612-1       |
| 14-07 Jeep Wrangler JK - Rear (5.38 Ratio) .....  | 10005942        |

### Ring & Pinions

| Ratio | Position | Spicer Part No. |
|-------|----------|-----------------|
| 4.88  | Front    | 84676*          |
| 5.38  | Front    | 84677*          |
| 4.88  | Rear     | 25334X          |
| 5.38  | Rear     | 27518X          |

\* 256MM Super 60 Rev. Rotation



### Differential Rebuild Kits

| Description                                | Spicer Part No. |
|--------------------------------------------|-----------------|
| Standard Differential Rebuild Kits - Front | 10024003        |
| Standard Differential Rebuild Kits - Rear  | 10024088        |
| Master Overhaul Kit - Front                | 10024004        |
| Master Overhaul Kit - Rear                 | 10024089        |

### Differential Carrier Cases

| Description                          | Spicer Part No. |
|--------------------------------------|-----------------|
| Eaton E-Locker 4.56 & Up (35 Spline) | 10024012        |
| E-Locker Wire Harness Kit            | 10021771        |



### Differential Cover Kits

| Description                                                     | Spicer Part No. |
|-----------------------------------------------------------------|-----------------|
| Nodular Iron - Performance (W/HDW & Performance Gasket) - Front | 10024011        |
| Nodular Iron - Performance (W/HDW & Performance Gasket) - Rear  | 10024090        |

### Chromoly Axle Shafts

| Description                            | Spicer Part No. |
|----------------------------------------|-----------------|
| Chromoly Axle Shaft Assy - Front Right | 10004054        |
| Chromoly Axle Shaft Assy -Front Left   | 10004053        |
| Chromoly Axle Shaft Assy - Rear Right  | 10004851        |
| Chromoly Axle Shaft Assy -Rear Left    | 10003519        |

### Axle Shaft U-Joints

| Description                         | Spicer Part No. |
|-------------------------------------|-----------------|
| Premium Spicer Life Series (SPL 70) | SPL70-4X        |

### Ball Joints


| Description                           | Spicer Part No. |
|---------------------------------------|-----------------|
| Ball Joint Kit (Upper/Lower Per Side) | 708238          |

**SPICER®**MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES**SVL®**

## The Ultimate Dana 60™ - JK (Continued)

### Misc. Components - Front Axle


| Description                    | Spicer Part No. |
|--------------------------------|-----------------|
| RTV Sealant (2.8 oz.)          | 38615           |
| Knuckly Assy. Kit - Left       | 2023567         |
| Knuckly Assy. Kit - Right      | 2023568         |
| Inner C (Tube Yoke)            | 2023561         |
| Hub Lock Assy. Kit (35 Spline) | 10024007        |
| Steering Arm Kit               | 10024009        |
| Spindle Assy. Kit              | 10024010        |
| Brake Components               | See Note*       |



\* Not available seperately. Uses 2012 Dodge D2500 components

### Misc. Components - Rear Axle

| Description                            | Spicer Part No. |
|----------------------------------------|-----------------|
| Hub Lock Assy. Kit                     | 10024091        |
| Inner Wheel Bearing Kit (1 cup & cone) | 10024092        |






**Dana 61™**

**Applications**

| Year    | Make  | Model                       |
|---------|-------|-----------------------------|
| 1987-93 | Dodge | D-600, D-700 (Front)        |
| 1979-87 | Ford  | E-250/350, F-250/350 (Rear) |



**Ring & Pinions**

| Ratio | Spicer Part No. |
|-------|-----------------|
| 3.54  | 706033-1X*      |
| 4.10  | 706661-9X*      |

\* Includes HDW, Bearings, Seals, Shims, Spacer

**Differential Carrier Cases**

| Description                                                | Spicer Part No. |
|------------------------------------------------------------|-----------------|
| Trac-Lok (Centerline of Cross Shaft to Flange is 2 1/32")  | 708013          |
| Trac-Lok (Centerline of Cross Shaft to Flange is 1 27/32") | 707097X         |
| Open/Std.                                                  | 2005502         |

All cases come loaded with gearing unless otherwise noted.

**Carrier Case Inner Gear Kits**

| Description                    | Spicer Part No. |
|--------------------------------|-----------------|
| Open/Std. w/ 1.5" 35 Spline    | 706702X         |
| Open/Std. w/ 1-5/16" 30 Spline | 706043X         |

**Differential Cover Kits**

| Description         | Spicer Part No. |
|---------------------|-----------------|
| Stamped Steel Cover | 2014220         |

**Differential Cover Gaskets**

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD51999         |
| Genuine Spicer OE Style     | 34687           |

**Misc. Components**

| Description                      | Spicer Part No. | Description                                   | Spicer Part No. |
|----------------------------------|-----------------|-----------------------------------------------|-----------------|
| RTV Sealant (2.8 oz.)            | 38615           | Wheel Bearing Assy. - Outer (Front)           | 706074X         |
| Friction Modifier/POSI Additive  | 43161           | Wheel Bearing Assy. - Inner (Front)           | 706411X         |
| Pkg - Shim Kit                   | 708020          | Wheel Bearing Assy. - Outer (Rear Full Float) | 706074X         |
| KIT - Disc & Plate (Trac-Lok)    | 707083X         | Wheel Bearing Assy. - Inner (Rear Full Float) | 706179X         |
| Inner Pinion Bearing Kit         | 706046X         | Wheel Bearing Assy. - (Rear Semi Float)       | 566117          |
| Outer Pinion Bearing Kit         | 706045X         | Outboard Axle Shaft Seal (Rear Full Float)    | 47507           |
| Pinion Thrust washer             | 42737           | Outboard Axle Shaft Seal (Rear Semi Float)    | 39246           |
| Pinion Seal                      | 42449           |                                               |                 |
| Pinion Nut Washer                | 30275           |                                               |                 |
| Pinion Nut                       | 30271           |                                               |                 |
| Differential Cover Bolts (Front) | 34822           |                                               |                 |
| Ring Gear Bolt                   | 40638           |                                               |                 |
| Carrier Case Cross Shaft (std)   | 30263           |                                               |                 |

**Pinion Yokes**

| Description                                                        | Spicer Part No. |
|--------------------------------------------------------------------|-----------------|
| End Yoke 29 Spline 1.875" Hub Dia. 2.996" C/L to End (1310 Series) | 2-4-8391-1X     |
| End Yoke 29 Spline 1.875" Hub Dia. 3.000" C/L to End (1350 Series) | 3-4-5731-1X     |




**Dana 70™**

**Applications**

| Year    | Make  | Model                                  |
|---------|-------|----------------------------------------|
| 1979-93 | Dodge | CB, D M, MB, W, WM Chassis             |
| 1994-98 | Dodge | D2500/W2500                            |
| 1999-11 | Ford  | E-350, E-450                           |
| 1979-98 | Ford  | E-250, E-350, E-450, F-350             |
| 1979-94 | GM    | C/K-30, G-Van, G-300, P-30, R-30, V-30 |
| 1985    | Jeep  | CJ10A Military                         |

**Ring & Pinions**

| Ratio | Spicer Part No. | SVL Part No. |
|-------|-----------------|--------------|
| 3.54  | 72168-5X^       | 2021406      |
| 3.73  | 72159-5X^       | -            |
| 4.10  | 72154-5X^       | -            |
| 4.56  | 72152-5X^       | -            |
| 4.88  | 72148-5X^       | 2020918      |
| 5.13  | 72150-5X^       | -            |
| 5.86  | 706999-10X*     | 2020461      |
| 6.17  | 706999-12X*     | -            |
| 7.17  | 72162-5X^       | -            |



\*\*Refer to BOM  
\* Includes HDW, Bearings, Seals, Shims, Spacer  
^ Includes Nut and Ring Gear Bolts Only

**Differential Rebuild Kits**

**Standard Differential Rebuild Kits**

| Application                                                | Spicer Part No. |
|------------------------------------------------------------|-----------------|
| 90-94 Ford Bakery Truck Chassis(w 70U Rear w/ABS).....     | 2017516         |
| 2002-2008 Ford E-350(w 70 Rear DRW/Full Float) .....       | 2017521         |
| 2008-2010 Ford E-350(w 70 Rear SRW/Full Float) .....       | 2017524         |
| 2009-2010 Ford E-350(w 70 Rear DRW/Full Float) .....       | 2017524         |
| 2001-2008 Ford E-350 DSO(w 70 Rear).....                   | 2017523         |
| 90-96 Ford E-350 Chassis(w 70U Rear w/ABS (DRW)).....      | 2017516         |
| 92-96 Ford E-350 Chassis(w 70 2U Rear SRW/Wide Track)..... | 2017516         |
| 94-97 Ford E-350 Chassis(w 70U Rear w/ABS (DRW)).....      | 2017517         |
| 97 Ford E-350 Cutaway(w 70 2U Rear SRW/Wide Track).....    | 2017516         |
| 97 Ford E-350 Chassis(w 70U Rear w/ABS (DRW)).....         | 2017516         |
| 98 Ford E-350 Chassis(w 70U Rear DRW w/ABS) .....          | 2017520         |
| 98-2000 Ford E-350 Chassis(w 70HD Rear w/ABS (DRW)).....   | 2017517         |
| 98-2000 Ford E-350 Cutaway(w 70U Rear - DRW) .....         | 2017520         |
| 98-2000 Ford E-350 Cutaway(w 70U Rear - SRW) .....         | 2017520         |
| 2001 Ford E-350 Chassis(w 70 Rear w/ABS (DRW)) .....       | 2017521         |
| 2001-2005 Ford E-350 Cutaway(w 70U Rear ) .....            | 2017521         |
| 90-97 Ford E-350 Motor Home(w 70HD Rear w/ABS).....        | 2017517         |
| 90-94 Ford E-350 U-Haul Chassis(w 70HD Rear w/ABS).....    | 2017517         |
| 2001 Ford E-450 Super Duty(w 70 Rear w/ABS (DRW)).....     | 2017523         |
| 2002 Ford E-450 Super Duty(w 70 Rear w/ABS (DRW)).....     | 2017523         |
| 2006-2010 Ford E-450 Super Duty(w 70 Rear (DRW)).....      | 2017523         |
| 2000 Ford E-450(w 70 Rear w/ABS (DRW)) .....               | 2017517         |
| 2002-2007 Ford E-450(w 70 Rear (DRW)).....                 | 2017523         |
| 90-93 Ford UPS Chassis(w 70U Rear w/ABS).....              | 2017516         |

\*refer to BOM



**Dana 70™ (Continued)**

**Master Overhaul Kit**

| <b>Application</b>                                         | <b>Spicer Part No.</b> |
|------------------------------------------------------------|------------------------|
| 90-94 Ford Bakery Truck Chassis(w 70U Rear w/ABS).....     | 2017525                |
| 2002-2008 Ford E-350(w 70 Rear DRW/Full Float) .....       | 2017532                |
| 2008-2010 Ford E-350(w 70 Rear SRW/Full Float) .....       | 2017375                |
| 2009-2010 Ford E-350(w 70 Rear DRW/Full Float) .....       | 2017375                |
| 2001-2008 Ford E-350 DSO(w 70 Rear).....                   | 2017535                |
| 90-96 Ford E-350 Chassis(w 70U Rear w/ABS (DRW)).....      | 2017525                |
| 92-96 Ford E-350 Chassis(w 70 2U Rear SRW/Wide Track)..... | 2017525                |
| 94-97 Ford E-350 Chassis(w 70U Rear w/ABS (DRW)).....      | 2017526                |
| 97 Ford E-350 Cutaway(w 70 2U Rear SRW/Wide Track).....    | 2017528                |
| 97 Ford E-350 Chassis(w 70U Rear w/ABS (DRW)).....         | 2017528                |
| 98 Ford E-350 Chassis(w 70U Rear DRW w/ABS) .....          | 2017530                |
| 98-2000 Ford E-350 Chassis(w 70HD Rear w/ABS (DRW)).....   | 2017529                |
| 98-2000 Ford E-350 Cutaway(w 70U Rear - DRW) .....         | 2017530                |
| 98-2000 Ford E-350 Cutaway(w 70U Rear - SRW) .....         | 2017530                |
| 2001 Ford E-350 Chassis(w 70 Rear w/ABS (DRW)) .....       | 2017532                |
| 2001-2005 Ford E-350 Cutaway(w 70U Rear ) .....            | 2017532                |
| 90-97 Ford E-350 Motor Home(w 70HD Rear w/ABS).....        | 2017526                |
| 90-94 Ford E-350 U-Haul Chassis(w 70HD Rear w/ABS).....    | 2017526                |
| 2001 Ford E-450 Super Duty(w 70 Rear w/ABS (DRW)) .....    | 2017534                |
| 2002 Ford E-450 Super Duty(w 70 Rear w/ABS (DRW)) .....    | 2017535                |
| 2006-2010 Ford E-450 Super Duty(w 70 Rear (DRW)).....      | 2017535                |
| 2000 Ford E-450(w 70 Rear w/ABS (DRW)) .....               | 2017526                |
| 2002-2007 Ford E-450(w 70 Rear (DRW)).....                 | 2017535                |
| 90-93 Ford UPS Chassis(w 70U Rear w/ABS).....              | 2017525                |

\*refer to BOM

**Differential Carrier Cases**

| <b>Description</b>                                            | <b>Spicer Part No.</b> |
|---------------------------------------------------------------|------------------------|
| Open/Std 4.10 & Down (1.5" 35 Spline) D70U                    | 707215X                |
| Open/Std 4.10 & Down (1.5" 35 Spline) D70                     | 706051X                |
| Open/Std 4.56 & Up (1.5" 35 Spline) D70                       | 706052X                |
| Open/Std 4.56 & Up (1.5" 35 Spline) D70HD                     | 707118X                |
| Open/Std 4.10 & Down (1.37" 32 Spline) D70U                   | 708016                 |
| Power Lok Limited Slip 4.10 & Down (1.5" 35 Spline) D70U, D70 | 707130X                |
| Power Lok Limited Slip 4.10 & Down (1.5" 35 Spline) D70 HD    | 707189X                |
| Power Lok Limited Slip 4.56 & Up (1.5" 35 Spline) D70U, D70   | 706050X                |
| Trac Lok Limited Slip 3.73 & Down (1.37" 32 Spline) D70       | 2005750                |
| Open/Std 4.56 & Down (1.5" 35 Spline) D70                     | 708075-1               |
| Open/Std 4.56 & Down (1.5" 35 Spline) 70HD                    | 2021696                |
| Trac Lok Limited Slip 4.56 & Down (1.5" 35 Spline) 70HD, D70  | 2005658                |


Always refer to axle BOM number to confirm proper part for axle application  
All cases come loaded with gearing unless otherwise noted.



**Dana 70™ (Continued)**

**Spicer Carrier Case Inner Gear Kits**

| Description                                        | Spicer Part No. |
|----------------------------------------------------|-----------------|
| Open/Std (1.5" 35 Spline) D70U, D70                | 706058X         |
| Open/Std (1.5" 35 Spline) D70U, D70                | 707119X         |
| Open/Std (1.5" 35 Spline) D70HD, D70               | 708077          |
| Open/Std (1.5" 35 Spline) D70HD, D70               | 708181          |
| Open/Std (1.37" 32 Spline) D70U, D70               | 707252X         |
| Power Lok Limited Slip (1.5" 35 Spline) D70U, D70  | 2021289         |
| Power Lok Limited Slip (1.37" 32 Spline) D70U, D70 | 2021290         |
| Trac Lok Limited Slip (1.5" 35 Spline) D70, D70HD  | 2003857         |



Always refer to axle BOM number to confirm proper part for axle application

**SVL Carrier Case Inner Gear Kits**

| Description                               | SVL Part No. |
|-------------------------------------------|--------------|
| Open/std. Dana 70™ (32 Spline)            | 2023873      |
| Open /Std. 70™ (35 Spline)                | 2023874      |
| PWR Lok Limited Slip Dana 70™ (32 Spline) | 10003699     |

**Differential Cover Kits**

| Description                                 | Spicer Part No. |
|---------------------------------------------|-----------------|
| Stamped Steel Cover Plug .386" Below Center | 708082          |
| Stamped Steel Cover Plug .480" Below Center | 707105-1X       |
| Stamped Steel Cover Plug .875" Below Center | 706059X         |
| Stamped Steel Cover Plug .980" Below Center | 42815-1         |

**Differential Cover Gaskets**

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD51998         |
| Genuine Spicer OE Style     | 34687           |

**Axle Shafts**

| Application                                  | Location | Spline | Length (in) | Spicer Part No. | OE Part No. |
|----------------------------------------------|----------|--------|-------------|-----------------|-------------|
| 87-91 Dodge D-200/D-300/D-600/D-700 (w/ ABS) | RH/LH    | 35     | 34.24"      | 35091-29        | 4428717     |
| 79-85 Ford F350                              | RH/LH    | 35     | 35.05"      | 36113-1         | D5TZ4234B   |
| 79-94 GM exc Motorhome                       | RH/LH    | 35     | 39.69"      | 41100-1         | 15599687    |
| 94-98 Dodge D2500/W2500                      | RH/LH    | 32     | 36.71"      | 43811-12        | 4746620     |
| 92-10 Ford E-350                             | RH       | 32     | 37.40"      | 43811-4         | F2UZ4234A   |
| 92-10 Ford E-350                             | LH       | 32     | 40.75"      | 43811-7         | F2UZ4234B   |
| 2000 Ford E-450 DRW                          | RH       | 35     | 39.65"      | 46930-3         | YC2Z4234AA  |
| 2000 Ford E-450 DRW                          | LH       | 35     | 43.00"      | 46930-4         | YC2Z4234AB  |

**Misc. Components**

| Description                                                                                           | Spicer Part No. |
|-------------------------------------------------------------------------------------------------------|-----------------|
| RTV Sealant (2.8 oz.)                                                                                 | 38615           |
| Friction Modifier/POSI Additive                                                                       | 43161           |
| Pkg - Shim Kit (99-11 Ford E-350, E-450)                                                              | 708078          |
| Pkg - Shim Kit (Most Apps to 1994)                                                                    | 706213X         |
| Pkg - Shim Kit (94-98 Dodge D2500/3500, 85 Jeep)                                                      | 708020          |
| Pinion Spacer                                                                                         | 46176           |
| Tone Ring - ABS Only                                                                                  | 42929           |
| KIT - Disc & Plate (Power-Lok)                                                                        | 2021288         |
| KIT - Disc & Plate (Trac-Lok)                                                                         | 2003819         |
| Inner Pinion Bearing Kit (99-11 Ford E-350 exc DSO & Dodge D2500/W2500 & G-Van DRW 146" WB & 85 Jeep) | 706861X         |



## Dana 70™ (Continued)

### Misc. Components (Continued)

| Description                                                                                          | Spicer Part No. |
|------------------------------------------------------------------------------------------------------|-----------------|
| Inner Pinion Bearing Kit (99-11 Ford E-350 DSO, E-450, 79-84 Dodge & GM 79-94 exc G-Van DRW 146" WB) | 706060X         |
| Inner Pinion Bearing Kit (84-93 Dodge)                                                               | 706861X         |
| Outer Pinion Bearing Kit                                                                             | 706045X         |
| Pinion Thrust Washer                                                                                 | 42737           |
| Pinion Seal (79-03 Ford F-350, E-350, E-450, 79-98 Dodge, 79-94 GM, 85 Jeep)                         | 42449           |
| Pinion Seal (2003-11 Ford E-350, E-450)                                                              | 706861X         |
| Pinion Nut Washer                                                                                    | 30275           |
| Pinion Nut                                                                                           | 30271           |
| Differential Cover Bolts (97-11 Ford E-350, E-450)                                                   | 47508-1         |
| Differential Cover Bolts (79-98 Dodge, 79-97 Ford, 79-94 GM, 85 Jeep)                                | 34822           |
| Ring Gear Bolt                                                                                       | 40638           |
| Carrier Case Cross Shaft (std)                                                                       | 46640           |
| Spindle Nut (RH Thread, 87-11 Ford F-250, E-350, E-450)                                              | 43075           |
| Spindle Nut (LH Thread)                                                                              | 43076           |
| Spindle Nut (79-95 Dodge, 79-87 Ford, 85 Jeep)                                                       | 39695           |
| Spindle Nut (95-98 Dodge)                                                                            | 47163           |
| Spindle Nut 2.000-16 Threads (79-94 GM)                                                              | 33732           |
| Spindle Nut 2.125-16 Threads (79-94 GM)                                                              | 36635           |
| Wheel Bearing Assy. - Outer (81-11 Ford F-350, E-350, E-450, 79-94 GM)                               | 706074X         |
| Wheel Bearing Assy. - Inner (81-11 Ford F-350, E-350, E-450, 79-94 GM)                               | 706179X         |
| Outboard Axle Shaft Seal                                                                             | 47507           |
| Axle Shaft Bolt (79-92 Ford, 85 Jeep)                                                                | 39694           |
| Axle Shaft Bolt (92-11 Ford E-350, E-450, 96-98 Dodge)                                               | 45720           |
| Axle Shaft Bolt (79-96 Dodge)                                                                        | 43124           |
| Gasket - Axle Flange                                                                                 | 39697           |
| Gasket - Axle Flange (79-94 GM)                                                                      | 36554           |

### Pinion Yokes

| Description                                                        | Spicer Part No. |
|--------------------------------------------------------------------|-----------------|
| Companion Flange 29 Spline (97-11 Ford E-350, E-450)               | 2010948         |
| Companion Flange (99-11 Ford E-350, E-450)                         | 2010949         |
| End Yoke 29 Spline 1.875" Hub Dia. 2.996" C/L to End (1310 Series) | 2-4-8391-1X     |
| End Yoke 29 Spline 1.875" Hub Dia. 2.938" C/L to End (1310 Series) | 2-4-3801-1X     |
| End Yoke 29 Spline 1.875" Hub Dia. 3.000" C/L to End (1350 Series) | 3-4-5731-1X     |
| End Yoke 29 Spline 1.875" Hub Dia. 3.000" C/L to End (1350 Series) | 3-4-13031-2X    |
| End Yoke 29 Spline 1.875" Hub Dia. 3.188" C/L to End (1410 Series) | 3-4-5711-1X     |
| End Yoke 29 Spline 1.874" Hub Dia. 3.185 C/L To End (1410 Series)  | 3-4-11891-1X    |



## Dana 80™

### Applications

| Year    | Make           | Model                  |
|---------|----------------|------------------------|
| 1993-01 | Chrysler/Dodge | D2500/3500, W2500/3500 |
| 2000-12 | Ford           | E-350/F-350/F-450 DRW  |
| 1988-00 | Ford           | F-350 Superduty/F-450  |
| 1993-94 | Ford           | Motorhome              |
| 1992-00 | GM             | P-Chassis              |



### Ring & Pinions

| Ratio                                            | Spicer Part No. | SVL Part No. |
|--------------------------------------------------|-----------------|--------------|
| 3.31                                             | 707060-7X*      | -            |
| 3.54/708150-1, 708026-1, 708026-3 (refer to BOM) |                 | 10001481     |
| 3.73                                             | 708120-5^       | -            |
| 4.10                                             | 73200-5X^       | 10001313**   |
| 4.30                                             | 708120-7*       | -            |
| 4.63                                             | 80730-5^        | -            |
| 4.88                                             | 84002-5^        | -            |
| 5.13                                             | 73168-5X^       | -            |
| 5.38                                             | 708120-11*      | 10001474     |

\*\*Thick Gear

\* Includes HDW, Bearings, Seals, Shims, Spacer

^ Includes Nut and Ring Gear Bolts Only

### Differential Carrier Cases

| Description                           | Spicer Part No. |
|---------------------------------------|-----------------|
| Open/Std 3.73 & Down (1.5" 35 Spline) | 708027          |
| Open/Std 4.10 & Up (1.5" 35 Spline)   | 708031          |
| Open/Std 4.10 & Up (1.6" 37 Spline)   | 707362X         |
| Trac Lok Limited Slip 3.73 & Down     | 2011842         |
| Trac Lok Limited Slip 4.10 & Up       | 2003548         |
| Power Lok 4.10 & Up                   | 2011841         |
| Dyneer 4.10 & Up (1.6" 37 Spline)     | 708097          |

All cases come loaded with gearing unless otherwise noted.

### Spicer Carrier Case Inner Gear Kits

| Description               | Spicer Part No. | SVL Part No. |
|---------------------------|-----------------|--------------|
| Open/Std (1.5" 35 Spline) | 707063X         | -            |
| Open/Std (1.6" 37 Spline) | 707185X         | 2023875      |

### Differential Cover Kits

| Description                                             | Spicer Part No. |
|---------------------------------------------------------|-----------------|
| High Performance Finned Aluminum                        | 2013834         |
| Stamped Steel Cover Kit (w/HDW) Plug .217" Below Center | 708151          |
| Stamped Steel Cover Kit (w/HDW) Plug .375" Below Center | 707231X         |
| Stamped Steel Cover Kit (w/HDW) Plug 1.4" Below Center  | 707329X         |
| Nodular Iron - Performance (w/HDW & Performance Gasket) | 10024090        |

### Differential Cover Gaskets

| Description                   | Spicer Part No. |
|-------------------------------|-----------------|
| High Performance / Reusable   | RD51997         |
| Genuine Spicer OE Style (RTV) | 38615           |



**Dana 80™ (Continued)**

**Axle Shafts**

| Application                                        | Location | Spline | Length (in) | Spicer Part No. | OE Part No. |
|----------------------------------------------------|----------|--------|-------------|-----------------|-------------|
| 90-98 F-350 Super Duty                             | RH/ LH   | 37     | 37.67"      | 43651-1         | FOTZ4234A   |
| 92-00 GM P-Chassis                                 | RH/ LH   | 37     | 36.17"      | 44264-1         | 15664115    |
| 92-00 GM P-Chassis                                 | RH/ LH   | 37     | 39.27"      | 44264-2         | 12380993    |
| 94-98 D2500/W2500, D3500/W3500                     | RH/ LH   | 35     | 36.65"      | 45553-1         | 4746995     |
| 94-98 D2500/W2500, D3500/W3500                     | RH/ LH   | 35     | 39.00"      | 45553-2         | 4746967     |
| 94-98 D2500/W2500, D3500/W3500                     | RH/ LH   | 35     | 36.50"      | 45553-3         | 4746990     |
| 98 1/2-08 F-350/F-350 DRW Full Float (4.30 & Down) | RH       | 35     | 37.38"      | 47847-3         | F81Z4234BC  |
| 98 1/2-08 F-350/F-350 DRW Full Float (4.30 & Down) | LH       | 35     | 38.74"      | 47847-4         | F81Z4234DA  |
| 98 1/2-08 F-350/F-450 DRW Full Float (4.88 & Up)   | RH/ LH   | 37     | 40.07"      | 47852-1         | F81Z4234EA  |
| 05-11 F-350 Chassis DRW                            | RH       | 35     | 38.89"      | 2002496-1       | 8C3Z4234A   |
| 05-11 F-350 Chassis DRW                            | LH       | 35     | 40.24"      | 2002496-2       | 8C3Z4234B   |
| 08 F-350 DRW Full Float                            | RH       | 35     | 39.02"      | 2002496-5       | 8C3Z4234C   |
| 08 F-350 DRW Full Float                            | LH       | 35     | 40.38"      | 2002496-6       | 8C3Z4234D   |

**Misc. Components**

| Description                                              | Spicer Part No.        |
|----------------------------------------------------------|------------------------|
| RTV Sealant (2.8 oz.)                                    | 38615                  |
| Friction Modifier/POSI Additive                          | 43161                  |
| Pkg - Shim Kit (Ford)                                    | 707481X                |
| Pkg - Shim Kit (Ford)                                    | 707365X                |
| Pkg - Shim Kit (Dodge)                                   | 708036                 |
| Tone Ring - ABS Only                                     | 42414                  |
| KIT - Disc & Plate (Trac-Lok) (Ford)                     | 2003819                |
| Inner Pinion Bearing Kit (Ford To 1999)                  | 707447X                |
| Inner Pinion Bearing Kit (All GM, Dodge, Ford From 1999) | 707065X                |
| Outer Pinion Bearing Kit                                 | 707064X                |
| Pinion Thrustwasher                                      | 42430                  |
| Pinion Seal (All GM, All Dodge, Ford 99-00)              | 46411                  |
| Pinion Seal (All except Ford 99-00)                      | 2011840                |
| Pinion Nut Washer                                        | 37104                  |
| Pinion Nut                                               | 2001855                |
| Differential Cover Bolts                                 | 47508-1                |
| Differential Cover Bolts (All Dodge, All GM)             | 34822                  |
| Ring Gear Bolt                                           | 42433                  |
| Carrier Case Cross Shaft (std)                           | 46640                  |
| Locking Wedge (Dodge Apps.)                              | 46545                  |
| Spindle Nut (Dodge Apps.)                                | 39695, 47163           |
| Spindle Nut (Ford 92-94 F-450 Chassis, Some GM)          | 36635                  |
| Wheel Bearing Retainer (88-89 Ford, 97-98 Ford)          | 43075 (RH), 43076 (LH) |
| Wheel Bearing Retainer (Some Ford, GM)                   | 46471                  |
| Wheel Bearing Retainer (Ford Apps.)                      | 47858                  |
| Wheel Bearing Retainer (Ford Apps.)                      | 43075                  |
| Wheel Bearing Assy. - Outer                              | 550348                 |
| Wheel Bearing Assy. - Outer                              | 565911                 |
| Wheel Bearing Assy. - Outer                              | 566057                 |
| Wheel Bearing Assy. - Inner                              | 566071                 |
| Wheel Bearing Assy. - Inner                              | 565906                 |
| Outboard Axle Shaft Seal                                 | 2001888                |
| Outboard Axle Shaft Seal                                 | 47507                  |
| Outboard Axle Shaft Seal                                 | 47860                  |
| Outboard Axle Shaft Seal                                 | 35256                  |

**SPICER®**MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES**SVL®****Dana 80™ (Continued)****Misc. Components (Continued)****Description****Spicer Part No.**

Outboard Axle Shaft Seal (all GM)

40285

Axle Shaft Bolt (Ford F350 DRW 92-00)

45816

Axle Shaft Bolt (Ford F350 DRW 96-98)

45720

Axle Shaft Bolt (Ford F350 DRW 88-91)

42447

Axle Shaft Bolt (Dodge 94-97)

43124

Axle Shaft Bolt (Dodge 97-98, All GM)


45720

Gasket - Axle Flange (3.96" BC, 4.70" OD, refer to BOM)

39697

Gasket - Axle Flange (4.33" BC, 5.13" OD, refer to BOM)

42445

**Pinion Yokes****Description****Spicer Part No.**

End Yoke (37 Spline 2.5" Hub Dia. 4.312" C/L to End 1410 Series)


3-4-11081-1X



## Ford 7.5"

### Applications

| Year    | Make    | Model         |
|---------|---------|---------------|
| 1990-97 | Ford    | Aerostar      |
| 1978-83 | Ford    | Fairmont      |
| 1979-82 | Ford    | Granada       |
| 1979-12 | Ford    | Mustang       |
| 1983-11 | Ford    | Ranger (Rear) |
| 2003-04 | Mercury | Marauder      |
| 1980-88 | Mercury | Cougar        |
| 1980-83 | Lincoln | Mark VI       |
| 1984-92 | Lincoln | Mark VII      |
| 1980-88 | Ford    | Thunderbird   |
| 1984-90 | Ford    | Bronco II     |
| 1979-11 | Mercury | Grand Marquis |
| 1979-86 | Ford    | Capri         |
| 2000-07 | Ford    | F-150 1/2 Ton |
| 1979-02 | Lincoln | Continental   |



### Ring & Pinions

| Ratio | SVL Part No. |
|-------|--------------|
| 3.08  | 2020858      |
| 2.73  | 10001319     |
| 3.73  | 2020633      |
| 4.10  | 2020855      |
| 4.56  | 10001322     |

### Differential Rebuild Kits

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024035        |
| Master Overhaul Kit                | 10024036        |

### Differential Carrier Cases

| Description                                      | SVL Part No. |
|--------------------------------------------------|--------------|
| Ford 9.75" Open/Std Case, (28 Spline) (Unloaded) | 10019425     |

### Carrier Case Inner Gear Kits

| Description          | SVL Part No. |
|----------------------|--------------|
| Std/Open (28 Spline) | 2023884      |

### Rear Axle Shafts


| Application                              | Location | Spline | Length (in) | SVL Part No. | OE Part No.  | Hollander Part No. |
|------------------------------------------|----------|--------|-------------|--------------|--------------|--------------------|
| 79-93 Mustang, 79-82 Cougar,             |          |        |             |              |              |                    |
| 80-82 Thunderbird, 83-86 LTD             | RH/LH    | 28     | 29.25"      | 2022599      | D9BZ4234C    | 447-1231           |
| 80-89 Crown Vic, Town Car, Grand Marquis | RH/LH    | 28     | 31.00"      | 2023686-5    | D9AZ4234A    | 447-1227           |
| 84-92 Ranger/Bronco II, 86-97 Aerostar   | LH       | 28     | 29.25"      | 2022601      | E3TZ4234C    | 447-1338           |
| 91-97 Town Car, Grand Marquis, Crown Vic | RH/LH    | 28     | 31.63"      | 2023686-2    | F2AZ-4234-B  | 447-1824           |
| 93-97 Ranger & Mazda Pickups             | RH       | 28     | 27.31"      | 2022618-1    | F37Z4234A    | 447-2088R          |
| 94-98 Mustang                            | RH/LH    | 28     | 30.00"      | 2022656      | F4ZZ-4234B   | 447-2006           |
| 98-02 Crown Vic, Town Car, Grand Marquis | RH/LH    | 28     | 32.44"      | 2023686-3    | F8AZ-4234-DA | 447-2307           |

### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |

**SPICER®**MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES**SVL®****Ford 8.0"****Applications**

| Year    | Make    | Model    |
|---------|---------|----------|
| 1962-70 | Ford    | Fairlane |
| 1962-70 | Ford    | Falcon   |
| 1975-80 | Ford    | Granada  |
| 1971-77 | Ford    | Maverick |
| 1964-78 | Ford    | Mustang  |
| 1971-80 | Ford    | Pinto    |
| 1971-74 | Ford    | Torino   |
| 1975-80 | Mercury | Bobcat   |
| 1964-72 | Mercury | Comet    |
| 1967-68 | Mercury | Cougar   |
| 1975-80 | Mercury | Monarch  |

**Differential Rebuild Kits**


| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024025        |
| Master Overhaul Kit                | 10024026        |

**Misc. Components**

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |

**Ford 8.8"****Applications**

| Year      | Make    | Model               |
|-----------|---------|---------------------|
| 2003 - 05 | Ford    | Aviator             |
| 1979 - 86 | Ford    | Capri               |
| 1979 - 88 | Mercury | Cougar              |
| 1979 - 00 | Lincoln | Continental         |
| 2003 - 11 | Ford    | Crown Victoria      |
| 1983 - 83 | Ford    | E-100 1/2 Ton       |
| 1983 - 98 | Ford    | E-250 3/4 Ton       |
| 1997 - 01 | Ford    | Expedition          |
| 1991 - 01 | Ford    | Explorer            |
| 2001 - 10 | Ford    | Explorer Sport Trac |
| 1983 - 13 | Ford    | E-150 1/2 Ton       |
| 1983 - 96 | Ford    | Bronco              |
| 1983 - 09 | Ford    | F-150 1/2 Ton       |
| 1979 - 82 | Ford    | Granada             |
| 2003 - 11 | Mercury | Grand Marquis       |
| 1979 - 91 | Ford    | LTD                 |
| 1980 - 83 | Lincoln | Mark VI             |
| 2003 - 04 | Mercury | Marauder            |
| 1997 - 10 | Mercury | Mountaineer         |
| 1994 - 09 | Ford    | Mustang             |
| 1998 - 02 | Lincoln | Navigator           |
| 1999 - 11 | Ford    | Ranger              |
| 2003 - 11 | Lincoln | Town Car            |
| 1987 - 88 | Ford    | Thunderbird         |

**Ring & Pinions**

| Ratio | SVL Part No. |
|-------|--------------|
| 3.08  | 2020743      |
| 3.27  | 2020630      |
| 3.31  | 2020740      |
| 3.55  | 10004659     |
| 3.73  | 10004662     |
| 4.10  | 2020737      |
| 4.56  | 2020499      |
| 4.88  | 2020502      |
| 5.13  | 10004665     |

**Differential Rebuild Kits**

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024027        |
| Master Overhaul Kit                | 10024028        |

**Spools**

| Description           | Spicer Part No. |
|-----------------------|-----------------|
| Mini-Spool 28 Spline  | 10015382        |
| Mini-Spool 31 Spline  | 10015385        |
| Full Spool* 31 Spline | 10002214        |

\* May require use of C-Clip Eliminator Kit

**Carrier Case Inner Gear Kits**

| Description           | SVL Part No. |
|-----------------------|--------------|
| Std./Open (28 Spline) | 2023885      |
| Std./Open (31 Spline) | 10003845     |



## Ford 8.8" (Continued)

### Differential Cover Kits

| Description                                             | Spicer Part No. |
|---------------------------------------------------------|-----------------|
| Nodular Iron - Performance (w/HDW & Performance Gasket) | 10023538        |

### Differential Cover Gaskets

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD52005         |

### Rear Axle Shafts

| Application                                                        | Location | Spline | Length (in) | SVL Part No. | OE Part No.                  | Hollander Part No. |
|--------------------------------------------------------------------|----------|--------|-------------|--------------|------------------------------|--------------------|
| 90-89 Crown Vic/Town Car/Grand Marquis.....                        | RH & LH  | 28     | 31.00"      | 2023686-5    | D9AZ4234A                    | 447-1227           |
| 91-83 F-150/Bronco.....                                            | LH       | 31     | 31.06"      | 2022602-1    | E3TZ4234D                    | 447-1340R          |
| 91-83 F-150/Bronco.....                                            | LH       | 31     | 33.06"      | 2022602-2    | E3TZ 4234E                   | 447-1341L          |
| 92-84 Ranger/Bronco II, 86-97 Aerostar .....                       | LH       | 28     | 29.25"      | 2022601      | E3TZ4234C                    | 447-1338           |
| 93-79 Mustang, 82-79 Cougar,<br>82-80 Thunderbird, 86-83 LTD ..... | RH & LH  | 28     | 29.25"      | 2022599      | D9BZ4234C                    | 447-1231           |
| 96-87 E-150 .....                                                  | LH       | 31     | 35.75"      | 2022607      | YC2Z4234CB                   | 447-1575L          |
| 96-87 E-150, Bronco, F-150 .....                                   | RH       | 31     | 31.06"      | 2022605-1    | E7TZ-4234-A                  | 447-1573           |
| 96-87 E-150, Bronco, F-150 .....                                   | LH       | 31     | 33.18"      | 2022605-2    | E7TZ-4234-B                  | 447-1574           |
| 97-91 Crown Vic/Grand Marquis/Town Car .....                       | RH & LH  | 28     | 31.50"      | 2022651      | F2AZ 4234C                   | 447-1823           |
| 97-91 Town Car, Grand Marquis, Crown Vic.....                      | RH & LH  | 28     | 31.63"      | 2023686-2    | F2AZ-4234-B                  | 447-1824           |
| 97-93 Ranger & Mazda Pickups.....                                  | RH       | 28     | 27.31"      | 2022618-1    | F37Z4234A                    | 447-2088R          |
| 98-02 Crown Vic, Town Car, Grand Marquis.....                      | RH & LH  | 28     | 32.44"      | 2023686-3    | F8AZ-4234-DA                 | 447-2307           |
| 98-02 Crown Vic, Town Car, Grand Marquis.....                      | LH       | 28     | 32.35"      | 2023686-4    | F8AZ-4234-CA                 | 447-2308           |
| 02-01 Crown Vic/Town Car/Grand Marquis.....                        | RH & LH  | 28     | 32.25"      | 2023686-8    | IW1Z4234DA                   | 447-2640           |
| 02-95 Explorer, 01-97 Mountaineer .....                            | RH       | 31     | 27.81"      | 2022636-1    | F5TZ-4234-A                  | 447-2120R          |
| 02-95 Explorer, 01-97 Mountaineer .....                            | LH       | 31     | 30.68"      | 2022636-2    | F5TZ-4234-B,<br>3L2Z 4234-AB | 447-2121L          |
| 04-00 F-150/Expedition.....                                        | RH       | 31     | 31.87"      | 2022620-1    | F75Z4234NA                   | 447-2192           |
| 04-97 Ford F-150.....                                              | RH       | 31     | 33.50"      | 2022620-2    | F75Z4234NB                   | 447-2553L/2193     |
| 04-99 Mustang GT (EXC. Cobra).....                                 | RH & LH  | 28     | 30.68"      | 2022665      | XR3Z4234AA                   | 447-2425           |
| 05-03 Crown Vic/Grand Marquis/Town Car .....                       | RH & LH  | 28     | 34.30"      | 2023686-6    | 3W1Z 4234KA                  | 447-2733           |
| 06-97 E-150 .....                                                  | RH       | 31     | 31.00"      | 2022666-1    | YC2Z4234CA                   | 447-2439R          |
| 11-05 Crown Vic/Town Car/Grand Marquis.....                        | RH & LH  | 31     | 34.50"      | 2023686-7    | 6W1Z4234A                    | 447-124            |

### Performance Drive Shafts - One Piece Aluminum

| Application           | Description   | Length (mm) | Series U-joint | Spicer Part No. |
|-----------------------|---------------|-------------|----------------|-----------------|
| 2005-14 Mustang GT500 | 3.5" Aluminum | 1312 mm     | 1350           | 10002092        |
| 2005-10 Mustang GT    | 3.5" Aluminum | 1336 mm     | 1350           | 10001766        |
| 2005-10 Mustang GT    | 4" Aluminum   | 1336 mm     | 1350           | 10001767        |
| 2005-14 Mustang GT500 | 4" Aluminum   | 1312 mm     | 1350           | 10001796        |

**Ford 8.8" (Continued)**


**U-Joints & Kits**

**Spicer Life Series (SPL) Premium Performance U-Joint Packs**

| <b>Application</b>                                                                | <b>Spicer Part No.</b> |
|-----------------------------------------------------------------------------------|------------------------|
| 97-99 Ford F-150 2-Joint Driveshaft w/4 outside snaps .....                       | SPL1001FK              |
| 00-01 Ford F-150 2-Joint Driveshaft w/4.2L & 4.6L Exc. Reg. Cab w/Short Bed ..... | SPL1001FK              |
| 00-01 Ford F-150 2-Joint Driveshaft w/5.4L Eng. ....                              | SPL1001FK              |
| 97-99 Ford F-150 2-Joint Driveshaft w/2 inside and 2 outside snap rings .....     | SPL1002FK              |
| 97-99 Ford F-150 3-Joint Driveshaft .....                                         | SPL1003FK              |
| 00-01 Ford F-150 3-Joint Driveshaft w/4.2L & 4.6L Eng. ....                       | SPL1003FK              |
| 00-01 Ford F-150 2-Joint Driveshaft w/4.2L & 4.6L Reg. Cab w/Short Bed .....      | SPL1004FK              |
| 00-01 Ford F-150 3-Joint Driveshaft w/5.4L Eng. ....                              | SPL1005FK              |
| 02-03 Ford F-150 2-Joint Driveshaft w/4.2L & 4.6L Reg. Cab w/Short Bed .....      | SPL1006FK              |
| 97-01 Ford Expedition 2 joint shaft w/std suspension .....                        | SPL1006FK              |
| 02-03 Ford F-150 2-Joint Driveshaft w/4.2L & 4.6L Exc. Reg. Cab w/Short Bed ..... | SPL1007FK              |
| 02-03 Ford F-150 2-Joint Driveshaft w/5.4L Eng. ....                              | SPL1007FK              |
| 04 Ford F-150 2-Joint Driveshaft w/4.2L & 4.6L Exc. Reg. Cab w/Short Bed .....    | SPL1007FK              |
| 97-01 Ford Expedition 2 joint shaft w/adj. suspension .....                       | SPL1007FK              |
| 02-06 Ford Expedition 2 joint Driveshaft .....                                    | SPL1007FK              |
| 02-04 Ford F-150 3-Joint Driveshaft w/4.2L & 4.6L Eng. ....                       | SPL1008FK              |
| 02-03 Ford F-150 3-Joint Driveshaft w/5.4L Eng. ....                              | SPL1009FK              |
| 98-03 Ford Explorer w/plunging CV joint at TC .....                               | SPL1010FK              |
| 04 Ford Explorer w/o Sport Trac .....                                             | SPL1011FK              |
| 05-06 Ford Explorer .....                                                         | SPL1011FK              |
| 04 Ford Explorer w/Sport Trac .....                                               | SPL1012FK              |

**Misc. Components**

| <b>Description</b>              | <b>Spicer Part No.</b> |
|---------------------------------|------------------------|
| Friction Modifier/POSI Additive | 43161                  |
| RTV Sealant (2.8 oz.)           | 38615                  |




**SPICER®**MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES**SVL®**

## Ford 8.8" Reverse Front

### Applications

| Year    | Make    | Model                 |
|---------|---------|-----------------------|
| 2007-13 | Ford    | Expedition (Front)    |
| 1997-14 | Ford    | F-150 1/2 Ton (Front) |
| 1997-99 | Ford    | F-250 3/4 Ton (Front) |
| 1998-13 | Lincoln | Navigator (Front)     |



### Ring & Pinions

| Ratio | SVL Part No. |
|-------|--------------|
| 4.56  | 2020758      |
| 4.88  | 2020761      |
| 5.13  | 10004668     |

### Differential Cover Gaskets

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD52005         |


### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |

## Ford 9"

### Applications

| Year    | Make | Model         |
|---------|------|---------------|
| 1965-85 | Ford | Bronco        |
| 1957-85 | Ford | F-100/150     |
| 1957-79 | Ford | Full Size Car |
| 1965-73 | Ford | Mustang       |



### Ring & Pinions

| Ratio | SVL Part No. |
|-------|--------------|
| 3.00  | 2020627      |
| 3.25  | 2020734      |
| 3.50  | 2020496      |
| 3.70  | 2020624      |
| 3.89  | 2020621      |
| 4.11  | 2020618      |
| 4.56  | 2020615      |
| 5.13  | 10004630     |
| 5.14  | 10010540     |
| 5.43  | 10004633     |
| 5.83  | 10004636     |
| 6.00  | 10004648     |
| 6.20  | 10004653     |
| 6.50  | 10004656     |

### Differential Rebuild Kits

#### Standard Differential Rebuild Kits

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Ford 9" 28 spline-To 5/10/70    | 10024029        |
| Ford 9" 31 spline-From 05/11/70 | 10024031        |

#### Master Overhaul Kit

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Ford 9" 28 spline-To 5/10/70    | 10024030        |
| Ford 9" 31 spline-From 05/11/70 | 10024032        |

### Differential Carrier Cases

| Description                                | SVL Part No. |
|--------------------------------------------|--------------|
| Open/Std Case, (28 & 31 Spline) (Unloaded) | 10019424     |

### Carrier Case Inner Gear Kits

| Description                        | SVL Part No. |
|------------------------------------|--------------|
| Trac-Lok POSI (28 Spline) 4 Pinion | 2023888      |
| Trac-Lok POSI (31 Spline) 4 Pinion | 2023887      |

### 3rd Member Drop Out Housing

| Description                                 | SVL Part No. |
|---------------------------------------------|--------------|
| Aluminum 3.250" Daytona Bearing Journal     | 10007694     |
| Aluminum 3.062" Standard Bearing Journal    | 10007696     |
| Nodular Iron 3.250" Daytona Bearing Journal | 10007698     |
| Nodular 3.062" Standard Bearing Journal     | 10007700     |



**Ford 9" (Continued)**

**Pinion Supports**

| Description                                                                   | Spicer Part No. |
|-------------------------------------------------------------------------------|-----------------|
| Nodular Iron 5-Bolt stock Bearing                                             | 10029033        |
| Nodular Iron 5-Bolt Daytona (large) Bearing 28 Spline                         | 10029034        |
| Aluminum 5-Bolt Daytona (large) Bearing 28 spline                             | 10029036        |
| Aluminum 5-Bolt Daytona Oversize for 35 Spline                                | 10029035        |
| 5 -Bolt Pinion Shim Kit (contains one ea. .005, .009, .011, .013, .015, .017) | 10027410        |

**Spools**

| Description                           | Spline    | Spicer Part No. |
|---------------------------------------|-----------|-----------------|
| Spool - Lightweight Design            | 28 Spline | 10002219        |
| Mini Spool                            | 28 Spline | 10015391        |
| Spool                                 | 31 Spline | 2022501         |
| Mini Spool                            | 31 Spline | 10015392        |
| Spool - 2.8" & 3.062" Cases           | 35 Spline | 2023544         |
| Spool - Lightweight Design            | 35 Spline | 2022499         |
| Spool - 45 Degree Mark Williams Axles | 35 Spline | 10002220        |
| Spool - Lightweight Design            | 40 Spline | 10002218        |

**Differential Cover Gaskets**


| Description                 | SVL Part No. |
|-----------------------------|--------------|
| High Performance / Reusable | RD52004      |

**Rear Axle Shafts**

| Application                    | Location | Spline | Length (in) | SVL Part No. | OE Part No. | Hollander Part No. |
|--------------------------------|----------|--------|-------------|--------------|-------------|--------------------|
| 76-86 F-150, 86-79 Bronco..... | RH/LH    | 31     | 32.00"      | 2022591      | D6TZ4234A   | 447-1172           |

**Misc. Components**


| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |



## Ford 9.75"

### Applications

| Year      | Make    | Model           |
|-----------|---------|-----------------|
| 1997-2008 | Ford    | Ford F-150 5.4L |
| 1997-2008 | Ford    | Expedition      |
| 1997-2008 | Lincoln | Navigator       |



### Ring & Pinions

| Ratio | SVL Part No. |
|-------|--------------|
| 3.55  | 2020861      |
| 3.73  | 2020864      |
| 4.10  | 2020867      |
| 4.88  | 2020802      |
| 5.13  | 10004671     |

### Differential Carrier Cases

| Description               | SVL Part No. |
|---------------------------|--------------|
| Open/Std Case, (Unloaded) | 10019429     |

### Carrier Case Inner Gear Kits

| Description          | SVL Part No. |
|----------------------|--------------|
| Std/Open (34 Spline) | 2023886      |

### Differential Cover Kits

| Description                                             | Spicer Part No. |
|---------------------------------------------------------|-----------------|
| Nodular Iron - Performance (w/HDW & Performance Gasket) | 10023539        |

### Differential Cover Gaskets

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD52003         |

### Rear Axle Shafts

| Application                        | Location | Spline | Length (in) | SVL Part No. | OE Part No.  | Hollander Part No. |
|------------------------------------|----------|--------|-------------|--------------|--------------|--------------------|
| 97-99 Expedition, F-150, Navigator | LH       | 34     | 33.5"       | 2022640-2    | F75Z-4234-MB | 447-2237/2239      |
| 97-00 F-100/150                    | RH       | 34     | 31.81"      | 2022640-1    | F75Z-4234-MA | 447-2236/2238      |

### U-Joints & Kits

#### Spicer Life Series (SPL) Premium Performance U-Joint Packs

| Application                                                                    | Spicer Part No. |
|--------------------------------------------------------------------------------|-----------------|
| 97-99 Ford F-150 2-Joint Driveshaft w/4 outside snaps                          | SPL1001FK       |
| 00-01 Ford F-150 2-Joint Driveshaft w/4.2L & 4.6L Exc.<br>Reg. Cab w/Short Bed | SPL1001FK       |
| 00-01 Ford F-150 2-Joint Driveshaft w/5.4L Eng.                                | SPL1001FK       |
| 97-99 Ford F-150 2-Joint Driveshaft w/2 inside and 2 outside snap rings        | SPL1002FK       |
| 97-99 Ford F-150 3-Joint Driveshaft                                            | SPL1003FK       |
| 00-01 Ford F-150 3-Joint Driveshaft w/4.2L & 4.6L Eng.                         | SPL1003FK       |
| 00-01 Ford F-150 2-Joint Driveshaft w/4.2L & 4.6L Reg. Cab w/Short Bed         | SPL1004FK       |
| 00-01 Ford F-150 3-Joint Driveshaft w/5.4L Eng.                                | SPL1005FK       |
| 02-03 Ford F-150 2-Joint Driveshaft w/4.2L & 4.6L Reg. Cab w/Short Bed         | SPL1006FK       |
| 97-01 Ford Expedition 2 joint shaft w/std suspension                           | SPL1006FK       |
| 02-03 Ford F-150 2-Joint Driveshaft w/4.2L & 4.6L Exc.<br>Reg. Cab w/Short Bed | SPL1007FK       |
| 02-03 Ford F-150 2-Joint Driveshaft w/5.4L Eng.                                | SPL1007FK       |

**SPICER**<sup>®</sup>



MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES

**SVL**<sup>®</sup>



## Ford 9.75" (Continued)


### U-Joints & Kits (Continued)

#### Spicer Life Series (SPL) Premium Performance U-Joint Packs

| Application                                                                       | Spicer Part No. |
|-----------------------------------------------------------------------------------|-----------------|
| 04 Ford F-150 2-Joint Driveshaft w/4.2L & 4.6L Exc. Reg.<br>Cab w/Short Bed ..... | SPL1007FK       |
| 97-01 Ford Expedition 2 joint shaft w/adj. suspension .....                       | SPL1007FK       |
| 02-06 Ford Expedition 2 joint Driveshaft .....                                    | SPL1007FK       |
| 02-04 Ford F-150 3-Joint Driveshaft w/4.2L & 4.6L Eng. ....                       | SPL1008FK       |
| 02-03 Ford F-150 3-Joint Driveshaft w/5.4L Eng. ....                              | SPL1009FK       |

### Misc. Components


| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |



## Ford 10.25"/10.5"

### Applications

| Year    | Make | Model                                    |
|---------|------|------------------------------------------|
| 1985-98 | Ford | E-250 3/4 Ton (w/10.25")                 |
| 1985-98 | Ford | F-250 3/4 Ton (Rear w/10.25")            |
| 1997-99 | Ford | F-250 Super Duty 3/4 Ton (Rear w/10.25") |
| 1979-98 | Ford | F-250 Super Duty 3/4 Ton (Rear w/10.25") |
| 1985-97 | Ford | F-350 1 Ton (Rear w/10.25")              |
| 1997-98 | Ford | F-350 Super Duty 1 Ton (Rear w/10.25")   |
| 1985-98 | Ford | E-350 1 Ton (Rear w/10.25")              |
| 1999-10 | Ford | F-250 Super Duty 3/4 Ton (Rear w/10.5")  |
| 1999-10 | Ford | F-350 Super Duty 1 Ton (Rear w/10.5")    |
| 1999-10 | Ford | E-250 3/4 Ton (w/10.25")                 |
| 1999-10 | Ford | E-350 1 Ton (Rear w/10.5")               |
| 2000-10 | Ford | E-450 w/10.5"                            |
| 2000-05 | Ford | Excursion w/10.5"                        |



### Ring & Pinions

| Ratio | SVL Part No. | Application Notes                     |
|-------|--------------|---------------------------------------|
| 3.73  | 2020523      | 10.25" 93-98 (Late Model Long Spline) |
| 4.30  | 2023710      | 10.25" 93-98 (Late Model Long Spline) |
| 4.10  | 2020755      | 10.25" 93-98 (Late Model Long Spline) |
| 4.56  | 2020490      | 10.25" 93-98 (Late Model Long Spline) |
| 4.88  | 2023713      | 10.25" 93-98 (Late Model Long Spline) |
| 5.13  | 2020493      | 10.25" 93-98 (Late Model Long Spline) |
| 5.38  | 2020434      | 10.25" 93-98 (Late Model Long Spline) |
| 3.73  | 10004689     | 10.5" 99-00 (31 Spline)               |

### Differential Rebuild Kits

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024033        |
| Master Overhaul Kit                | 10024034        |

### Differential Carrier Case Kits

| Description               | SVL Part No. |
|---------------------------|--------------|
| Open/Std Case, (Unloaded) | 10019426     |

### Differential Cover Gaskets


| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD52002         |

### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |

**GM 7.5" / 7.6"****Applications**

| Year    | Make       | Model             |
|---------|------------|-------------------|
| 1973-75 | Buick      | Apollo            |
| 1977-84 | Buick      | Electra           |
| 1978-83 | Buick      | Regal             |
| 1975-79 | Buick      | Skylark           |
| 1982-05 | Chevrolet  | Astro/Safari      |
| 1982-02 | Chevrolet  | Camaro            |
| 1978-96 | Chevrolet  | Caprice           |
| 1977-87 | Chevrolet  | El Camino         |
| 1977-96 | Chevrolet  | Impala            |
| 1973-83 | Chevrolet  | Malibu            |
| 1978-88 | Chevrolet  | Monte Carlo       |
| 1977-79 | Chevrolet  | Nova              |
| 1983-05 | Chevrolet  | S10 Blazer/Pickup |
| 2002-05 | GMC        | Envoy             |
| 1983-05 | GMC        | S15/Jimmy/Pickup  |
| 1994-04 | GMC        | Sonoma            |
| 1993-02 | Isuzu      | Rodeo             |
| 1991-04 | Oldsmobile | Bravada           |
| 1978-88 | Oldsmobile | Cutlass           |
| 1976-79 | Oldsmobile | Omega             |
| 1975-86 | Pontiac    | Bonneville        |
| 1975-81 | Pontiac    | Catalina          |
| 1977-02 | Pontiac    | Firebird          |
| 1977-87 | Pontiac    | Grand Prix        |
| 1977-02 | Pontiac    | Trans Am          |
| 1972-76 | Pontiac    | Ventura           |

**Ring & Pinions**

| Ratio | SVL Part No. | Application Notes |
|-------|--------------|-------------------|
| 2.73  | 10004593     |                   |
| 3.08  | 2019331      |                   |
| 3.23  | 2020639      |                   |
| 3.42  | 2020520      |                   |
| 3.42  | 10004596     | Thick Gear        |
| 3.55  | 10017887     |                   |
| 3.73  | 2020395      |                   |
| 3.73  | 10004599     | Thick Gear        |
| 3.90  | 10012319     |                   |
| 4.10  | 2020440      |                   |
| 4.11  | 10004602     | Thick Gear        |
| 4.30  | 10004605     |                   |
| 4.56  | 2020437      |                   |

**Differential Rebuild Kits**

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024037        |
| Master Overhaul Kit                | 10024038        |



**GM 7.5" / 7.6" (Continued)**

**Carrier Case Inner Gear Kits**

| Description                          | SVL Part No. |
|--------------------------------------|--------------|
| GM 7.5" Open/Std (26 Spline)         | 10003714     |
| GM 7.5" Eaton Style POSI (26 Spline) | 10003707     |
| GM 7.5" Eaton Style POSI (28 Spline) | 2023876      |
| GM 7.625" Open/Std (28 Spline)       | 2023878      |

**Differential Carrier Case Kits**

| Description                                       | SVL Part No. |
|---------------------------------------------------|--------------|
| Standard GM 7.625" IFS (28 Spline)(Unloaded Case) | 10019415     |

**Spools**

| Description           | Spicer Part No. |
|-----------------------|-----------------|
| Mini Spool, 26 Spline | 10015364        |
| Mini Spool, 28 Spline | 10015376        |

**Rear Axle Shafts**

| Application                                      | Location | Spline | Length (in) | SVL Part No. | OE Part No. | Hollander Part No. |
|--------------------------------------------------|----------|--------|-------------|--------------|-------------|--------------------|
| 98 S10/Blazer, LLV, Sonoma                       | RH/LH    | 28     | 29.13"      | 10004410     | 26016760    | -                  |
| 81-90 Caprice/Impala/LeSabre/Bonneville/Catalina | RH/LH    | 26     | 30.5"       | 2022644      | 22506477    | 447-1137           |
| 91-92 Caprice                                    | RH/LH    | 26     | 30.43"      | 2022655      | 26019539    | 447-1870           |

**Misc. Components**

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |



## GM 8.2" 10 Bolt

### Applications

| Year    | Make      | Model            |
|---------|-----------|------------------|
| 1964-72 | Chevrolet | Bel Air          |
| 1967-70 | Chevrolet | Camaro           |
| 1964-72 | Chevrolet | Chevelle/ Malibu |
| 1964-72 | Chevrolet | El Camino        |
| 1970-72 | Chevrolet | Monte Carlo      |
| 1964-72 | Chevrolet | Nova             |
| 1964-70 | Chevrolet | Tempest          |
| 1971    | Chevrolet | Ventura          |
| 1964-72 | Chevrolet | Biscayne         |
| 1965-71 | Chevrolet | Caprice          |
| 1964-68 | Chevrolet | Chevy II         |
| 1964-72 | Chevrolet | Impala           |
| 1968-72 | Chevrolet | Nomad            |
| 1964-69 | Chevrolet | Skylark          |
| 1969-72 | Chevrolet | Trans Am         |
| 1964-72 | Chevrolet | Wildcat          |



### Ring & Pinions

| Ratio | SVL Part No. | Application Notes                  |
|-------|--------------|------------------------------------|
| 3.08  | 10004624     | 25 Spline                          |
| 3.36  | 10004627     | 25 Spline                          |
| 3.55  | 10004620     | 25 Spline                          |
| 3.36  | 10004608     | 27 Spline Buick/Pontiac/Olds (BOP) |
| 3.55  | 10004611     | 27 Spline Buick/Pontiac/Olds (BOP) |
| 3.73  | 10004614     | 27 Spline Buick/Pontiac/Olds (BOP) |
| 3.90  | 10004617     | 27 Spline Buick/Pontiac/Olds (BOP) |

### Differential Rebuild Kits

#### Rear Axle w/1.781" Diff Brgs

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024041        |
| Master Overhaul Kit                | 10024042        |

### Spools

| Description           | Spicer Part No. |
|-----------------------|-----------------|
| Mini Spool, 28 Spline | 10015370        |

### Rear Axle Shafts

| Application                                                                            | Location | Spline | Length (in) | SVL Part No. | OE Part No. | Hollander Part No. |
|----------------------------------------------------------------------------------------|----------|--------|-------------|--------------|-------------|--------------------|
| 78-88 Caprice, Impala, Lesabre, Riviera Monte Carlo, Malibu, Catalina, Bonneville..... | RH/LH    | 28     | 30.5"       | 2022592      | 1255801     | 447-1067           |
| 70-81 Camaro, 68-72 Chevelle/El Camino.....                                            | RH/LH    | 28     | 30.25"      | 2022653      | 1255802-SH  | 447-912            |
| 67-69 Camaro, 70-75 Nova, 65-67 Chevelle .....                                         | RH/LH    | 28     | 29.5"       | 2022648      | 1255803-SH  | 447-787            |

### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |

## GM 8.25" IFS

### Applications

| Year  | Make | Model      |
|-------|------|------------|
| 88-08 | GM   | 1500 Front |
| 88-99 | GM   | 2500 6 Lug |
| 92-08 | GM   | Blazer     |

### Ring & Pinions

| Ratio | SVL Part No. | Application Notes          |
|-------|--------------|----------------------------|
| 3.73  | 10004692     | All IFS Reverse Rotation   |
| 4.11  | 10005099     | All IFS - Reverse Rotation |

### Differential Rebuild Kits

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024039        |
| Master Overhaul Kit                | 10024040        |

### Differential Carrier Case Kits

| Description                                     | SVL Part No. |
|-------------------------------------------------|--------------|
| GM 8.25" IFS Std/Open 3.42 & Up (Unloaded Case) | 10019417     |

### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |

## GM 55 Passenger Cars (1955-64)

### Applications

| Year    | Make      | Model     |
|---------|-----------|-----------|
| 1955-64 | Chevrolet | Bel Air   |
| 1958-64 | Chevrolet | Biscayne  |
| 1956-62 | Chevrolet | Corvette  |
| 1959-64 | Chevrolet | El Camino |
| 1957-64 | Chevrolet | Impala    |
| 1955-62 | Chevrolet | Nomad     |
| 1962-64 | Chevrolet | Nova      |

### Differential Carrier Case Inner Gear Kits

| Description                                      | SVL Part No. |
|--------------------------------------------------|--------------|
| GM55 Passenger Car (17 Spline) Open Differential | 10001710     |

### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |



**GM 8.5" & GM 8.6" 10 Bolt**


**Applications**

| Year    | Make      | Model                     |
|---------|-----------|---------------------------|
| 1973-75 | Buick     | Apollo                    |
| 1971-89 | Buick     | Electra                   |
| 2004-07 | Buick     | Rainier                   |
| 1973-87 | Buick     | Regal                     |
| 1975-78 | Buick     | Riviera                   |
| 1970-79 | Buick     | Skylark                   |
| 1999-13 | Cadillac  | Escalade                  |
| 2002-13 | Chevrolet | Avalanche 1500            |
| 1970-75 | Chevrolet | Bel Air                   |
| 1977-94 | Chevrolet | Blazer                    |
| 1979-87 | Chevrolet | C10 1/2 Ton 2WD           |
| 1989-00 | Chevrolet | C2500 3/4 Ton 2WD         |
| 1970-81 | Chevrolet | Camaro                    |
| 1970-96 | Chevrolet | Caprice                   |
| 1973-73 | Chevrolet | Chevelle/ Malibu          |
| 2004-12 | Chevrolet | Colorado                  |
| 1971-76 | Chevrolet | El Camino                 |
| 1996-13 | Chevrolet | Express Van 1500 1/2 Ton  |
| 1996-98 | Chevrolet | Express Van 2500 3/4 Ton  |
| 1979-95 | Chevrolet | G10 1/2 Ton               |
| 1975-95 | Chevrolet | G20 3/4 Ton               |
| 1971-96 | Chevrolet | Impala                    |
| 1977-99 | Chevrolet | K10/ K1500 1/2 Ton 4WD    |
| 1977-91 | Chevrolet | K20/K2500 3/4 Ton 4WD     |
| 1977-91 | Chevrolet | K5 Blazer 4WD             |
| 1973-83 | Chevrolet | Malibu                    |
| 1973-78 | Chevrolet | Monte Carlo               |
| 1970-79 | Chevrolet | Nova                      |
| 1994-05 | Chevrolet | S10 Blazer / Pickup       |
| 1999-13 | Chevrolet | Silverado 1500 1/2 Ton    |
| 2001-13 | Chevrolet | Silverado HD 1500 1/2 Ton |
| 2003-06 | Chevrolet | SSR                       |
| 1977-13 | Chevrolet | Suburban 1/2 Ton          |
| 1977-90 | Chevrolet | Suburban 3/4 Ton          |
| 1995-13 | Chevrolet | Tahoe 1500 1/2 Ton        |

| Year    | Make       | Model                  |
|---------|------------|------------------------|
| 1999-12 | Chevrolet  | Trailblazer            |
| 1979-99 | GMC        | C15/ C1500 1/2 Ton 2WD |
| 1997-00 | GMC        | C25/ C2500 3/4 Ton 2WD |
| 2004-12 | GMC        | Canyon                 |
| 2002-09 | GMC        | Envoy                  |
| 1979-95 | GMC        | G15/ G1500 1/2 Ton     |
| 1978-95 | GMC        | G25/ G2500 3/4 Ton     |
| 1977-99 | GMC        | K15/ K1500 1/2 Ton 4WD |
| 1977-91 | GMC        | K25/ K2500 3/4 Ton 4WD |
| 1994-05 | GMC        | S15 Jimmy / Pickup     |
| 1996-13 | GMC        | Savana 1500 1/2 Ton    |
| 1996-98 | GMC        | Savana 2500 3/4 Ton    |
| 1999-13 | GMC        | Sierra 1500 1/2 Ton    |
| 2001-13 | GMC        | Sierra 1500 HD 1/2 Ton |
| 1999-13 | GMC        | Sierra Denali          |
| 1994-04 | GMC        | Sonoma                 |
| 1977-00 | GMC        | Suburban 1/2 Ton       |
| 1977-90 | GMC        | Suburban 3/4 Ton       |
| 1992-93 | GMC        | Typhoon                |
| 1992-13 | GMC        | Yukon 1500 1/2 Ton     |
| 2000-13 | GMC        | Yukon XL 1500 1/2 Ton  |
| 2005-11 | Hummer     | H3                     |
| 2003-08 | Isuzu      | Ascender               |
| 1970-87 | Oldsmobile | Cutlass                |
| 1973-79 | Oldsmobile | Omega                  |
| 1978-79 | Plymouth   | Phoenix                |
| 1970-86 | Pontiac    | Bonneville             |
| 1970-81 | Pontiac    | Catalina               |
| 1970-81 | Pontiac    | Firebird               |
| 1971-87 | Pontiac    | Grand Prix             |
| 1970-77 | Pontiac    | GTO                    |
| 1971-83 | Pontiac    | LeMans                 |
| 1970-81 | Pontiac    | Trans Am               |
| 1976-77 | Pontiac    | Ventura                |

**Ring & Pinions**

| Ratio | SVL Part No. | Application Notes |
|-------|--------------|-------------------|
| 2.73  | 2020645      | GM 8.5" 10 bolt   |
| 3.23  | 2023698      | GM 8.5" 10 bolt   |
| 3.42  | 2020642      | GM 8.5" 10 bolt   |
| 3.73  | 2023695      | GM 8.5" 10 bolt   |
| 3.90  | 2020954      | GM 8.5" 10 bolt   |
| 4.11  | 2019328      | GM 8.5" 10 bolt   |
| 4.88  | 2023704      | GM 8.5" 10 bolt   |
| 5.13  | 2023707      | GM 8.5" 10 bolt   |
| 5.38  | 2023701      | GM 8.5" 10 bolt   |



**Differential Rebuild Kits**

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024043        |
| Master Overhaul Kit                | 10024044        |



**GM 8.5" & GM 8.6" 10 Bolt (Continued)**

**Differential Carrier Cases**

| Description                                                  | SVL Part No. |
|--------------------------------------------------------------|--------------|
| GM 8.5" Open/Std Case , 2.73 & Up, 28 & 30 Spline (Unloaded) | 10019412     |
| GM 8.6".v2 Open/Std Case, 2.73 & up, (Unloaded)              | 10019428     |

**Spools**

| Description           | Spicer Part No. |
|-----------------------|-----------------|
| Mini Spool, 28 Spline | 10015373        |
| Mini Spool, 30 Spline | 10015388        |

**Carrier Case Inner Gear Kits**

| Description              | Spline    | SVL Part No. |
|--------------------------|-----------|--------------|
| GM 8.5" Standard Open    | 28 Spline | 10020477     |
| GM 8.5" Eaton Style POSI | 28 Spline | 10028813     |
| GM 8.5" Standard Open    | 30 Spline | 10020478     |
| GM 8.5" Eaton Style POSI | 30 Spline | 10028814     |
| GM 8.6" V2 Standard Open | 30 Spline | 2023879      |

**Chromoly Front Axle Shafts - (Inners/Outers)**

| Application                                                                                                | Location | Position | Spline | Length (in) | U-Joint Part No. | Spicer Part No. |
|------------------------------------------------------------------------------------------------------------|----------|----------|--------|-------------|------------------|-----------------|
| 69-77 Blazer, 69-80 K10/K1500,<br>69-80 K20/K2500, 69-80 K5 Blazer,<br>69-80 Suburban, 74-92 Wagoneer..... | Outer    | RH/LH    | 19     | 9.94"       | 5-760X           | 10007802        |
| 79-87 Blazer, 79-87 K10/K15/K1500,<br>79-87 K20/K25/K2500,<br>79-87 K5 Blazer, 79-87 Suburban, .....       | Inner    | RH       | 28     | 19.15"      | 5-760X           | 10007808        |
| 79-87 Blazer, 79-87 K10/K15/K1500,<br>79-87 K20/K25/K2500,<br>79-87 K5 Blazer, 79-87 Suburban, .....       | Inner    | LH       | 28     | 35.46"      | 5-760X           | 10007809        |
| 88-91 Blazer, 88-91 K10/K15/K1500,<br>88-91 K5 Blazer, 88-91 Suburban.....                                 | Inner    | RH       | 30     | 19.15"      | 5-760X           | 10007823        |
| 88-91 Blazer, 88-91 K10/K15/K1500,<br>88-91 K5 Blazer, 88-91 Suburban.....                                 | Inner    | LH       | 30     | 35.46"      | 5-760X           | 10008246        |

**Rear Axle Shafts**

| Application                                                                     | Location | Spline | Length (in) | SVL Part No. | OE Part No. | Hollander Part No. |
|---------------------------------------------------------------------------------|----------|--------|-------------|--------------|-------------|--------------------|
| 78-86 C10/1500 PU, K5 Blazer, Suburban.....                                     | RH & LH  | 28     | 31.31"      | 2022592      | 14035542    | 447-1204           |
| 91-96 Caprice/Roadmaster/Fleetwood .....                                        | RH       | 30     | 30.38"      | 2022653      | 26018080    | 447-1858           |
| 89-90 Caprice .....                                                             | RH & LH  | 28     | 30.43"      | 2022648      | 26014036    | 447-1668           |
| 80-88 Caprice/Impala/Electra/ Fleetwood/<br>Electra.....                        | RH & LH  | 28     | 30.43"      | 2022645      | 22501599    | 447-1205           |
| 88-90 Caprice/Fleetwood/Brougham .....                                          | RH & LH  | 30     | 30.25"      | 2022647      | 26014037    | 447-1407           |
| 91-96 Caprice/Estate Wagon,<br>96-92 Roadmaster .....                           | RH & LH  | 30     | 31.81"      | 2022652      | 26014038    | 447-1857           |
| 91-99 Yukon/Tahoe/Suburban.....                                                 | RH & LH  | 30     | 33"         | 2022612      | 26010416    | 447-1671           |
| 78-88 Suburban/Blazer/Jimmy.....                                                | RH & LH  | 28     | 31.5"       | 2022600      | 14039547    | 447-1300           |
| 88-91 Suburban/Blazer/Jimmy.....                                                | RH & LH  | 30     | 31.5"       | 2022609      | 26010414    | 447-1652           |
| 88-95 G1500/G2500.....                                                          | RH & LH  | 30     | 33.38"      | 2022613      | 26013313    | 447-1672           |
| 87-91 Suburban (RV Series).....                                                 | RH & LH  | 30     | 31.5"       | 2022610      | 26010415    | 447-1669           |
| 88-99 Tahoe/Suburban/Yukon, 94-92 Blazer ....                                   | RH & LH  | 30     | 32.00"      | 2022611      | 26010417    | 447-1670           |
| 96-02 Express/Savanna.....                                                      | LH       | 30     | 33.32"      | 2022658      | 26042818    | 447-2172           |
| 75-88 G10/G20, 88-79 G1500/G2500 .....                                          | RH & LH  | 28     | 33.43"      | 2022590      | 14042690    | 447-1085           |
| 07-12 Avalanche, Escalade, Silverado,<br>Sierra, Suburban, Yukon, Yukon XL..... | RH & LH  | 30     | 34.25"      | 2023479      | 15286380    | 447-190            |



**GM 8.5" & GM 8.6" 10 Bolt (Continued)**


**U-Joints & Kits**

**Spicer Life Series (SPL) Premium Performance U-Joint Packs**

| Application                                                            | Spicer Part No. |
|------------------------------------------------------------------------|-----------------|
| 99-04 1500 HD Pickup (Regular Cab).....                                | SPL1021CK       |
| 05 1500 HD Pickup (Regular Cab w/inside snap rings) .....              | SPL1021CK       |
| 99-01 1500 HD Pickup (Extended Cab, Short Bed) .....                   | SPL1022CK       |
| 02-04 1500 HD Pickup (Extended Cab, Std. Bed, W/O 4 Wheel Steer) ..... | SPL1022CK       |
| 99-01 1500 HD Pickup (Extended Cab, Long Bed).....                     | SPL1023CK       |
| 02-04 1500 HD Pickup (Extended Cab, Long Bed, W/O 4 Wheel Steer).....  | SPL1023CK       |
| 02-04 1500 HD Pickup (Extended Cab, Std Bed, W/ 4 Wheel Steer) .....   | SPL1024CK       |
| 05 1500 HD Pickup (Regular Cab w/Outside snap rings) .....             | SPL1024CK       |
| 06 1500 HD Pickup (Regular Cab, Ext Cab - Std Bed, Crew Cab) .....     | SPL1024CK       |
| 02-04 1500 HD Pickup (Crew Cab).....                                   | SPL1025CK       |
| 06 1500 HD Pickup (Extended Cab Long Bed).....                         | SPL1025CK       |

**Misc. Components**

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |






**GM 8.875" 12 Bolt Car**

**Applications**

| Year    | Make      | Model           | Year    | Make      | Model       |
|---------|-----------|-----------------|---------|-----------|-------------|
| 1964-72 | Chevrolet | Bel Air         | 1964-72 | Chevrolet | Biscayne    |
| 1967-72 | Chevrolet | Camaro          | 1966-70 | Chevrolet | Caprice     |
| 1964-72 | Chevrolet | Chevelle/Malibu | 1964-68 | Chevrolet | Chevy II    |
| 1965-72 | Chevrolet | El Camino       | 1970-72 | Pontiac   | GTO         |
| 1964-72 | Chevrolet | Impala          | 1970-72 | Chevrolet | Monte Carlo |
| 1968-72 | Chevrolet | Nomad           | 1964-72 | Chevrolet | Nova        |
| 1969-72 | Pontiac   | Trans Am        | 1964-72 | Chevrolet | Wildcat     |

**Ring & Pinions**

| Ratio | SVL Part No. | Note                             |
|-------|--------------|----------------------------------|
| 3.08  | 10001328     |                                  |
| 3.42  | 10001331     |                                  |
| 3.55  | 10001411     |                                  |
| 3.73  | 10001414     |                                  |
| 3.73  | 2023890      | Thin Gear for 4.10 & Up Carrier  |
| 3.90  | 2023893      |                                  |
| 4.11  | 2023893      |                                  |
| 4.11  | 2023899      | Thick Gear for 3.90 & Up Carrier |
| 4.56  | 2023902      |                                  |
| 4.88  | 2023905      |                                  |
| 5.13  | 2023908      |                                  |



**Differential Rebuild Kits**

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024045        |
| Master Overhaul Kit                | 10024046        |

**Carrier Case Inner Gear Kits**

| Description       | Spline    | SVL Part No. |
|-------------------|-----------|--------------|
| Eaton Style POSI  | 30 Spline | 2023882      |
| Open Differential | 30 Spline | 2023883      |

**Differential/Spools**

| Description | Spline    | Spicer Part No. |
|-------------|-----------|-----------------|
| Mini Spool  | 30 Spline | 10015379        |

**Differential Cover Gaskets**

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD51996         |

**Rear Axle Shafts**

| Application                                               | Position | Spline | Length (in) | SVL Part No. | OE Part No. | Hollander Part No. |
|-----------------------------------------------------------|----------|--------|-------------|--------------|-------------|--------------------|
| 65-72 Chevelle/El Camino, 67-69 Camaro, 65-67 Malibu..... | RH/LH    | 30     | 29.75"      | 2022607      | 3969349     | 447-788            |
| 68-72 Chevelle/El Camino, 70 Camaro/ Firebird.....        | RH/LH    | 30     | 31.13"      | 2022620-1    | 3969285     | 447-913            |

**Misc. Components**


| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |



## GM 8.875" 12 Bolt Truck

### Applications

| Year    | Make      | Model                    |
|---------|-----------|--------------------------|
| 1969-81 | Chevrolet | Blazer                   |
| 1963-87 | Chevrolet | C15/ C1500 1/2 Ton (2WD) |
| 1963-87 | Chevrolet | G15/ G1500 1/2 Ton       |
| 1969-87 | Chevrolet | K10/ K1500 1/2 Ton (4WD) |
| 1963-87 | Chevrolet | K5 Blazer (4WD)          |
| 1963-87 | Chevrolet | Suburban 1/2 Ton         |
| 1967-81 | Chevrolet | C10 1/2 Ton (2WD)        |
| 1961-81 | Chevrolet | G10 1/2 Ton              |
| 1963-87 | Chevrolet | G25/ G2500 3/4 Ton       |
| 1963-87 | Chevrolet | K15/ K1500 1/2 Ton (4WD) |
| 1963-87 | Chevrolet | Suburban 1/2 Ton         |



### Ring & Pinions

| Ratio | SVL Part No. | Application Notes |
|-------|--------------|-------------------|
| 3.08  | 10001417     |                   |
| 3.42  | 10001420     |                   |
| 3.73  | 10001424     |                   |
| 3.73  | 10001431     | Thick Gear        |
| 4.11  | 10004677     |                   |
| 4.11  | 10004680     | Thick Gear        |
| 4.56  | 2023716      |                   |
| 4.56  | 10004683     | Thick Gear        |

### Carrier Case Inner Gear Kits

| Description                | Spline    | SVL Part No. |
|----------------------------|-----------|--------------|
| Posi Traction Differential | 30 Spline | 2023882      |
| Open Differential          | 30 Spline | 2023883      |

### Differential Carrier Cases

| Description                                     | SVL Part No. |
|-------------------------------------------------|--------------|
| Open/Std Case, 3.73 & Up, 30 Spline, (Unloaded) | 10019411     |

### Differential/Spools

| Description | Spline    | Spicer Part No. |
|-------------|-----------|-----------------|
| Mini Spool  | 30 Spline | 10015379        |

### Rear Axle Shafts

| Application                                        | Position | Spline | Length (in) | SVL Part No. | OE Part No. | Hollander Part No. |
|----------------------------------------------------|----------|--------|-------------|--------------|-------------|--------------------|
| 70-81 K-Series Suburban/Blazer                     | RH/LH    | 30     | 31.43"      | 2022658      | 14071750    | 447-1063           |
| 70-87 Blazer, Jimmy, Pickup & Suburban 1/2 Ton 2WD | RH/LH    | 30     | 31.43"      | 2022649-1    | 14071751    | 447-1062           |

### Misc. Components


| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |



**GM 9.25" IFS Front (2010 & Down)**

**Applications**

| Year    | Make      | Model                     |
|---------|-----------|---------------------------|
| 2002-06 | Chevrolet | Avalanche 2500 (Front)    |
| 2004-10 | Chevrolet | Express Van 3500 (Front)  |
| 1988-00 | Chevrolet | K20/K2500 (Front)         |
| 1989-00 | Chevrolet | K30/K3500 (Front)         |
| 2001-10 | Chevrolet | Silverado 1500 HD (Front) |
| 1999-10 | Chevrolet | Silverado 2500 (Front)    |
| 2001-10 | Chevrolet | Silverado 3500 (Front)    |
| 1988-10 | Chevrolet | Suburban (Front)          |
| 1988-00 | GMC       | K25/K2500 (Front)         |
| 1989-00 | GMC       | K35/K3500 (Front)         |
| 2001-10 | GMC       | Sierra 1500 HD (Front)    |
| 2001-10 | GMC       | Sierra 2500 (Front)       |
| 2001-10 | GMC       | Sierra 3500 (Front)       |
| 2000-10 | GMC       | Sierra Denali (Front)     |
| 1992-10 | GMC       | Yukon 2500 (Front)        |
| 2000-10 | GMC       | Yukon XL 2500 (Front)     |
| 2002-09 | Hummer    | H2 (Front)                |



**Differential Rebuild Kits**

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 1002407         |
| Master Overhaul Kit                | 1002408         |

**Differential Carrier Case Kits**

| Description                         | SVL Part No. |
|-------------------------------------|--------------|
| Open/Std Case, 3.42 & up (Unloaded) | 10019420     |

**U-Joints & Kits**

**Spicer Life Series (SPL) Premium Performance U-Joint Packs**

| Application                                                            | Spicer Part No. |
|------------------------------------------------------------------------|-----------------|
| 99-04 1500 HD Pickup (Regular Cab).....                                | SPL1021CK       |
| 05 1500 HD Pickup (Regular Cab w/inside snap rings) .....              | SPL1021CK       |
| 99-01 1500 HD Pickup (Extended Cab, Short Bed) .....                   | SPL1022CK       |
| 02-04 1500 HD Pickup (Extended Cab, Std. Bed, W/O 4 Wheel Steer) ..... | SPL1022CK       |
| 99-01 1500 HD Pickup (Extended Cab, Long Bed).....                     | SPL1023CK       |
| 02-04 1500 HD Pickup (Extended Cab, Long Bed, W/O 4 Wheel Steer).....  | SPL1023CK       |
| 02-04 1500 HD Pickup (Extended Cab, Std Bed, W/ 4 Wheel Steer) .....   | SPL1024CK       |
| 05 1500 HD Pickup (Regular Cab w/Outside snap rings) .....             | SPL1024CK       |
| 06 1500 HD Pickup (Regular Cab, Ext Cab - Std Bed, Crew Cab) .....     | SPL1024CK       |
| 02-04 1500 HD Pickup (Crew Cab) .....                                  | SPL1025CK       |
| 06 1500 HD Pickup (Extended Cab Long Bed).....                         | SPL1025CK       |

**Misc. Components**

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |

**SPICER®**MADE IN THE U.S.A.  
**Genuine**DANA  
CRATE AXLES**SVL®**

## GM 9.5" Rear

### Applications

| Year    | Make   | Model         |
|---------|--------|---------------|
| 1988-08 | GM     | 1500 HD       |
| 1981-08 | GM     | 2500 (Non HD) |
| 2003-08 | Hummer | H2            |

### Differential Carrier Case Kits


| Description                        | SVL Part No. |
|------------------------------------|--------------|
| Std/Open 3.42 & Up (Unloaded Case) | 10019420     |

### Carrier Case Inner Gear Kits

| Description    | Spline | SVL Part No. |
|----------------|--------|--------------|
| Open/Std. Diff | 33     | 2023880      |

### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |






**GM 10.5" 14 Bolt**

**Applications**

| Year     | Make      | Model                     |
|----------|-----------|---------------------------|
| 2002-06  | Chevrolet | Avalanche 2500            |
| 1973-88  | Chevrolet | C20 3/4 Ton 2WD           |
| 1989-00  | Chevrolet | C2500 3/4 Ton 2WD         |
| 1973-88  | Chevrolet | C30 1Ton 2WD              |
| 1989-02  | Chevrolet | C3500                     |
| 1996-13  | Chevrolet | Express Van 2500 3/4 Ton  |
| 1996-13  | Chevrolet | Express Van 3500 1 Ton    |
| 1975-95  | Chevrolet | G20 3/4 Ton               |
| 1979-96  | Chevrolet | G30 1 Ton                 |
| 1973-00  | Chevrolet | K20/K2500 3/4 Ton 4WD     |
| 1972-00  | Chevrolet | K30/ K3500 1 Ton 4WD      |
| 1997-05  | Chevrolet | P30 1 Ton Van             |
| 1997-99  | Chevrolet | P3500                     |
| 1999-13  | Chevrolet | Silverado 2500 3/4 Ton    |
| 2001-13  | Chevrolet | Silverado HD 1500 1/2 Ton |
| 1999-13  | Chevrolet | Silverado HD 2500 3/4 Ton |
| 2001-13  | Chevrolet | Silverado HD 3500 1 Ton   |
| 1973-13  | Chevrolet | Suburban 3/4 Ton          |
| 1973-00  | GMC       | C25/ C2500 3/4 Ton 2WD    |
| 1973-02  | GMC       | C35/ C3500 1 Ton 2WD      |
| 1981-87  | GMC       | G15/ G1500 1/2 Ton        |
| 1979 -96 | GMC       | G35/ G3500 1 Ton          |
| 1966-00  | GMC       | K25/ K2500 3/4 Ton 4WD    |
| 1977-00  | GMC       | K35/K3500 1 Ton 4WD       |
| 1996-13  | GMC       | Savana 2500 3/4 Ton       |
| 1996-13  | GMC       | Savana 3500 1 Ton         |
| 1999-13  | GMC       | Sierra 2500 3/4 Ton       |
| 1999-13  | GMC       | Sierra 2500 HD 3/4 Ton    |
| 1973-00  | GMC       | Suburban 3/4 Ton          |
| 1992-13  | GMC       | Yukon 2500 3/4 Ton        |
| 2006-13  | GMC       | Yukon XL 2500 3/4 Ton     |



**Ring & Pinions**

| Ratio | SVL Part No. | Application Notes                               |
|-------|--------------|-------------------------------------------------|
| 3.21  | 2023929      |                                                 |
| 3.42  | 2023911      |                                                 |
| 3.73  | 2023914      |                                                 |
| 4.11  | 2023917      |                                                 |
| 4.56  | 2023932      |                                                 |
| 4.56  | 2023935      | Thick Gear - Used with 4.10 & Down Carrier Case |
| 4.88  | 2023920      | Thick Gear - Used with 4.10 & Down Carrier Case |
| 5.13  | 2023923      | Thick Gear - Used with 4.10 & Down Carrier Case |
| 5.38  | 2023926      | Thick Gear - Used with 4.10 & Down Carrier Case |

**Differential Rebuild Kits**

**Standard Differential Rebuild Kits**

| Application                  | Spicer Part No. |
|------------------------------|-----------------|
| 73-88 GM 10.5" 14 Bolt ..... | 10024049        |
| 88-97 GM 10.5" 14 Bolt ..... | 10024051        |

**Master Overhaul Kit**

| Application                  | Spicer Part No. |
|------------------------------|-----------------|
| 73-88 GM 10.5" 14 Bolt ..... | 10024050        |
| 88-97 GM 10.5" 14 Bolt ..... | 10024052        |



**GM 10.5" 14 Bolt (Continued)**

**Differential Carrier Case Kits**


| Description                           | SVL Part No. |
|---------------------------------------|--------------|
| Open/Std Case, 4.10 & down (Unloaded) | 10019431     |

**Spools**

| Description            | Spicer Part No. |
|------------------------|-----------------|
| 4.10 & Down, 30 Spline | 2022498         |

**Differential Cover Gaskets**

| Description                 | Spicer Part No. |
|-----------------------------|-----------------|
| High Performance / Reusable | RD51995         |



**U-Joints & Kits**

**Spicer Life Series (SPL) Premium Performance U-Joint Packs**

| Application                                                            | Spicer Part No. |
|------------------------------------------------------------------------|-----------------|
| 99-04 1500 HD Pickup (Regular Cab).....                                | SPL1021CK       |
| 05 1500 HD Pickup (Regular Cab w/inside snap rings) .....              | SPL1021CK       |
| 99-01 1500 HD Pickup (Extended Cab, Short Bed) .....                   | SPL1022CK       |
| 02-04 1500 HD Pickup (Extended Cab, Std. Bed, W/O 4 Wheel Steer) ..... | SPL1022CK       |
| 99-01 1500 HD Pickup (Extended Cab, Long Bed).....                     | SPL1023CK       |
| 02-04 1500 HD Pickup (Extended Cab, Long Bed, W/O 4 Wheel Steer).....  | SPL1023CK       |
| 02-04 1500 HD Pickup (Extended Cab, Std Bed, W/ 4 Wheel Steer) .....   | SPL1024CK       |
| 05 1500 HD Pickup (Regular Cab w/Outside snap rings) .....             | SPL1024CK       |
| 06 1500 HD Pickup (Regular Cab, Ext Cab - Std Bed, Crew Cab) .....     | SPL1024CK       |
| 02-04 1500 HD Pickup (Crew Cab).....                                   | SPL1025CK       |
| 06 1500 HD Pickup (Extended Cab Long Bed).....                         | SPL1025CK       |

**Misc. Components**


| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |



**GM 11.5" AAM**

**Applications**

| Year    | Make      | Model             |
|---------|-----------|-------------------|
| 2004-10 | Chevrolet | Express Van 3500  |
| 2001-10 | Chevrolet | Silverado 2500    |
| 2001-10 | Chevrolet | Silverado 3500    |
| 2001-10 | Chevrolet | Silverado HD 2500 |
| 2001-10 | Chevrolet | Silverado HD 3500 |
| 2001-09 | GMC       | Savana 3500       |
| 2001-10 | GMC       | Sierra 2500       |
| 2001-10 | GMC       | Sierra 2500 HD    |
| 2001-10 | GMC       | Sierra 3500       |
| 2001-10 | GMC       | Sierra 3500 HD    |
| 2003-11 | Dodge     | 2500/3500         |



**Ring & Pinions**

| Ratio | SVL Part No. |
|-------|--------------|
| 3.42  | 10004686     |
| 3.73  | 2020648      |
| 4.10  | 2020651      |
| 4.56  | 2020654      |
| 4.88  | 2020657      |
| 5.13  | 2023688      |
| 5.38  | 2023691      |

**Carrier Case Inner Gear Kits**

| Description              | SVL Part No. |
|--------------------------|--------------|
| Standard Open, 30 Spline | 2023881      |

**U-Joints & Kits**

**Spicer Life Series (SPL) Premium Performance U-Joint Packs**

| Application                                                            | Spicer Part No. |
|------------------------------------------------------------------------|-----------------|
| 99-04 1500 HD Pickup (Regular Cab).....                                | SPL1021CK       |
| 05 1500 HD Pickup (Regular Cab w/inside snap rings) .....              | SPL1021CK       |
| 99-01 1500 HD Pickup (Extended Cab, Short Bed) .....                   | SPL1022CK       |
| 02-04 1500 HD Pickup (Extended Cab, Std. Bed, W/O 4 Wheel Steer) ..... | SPL1022CK       |
| 99-01 1500 HD Pickup (Extended Cab, Long Bed).....                     | SPL1023CK       |
| 02-04 1500 HD Pickup (Extended Cab, Long Bed, W/O 4 Wheel Steer).....  | SPL1023CK       |
| 02-04 1500 HD Pickup (Extended Cab, Std Bed, W/ 4 Wheel Steer) .....   | SPL1024CK       |
| 05 1500 HD Pickup (Regular Cab w/Outside snap rings) .....             | SPL1024CK       |
| 06 1500 HD Pickup (Regular Cab, Ext Cab - Std Bed, Crew Cab) .....     | SPL1024CK       |
| 02-04 1500 HD Pickup (Crew Cab).....                                   | SPL1025CK       |
| 06 1500 HD Pickup (Extended Cab Long Bed).....                         | SPL1025CK       |

**Misc. Components**

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |

**SPICER®**MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES**SVL®**


## Toyota 7.5" Standard Rotation

### Applications

| Year        | Make   | Model                                                    |
|-------------|--------|----------------------------------------------------------|
| 1979 - 97   | Toyota | Hilux 2WD Rear                                           |
| 1977 - 95   | Toyota | Pick Up 2WD Rear                                         |
| 1995 - 2006 | Toyota | Tacoma 2WD Rear                                          |
| 1986 - 95   | Toyota | 4Runner/Pick UP 4WD Front IFS Std. Rotation (4 & 6 Cyl.) |
| 1986 - 97   | Toyota | Hilux 4WD Front IFS Std. Rotation (4 & 6 Cyl.)           |
| 1993 - 98   | Toyota | T100 4WD Front IFS Std. Rotation (6 Cyl.)                |

### Ring & Pinions

| Ratio | SVL Part No. | Industry No. |
|-------|--------------|--------------|
| 4.56  | 2021378      | T7.5-456IFS  |
| 4.88  | 2021369      | T7.5-488IFS  |
| 5.29  | 2021375      | T7.5-529IFS  |



### Differential Rebuild Kits

**79-95 Pickup/4Runner, 87-95 Supra non Turbo**

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024053        |
| Master Overhaul Kit                | 10024054        |

### Misc. Components


| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |



## Toyota 8" 4 Cyl

### Applications

| Year    | Make   | Model                              |
|---------|--------|------------------------------------|
| 1979-85 | Toyota | Pickup/4 Runner Front              |
| 1979-95 | Toyota | Pickup/4 Runner Rear (V6 & 4 Cyl.) |
| 1987-95 | Toyota | Pickup Rear/4 Runner Rev. Rotation |
| 1990-98 | Toyota | Land Cruiser Front                 |



### Ring & Pinions

| Ratio | SVL Part No. | Industry No. |
|-------|--------------|--------------|
| 3.90  | 2021388      | T390         |
| 4.11  | 10001325     | T411         |
| 4.56  | 2020894      | T456         |
| 4.88  | 2021381      | T488         |
| 5.29  | 2020891      | T529         |
| 5.71  | 2021372      | T571         |

### Differential Rebuild Kits

#### 79-85 Pickup/4Runner

| Description                        | Spicer Part No. |
|------------------------------------|-----------------|
| Standard Differential Rebuild Kits | 10024055        |
| Master Overhaul Kit                | 10024056        |

### Differential/Spools

| Description | Spicer Part No.                   |
|-------------|-----------------------------------|
| Full Spool  | 4 Cylinder - 30 Spline<br>2023543 |
| Full Spool  | V6 - 30 Spline<br>2023539         |

### Carrier Case Inner Gear Kits

| Description              | SVL Part No. |
|--------------------------|--------------|
| Standard Open, 30 Spline | 10005781     |

### Rear Axle Shafts

| Application          | Location | Spline | Length (in) | SVL Part No. | OE Part No. | Hollander Part No. |
|----------------------|----------|--------|-------------|--------------|-------------|--------------------|
| 96-02 4-Runner ..... | RH/LH    | 30     | 29.63"      | 2023480      | 4231135400  | 447-59694          |

### Misc. Components


| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |



## Toyota V6 Truck & Tacoma w/ OEM Locking Diff.

### Applications

| Year    | Make   | Model                                  |
|---------|--------|----------------------------------------|
| 1995-13 | Toyota | Tacoma Rear w/ OEM locking Diff.       |
| 2007-09 | Toyota | FJ Cruiser Rear w/ OEM locking Diff.   |
| 1993-98 | Toyota | T100 Rear w/ OEM locking Diff.         |
| 1999-06 | Toyota | Tundra Rear w/o OEM locking Diff.      |
| 1996-09 | Toyota | 4Runner Rear w/ OEM locking Diff.      |
| 1985-09 | Toyota | 4Runner Rear (6 Cyl.)                  |
| 1986-95 | Toyota | Pick up Rear (6 Cyl.) & (4 Cyl. Turbo) |
| 1985-97 | Toyota | Hilux Rear (6 Cyl.) & (4 Cyl. Turbo)   |



### Ring & Pinions

| Ratio | SVL Part No. | Industry No. |
|-------|--------------|--------------|
| 4.11  | 2020529      | T411V6       |
| 4.56  | 2019338      | T456V6       |
| 4.88  | 2020526      | T488V6       |
| 5.29  | 2020532      | T529V6       |

### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |


## Toyota T100 & Tacoma w/o OEM Locking Diff.

### Applications

| Year    | Make   | Model                                             |
|---------|--------|---------------------------------------------------|
| 1995-13 | Toyota | Tacoma 2/4WD Rear w/o OEM locking Diff.           |
| 1993-98 | Toyota | T100 2/4WD Rear w/o OEM locking Diff.             |
| 2001-06 | Toyota | Sequoia 2/4WD Rear w/o OEM locking Diff. (6 Cyl.) |
| 1999-06 | Toyota | Tundra 2WD Rear w/o OEM locking Diff. (6 Cyl.)    |

### Ring & Pinions

| Ratio | SVL Part No. | Industry No. |
|-------|--------------|--------------|
| 4.56  | 2021393      | TAC456       |
| 4.88  | 2020915      | TAC488       |
| 5.29  | 2021396      | TAC529       |



### Differential Carrier Cases

| Description                                         | SVL Part No. |
|-----------------------------------------------------|--------------|
| Toy T100/Taco Open/Std Case, 3.73 & down (Unloaded) | 10019430     |

### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |

**SPICER®**



MADE IN THE U.S.A.  
**Genuine**  
DANA  
CRATE AXLES

**SVL®**




## Toyota 9.5" Landcruiser Standard Rotation

### Applications

| Year    | Make   | Model                        |
|---------|--------|------------------------------|
| 1969-90 | Toyota | Landcruiser Front solid Axle |
| 1969-03 | Toyota | Landcruiser Rear             |

### Ring & Pinions

| Ratio | SVL Part No. | Industry No. |
|-------|--------------|--------------|
| 4.88  | 2021385      | T488L        |



### Misc. Components

| Description                     | Spicer Part No. |
|---------------------------------|-----------------|
| Friction Modifier/POSI Additive | 43161           |
| RTV Sealant (2.8 oz.)           | 38615           |





Engineered for Precision.

# BACKED BY DANA.

## Genuine Spicer® Products

Tested and proven, Spicer parts are manufactured to the highest standards of premium performance and the quality you expect from Dana.

[www.SpicerParts.com](http://www.SpicerParts.com)



## SVL® Products for the Aftermarket

With the ideal blend of coverage for all makes, quality SVL parts are engineered to meet Dana's aftermarket product requirements.

[www.SVLparts.com](http://www.SVLparts.com)

For more information:

[www.SpicerParts.com](http://www.SpicerParts.com) | 1.800.621.8084 | [www.SVLparts.com](http://www.SVLparts.com)



A F T E R M A R K E T

# PERFORMANCE

STRENGTH. POWER. ENDURANCE.

# UNLEASHED.

Trusted Dana Brands



**SPICER**

**VICTOR REINZ**



**TRU-COOL**

**SVL**



## Dana Aftermarket Group

PO Box 1000

Maumee, Ohio 43537

Customer Service: 1.800.621.8084

Email: DanaNorthAmericaDC@Dana.com

[www.SpicerParts.com](http://www.SpicerParts.com)

