


Wiper Blade Quick-Reference Guide

Wiper Blades

	Blade Length		Pin Arm		Hook Arm					
			4.8mm	6.35mm						
	Inches	mm	3/16"	1/4"	9x3	9x4	Side Lock	Top Lock		

ICON™**



13A	13	340			✓	✓				
15A	15	380			✓	✓				
16A (416A)	16	400			✓	✓				
17A (417A)	17	425			✓	✓				
17B (417B)	17	425			✓	✓				
18A (418A)	18	450			✓	✓				
18B (418B)	18	450			✓	✓				
19A (419A)	19	475			✓	✓				
19B (419B)	19	475			✓	✓				
20A (420A)	20	500			✓	✓				
20B (420B)	20	500			✓	✓				
21A (421A)	21	530			✓	✓				
21B (421B)	21	530			✓	✓				
22A (422A)	22	550			✓	✓				
22B (422B)	22	550			✓	✓				
24A (424A)	24	600			✓	✓				
26A (426A)	26	650			✓	✓				
28A (428A)	28	700			✓	✓				
28B (428B)	28	700			✓	✓				
190E (460)	19	475					✓	✓	✓	✓
200E (461)	20	500					✓	✓	✓	✓
210E (462)	21	530					✓	✓	✓	✓
220E (463)	22	550					✓	✓	✓	✓
240E (464)	24	600					✓	✓	✓	✓
260E (465)	26	650					✓	✓	✓	✓
280E (466)	28	700					✓	✓	✓	✓

EVOLUTION™



4816	16	400	U3*		U3*	U3*				
4817	17	425			U3*	U3*				
4818	18	450	U3*		U3*	U3*				
4819	19	475	U3*		U3*	U3*	MA4			
4820	20	500	U3*	U3*	U3*	U3*	MA4			
4821	21	530			U3*	U3*	MA4			
4822	22	550		U3*	U3*	U3*				
4824	24	600		U3*	U3*	U3*	MA4			
4826	26	650			U3*	U3*	MA4			
4828	28	700			U3*	U3*				
4840	21	530						✓	✓ ¹	✓ ¹
4841	22	550						✓	✓ ¹	✓ ¹
4842	24	600						✓	✓ ¹	✓ ¹

*Connector is pre-installed on the wiper blade.

**Note new ICON part numbers. Original ICON part numbers are in ().

¹Coverage provided with upgraded connector. See next page.



Wiper Blades

Wiper Blade Quick-Reference Guide

		Pin Arm		Hook Arm							
Blade Length		4.8mm	6.35mm								
Inches	mm	3/16"	1/4"	9x3	9x4			Side Lock	Top Lock		

Clear Advantage™



13-CA	13	340	M5**			✓	✓								
15-CA	15	380				✓	✓								
16-CA	16	400	M5**			✓	✓								
17-CA	17	425				✓	✓								
18-CA	18	450	M5**			✓	✓								
19-CA	19	475	M5**			✓	✓			✓					
20-CA	20	500	M5**			✓	✓			✓					
21-CA	21	530				✓	✓			✓					
22-CA	22	550				✓	✓			✓					
24-CA	24	600				✓	✓			✓					
26-CA	26	650				✓	✓			✓					
28-CA	28	700				✓	✓			✓					
210E-CA	21	530										✓	✓	✓	
220E-CA	22	550										✓	✓	✓	
240E-CA	24	600										✓	✓	✓	

		Pin Arm		Hook Arm				Pin Blade	Side Saddle 7mm	Bayonet				
Blade Length		4.8mm	6.35mm											
Inches	mm	3/16"	1/4"	9x3	9x4	Audi	6mm	7mm	8mm			5mm	7mm	SEV

EXCEL+™



41913	13	340	U1*		U1*				U1*						U1*, B6
41915	15	380			U1*					U1*	Pin, U1*				U1*, B6
41916	16	400	U1*		U1*										U1*, B6
41917	17	425			U1*						Pin, U1*	Q7			U1*, B6
41918	18	450	U1*		U1*										U1*, B6
41919	19	475	U1*		U1*	U1*					Pin, U1*	Q7			
41920	20	500	U1*	U2	U1*	U1*			H1						
41921	21	530			U2*	U2*	U2*								
41922	22	550			U2*	U2*	U2*								
41924	24	600			U2*	U2*	U2*								
41926	26	650			U2*	U2*									
41928	28	700			U2*	U2*									

*Connector is pre-installed on the wiper blade.
 **M5 adapter available Q3 2012.

Wiper Blade Quick-Reference Guide

Wiper Blades

		Pin Arm		Hook Arm						Pin Blade	Side Saddle 7mm	Bayonet			
Blade Length		4.8mm	6.35mm												
Inches	mm	3/16"	1/4"	9x3	9x4	Audi	6mm	7mm	8mm			5mm	7mm	SEV	

MICRO EDGE



40710	10	260						A5	H.V9				J1	H2	
40711	11	280			H.V9			A5	H.V9				J1	H2	
40713	13	340	U1*		U1*				H.V9					U1*,U+	
40715	15	380			U1*					S9	Pin, U1*			U1*,U+	
40716A	16	400	U1*		U1*									U1*,U+	†
40717A	17	425			U1*						Pin, U1*	Q7		U1*,U+	†
40718A	18	450	U1*		U1*									U1*,U+	†
40719A	19	475	U1*		U1*	U1*					Pin, U1*	Q7			†
40720A	20	500	U1*	U2	U1*	U1*				S9					†
40721	21	530			U2*	U2*	U2*								
40722A	22	550		U2*	U2*	U2*									
40724	24	600		U2*	U2*	U2*									
40726	26	650			U2*	U2*									
40728	28	700			U2*	U2*									

DIRECT CONNECT™



40511	11	280			H2*			H1	H2*					B6	
40513	13	340	U1*		U1*				U1*					U1*, B6	
40515	15	380			U1*					U1*	Pin, U1*			U1*, B6	
40516	16	400	U1*		U1*									U1*, B6	
40517	17	425			U1*						Pin, U1*	Q7		U1*, B6	
40518	18	450	U1*		U1*									U1*, B6	
40519	19	475	U1*		U1*	U1*					Pin, U1*	Q7			
40520	20	500	U1*	U2	U1*	U1*			H1						
40521	21	530			U2*	U2*	U2*								
40522	22	550		U2*	U2*	U2*									
40524	24	600		U2*	U2*	U2*									
40526	26	650			U2*	U2*									
40528	28	700			U2*	U2*									

* Connector is pre-installed on the wiper blade.

† If SEV adapter replacement is required, order 3 392 390 359.


Wiper Blade Mounting Information – DirectConnect™




Bosch Excel+™, Micro Edge, and Direct Connect™ Wiper Blades are equipped with the exclusive DirectConnect™ installation system, which widely eliminates the need to select and install the proper connector for a specific wiper arm configuration. Most wiper blades are equipped with a connector, which, on average, is used for 95% of all applications.

The connector is pre-installed and accommodates various sizes of hook arms and pin arms. Side saddle and bayonet arms are also covered with this connector by use of an additional connector.

Connector Identification



Combi Connector



S connector (3 392 390 359):
For 9 x 3mm remove reducer – illustration A; for 7 x 2.5mm reverse reducer – illustration B.

Upgraded Connector for Evolution™

Evolution with original connector



Covers only one top lock connection type

Evolution with upgraded connector



Covers all top lock connection types