

imageCLASS X MF1643i II MF1643iF II

imageCLASS X MF1643 II Series

Print up to 45 ppm (BW)

Print up to 8-1/2" x 14"

2,300-sheet maximum paper capacity

Supports uniFLOW and uniFLOW Online

Designed for small- to mid-size workgroups within an office or home environments used as part of an organization's print fleet, the Canon imageCLASS X MF1643 II Series balances speedy performance, minimal maintenance, and the ability to expand paper capacity for busy groups. A 5" color touchscreen delivers an intuitive user experience and can be customized by a device administrator to simplify many daily tasks.



WORKFLOW EFFICIENCY

- 5" intuitive color touchscreen with smartphone-like usability.
- A unique, customized device experience with Application Library.
- Supports certain mobile solutions for printing and scanning.¹
- Scan and convert documents to searchable digital files through a single-pass, duplex document feeder.
- Designed for smaller print jobs with firstprint-out time as fast as 5.6 seconds.
- Secure scanning directly into Dropbox, Google Drive,[™] Microsoft OneDrive[®]/ OneDrive[®] for Business, and Evernote[®] via uniFLOW Online.



SECURITY FEATURES

- Low risk of confidential information loss, as documents are only stored in short-term memory.
- With imageWARE Enterprise Management Console Device Configuration Manager Plug-in, settings can be captured and exported to other devices on the same network.²
- Remotely control device access and set rules via optional uniFLOW and uniFLOW Online.
- Limit document distribution by implementing Send-to-Myself-only.
- Verify System at Startup is a process to help verify the validity of the device firmware and Application Library from unauthorized modifications.





COST MANAGEMENT

- Leverage optional uniFLOW or uniFLOW Online for full accounting and reporting for Canon and third-party devices, pull printing, and job routing.
- Service parts are designed for machine's life cycle to help minimize need for proactive maintenance and potentially reduce service calls.
- High-capacity, all-in-one cartridge helps reduce overall supply costs.



DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics for rapid service response.
- Easily monitor device status and consumable levels, observe meter readings, manage settings, and implement security settings.

uniFLOW

Mobile Printing

 (\downarrow)

ĩ



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies keep productivity high and minimize the impact on support resources.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished.
- Intuitive animations for common tasks like consumables replacement.



SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve low-energy consumption.
- Encourage environmentally conscious work practices by enabling settings that can help save paper and energy.
- ENERGY STAR® certified and currently rated EPEAT® Silver.³

MANAGE OUTPUT WITH uniFLOW ONLINE

The optional uniFLOW Online offers a cloud-based printing, scanning, and accounting solution that's easy to configure and has the latest security features. The solution extends the standard functionality provided by uniFLOW Online Express by adding My Print and Scan Anywhere, mobile printing, and more, to support users whether they're in the office or at home.

FLEET MANAGEMENT TOOLS

imageWARE Enterprise Management Console can be used by a device administrator to centrally manage the Canon printer fleet, including consumables, status notifications, meters, and configuration settings. imageWARE Remote allows for the service provider to manage devices proactively, including remote diagnosis and reporting. Local Content Delivery System facilitates remote firmware download at the device level.

FAST, SINGLE-PASS DUPLEX SCANNING

The imageCLASS X MF1643 II Series leverages a singlepass document feeder for two-sided scanning at up to 70 images per minute (ipm) in black and white or 26 ipm in color. Scanned files can be converted into multiple file formats, including Hi-Compression PDF and Searchable PDF (OCR).



Single-Pass 2-Sided Scan





EASY TO USE WITH APPLICATION LIBRARY

Unique to the Canon product line, the Application Library platform allows for one-touch button creation of key functions: Print Template, Standby Slide (screen saver), Scan-to-Preset Destination, ID Card Copy, Consumables Information, Copy (Eco), Copy (Bleed Reduce), Passport Copy, Fax and Store, Name and Scan, Copy (Enhance Text), Cloud Apps, and Language.



CLOUD SCAN AND PRINT⁴

Application Library's Cloud App feature supports cloud storage directly from the RUI. Print or Scan documents directly to or from DropBox, Google Drive, or OneDrive.

SPECIFICATIONS

Main Unit

Core Functions

MF1643iF II: Print, Copy, Scan, Send, Fax MF1643i II: Print, Copy, Scan, Send

Processor Canon Custom Processor

Control Panel

5" Color Touch Panel

Memory

1 GB

Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed, 10/100/1000Base-T Ethernet (Network), Wi-Fi 802.11b/g/n, Wi-Fi[®] Direct Connection, Near Field Communication⁵

Paper Capacity (Letter, 20 lb. Bond)

Standard: 650 Sheets 2.300 Sheets Maximum:

Paper Sources (Letter, 20 lb. Bond)

550-sheet Paper Cassette, 100-sheet Standard: Multipurpose Trav 550-sheet Paper Cassettes Optional (up to (Paper Feeder PF-C1) three):

Paper Output Capacity (Letter, 20 lb. Bond)

Standard 150 Sheets

Supported Media Types

Cassettes:	Thin, Plain, Recycled, Color, Thick, Bond
Stack Bypass:	Thin, Plain, Recycled, Color, Thick, Bond, Label, Envelope)

Supported Media Sizes

Cassettes: Letter, Legal, Statement, Executive Custom (Min. 4.1" x 5.8" to Max. 8.5" x 14") Letter, Legal, Statement, Executive Stack Bypass: Envelope: COM10, Monarch, C5, DL Custom (Min. 3" x 5" to Max. 8.5" x 14")

Supported Media Weights

Cassette:	16 lb. Bond to 32 lb. Bond (60 to 120 g/m²)
Multipurpose	16 lb. Bond to 73 lb. Cover (60 to 199 g/m^2)
Tray:	-

Warm-up Time

MF

MF

We

Uni

From Power On: 14 Seconds or Less From Sleep 4 Seconds or Less Mode:

Dimensions (W x D x H)

MF1643iF II:	19-7/16" x 18-5/16" x 17-3/16"
	(494 mm x 465 mm x 452 mm)
MF1643i II:	8-7/8" x 15-5/16" x 17-13/16"
	(480 mm x 465 mm x 452 mm)

Installation Space (W x D)

1643i II:	27-3/8" x 43-1/2" (694 x 1105 mm)
1643iF II:	27-7/8" x 43-1/2" (708 x 1105 mm)
eight ⁶	Approx. 41.9 lb. (19.0 kg)

Operating System

Windows[®] 7/Windows 8.1/Windows 10/Windows Server 2008/Windows Server 2008 R2/Windows Server 2012/ Windows Server 2012 R2/Windows Server 2016/Windows Server 2019/Mac OS X v10.9 (or later)

Print Specifications

Printing Method Laser Beam Printing Print Speed (BW)7 Up to 45 ppm (Letter); Up to 36 ppm (Legal) First-Print-Out Time Approx. 5.6 Seconds

Recommended Monthly Page Volume

2,000 - 7,500 Pages Print Resolution (dpi) 600×600

Standard Page Description Languages

UFR II, PCL[®]6, PCL[®]5, Adobe PostScript 3[®] **Double-Sided Printing** Automatic (Standard)

Direct Print Available from USB Memory (JPEG, TIFF, PDF)

Printing from Mobile and Cloud-based Services¹

Apple[®] AirPrint,[®] Canon PRINT Business, Mopria™ Print Service, uniFLOW Secure Mobile Printing⁸

Fonts

PCL: 93 Fonts PS. 136 Fonts

Print Features

Secure Print, Page Border, Header/Footer, Page Layout, Two-sided Printing, Collating, Booklet Printing, Grouping, Mixed Paper Sizes/Orientations

Copy Specifications

Copy Speed

Up to 45 ppm (Letter); Up to 36 ppm (Legal) First-Copy-Out Time (Letter) Approx. 6.0 Seconds

Copy Resolution (dpi) 600 x 600

Copy Size

Platen and ADF: Up to Legal Multiple Copies

Up to 999 Copies Magnification

25% - 400% (1% Increments) Preset Reductions

25%, 50%, 64%, 78% **Preset Enlargements**

129%, 200%, 400%

Copy Features

Preset R/E Ratios by Area, Two-Sided, Density Adjustment, Original Type Selection, Two-sided Original, Sort, N on 1, Different-Size Originals, Sharpness, Erase Frame, Copy ID Card, Copy Passport

Scan Specifications

Type

Single-Pass Duplexing Automatic Document Feeder **Document Feeder Paper Capacity**

50 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes

Legal, Letter, Statement, Custom size: 4-1/8" x 5" to 8-1/2" x 14" **Document Feeder Supported Media Weights**

Single- and Double-sided scanning: 14 - 28 lb. Bond (50 - 105 g/m²)

Platen Acceptable Originals

Sheet, Book, 3-Dimensional Objects Pull Scan

ScanGear MF For both TWAIN and WIA

Scan Resolution (dpi)

Up to 600 x 600

Scan-to-Mobile Devices **Canon PRINT Business**

Scan Speed (Letter)

300 dpi

Up to 38 ipm (BW)/13ipm (Color) Simplex: Up to 70 ipm (BW)/26 (Color) Duplex:

600 dpi Up to 21 ipm (BW) Simplex: Duplex: Up to 35 ipm (BW)

Memory Media

Standard USB Memory (JPEG, TIFF, PDF)

Send Specifications

Destination Email/Internet FAX (SMTP), SMB, FTP Address Book

LDAP (50)/Local (300)/Speed dial (281)

Send Resolution (dpi) 600 x 600 (Pull Scan), 196 x 204 (iFax), 300 x 300 (Other) imageCLASS X MF1643 II

Communication Protocol

File: FTP. SMB Email/iFax: SMTP, POP3, iFax (Simple) File Format

Standard: TIFF, JPEG, PDF(Compact, Searchable, Encrypted, Digital Signature)

Universal Send Features

Original Type Selection, Two-sided Original, Density Adjustment, Sharpness, File Name, Subject/Message, E-mail Priority, TX Report, Original Content Orientation

Fax Specifications (MF1643iF II Only)

Modem Speed 33.6 kbps Super G3: G3: 14.4 kbps

Compression Method MH, MR, MMR, JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size Statement to Legal

Fax Memory Up to 512 Pages

Speed Dials

Max 281

Group Dials/Destinations Max. 299 Dials

Security Specifications

Express⁹

SMTP

Device Management and Auditing

Management, Security Policy Setting

Operating Environment

Power Requirements

Power Consumption

AC 110 - 127 V, 7.1 A, 60 Hz

Temperature:

Humidity:

Maximum:

Sleep Mode:

Standby:

Typical

Electricity

Consumption

(TEC) Rating:

Standards

Environmental Specifications

50 to 86º F

Approx. 1440 W

Approx. 17 W

Approx. 0.9 W 1.3 kWh

ENERGY STAR[®] Qualified. Currently Rated EPEAT Silver³

Signature

Sequential Broadcast

Max. 310 Addresses

Memory Backup Yes

Authentication

Standard:

Optional:

Network

Standard:

Document

Standard:

Optional:

Device

Startup

Fax Features

Two-sided Original, Density (for Scanning), Sharpness, TX Report, RX Mode, Resolutions, Favorite Settings

uniFLOW, uniFLOW Online

uniFLOW Secure Print⁸

Standard Storage Initialize, Job Log Conceal Function,

Protecting MFP Software Integrity, Verify System at

Administrator Password, Digital Certificate and key

Department ID Authentication, embedded

Universal Login Manager, uinFLOW Online


IP/Mac Address Filtering, IPSEC, TLS 1.3, SNMP V3.0, IEEE 802.1X, IPv6, SMTP

Secure Print, Encrypted PDF, Device

20 to 80% RH (no condensation)

Authentication, POP Authentication before

CONFIGURATION AND ACCESSORIES



¹ Canon PRINT Business is a free app available on the App Store" and Google Play^w Store. For more information, including compatibility, please visit visit csa.canon.com - Search : Canon PRINT Business. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.

² Please reference user manuals for details on settings available to export.

- ³ For latest EPEAT ratings (Gold/Silver/Bronze), please visit www.epeat.net ⁴ Subscription to a third party cloud service is required, and subject to third party terms and conditions.
 ⁵ imageCLASS X MFI643iF II model only.
- ⁶ Includes consumables.
- ⁷ Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.
- ⁸ Requires optional uniFLOW Online/uniFLOW. ⁹ No charge for this solution, however activation is required.
- ¹⁰ Attachment kit required.
- Ask Canon Solutions America Sales Representative for reader compatibility information.
- ¹² Limited warranty program is subject to certain conditions and restrictions. See warranty card for details.

For more information, call 1.800.815.4000 or visit csa.canon.com





As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified this model as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks or trademarks in other countries. uniFLOW is a registered trademark of NT-ware Systemprogrammierung GmbH. Wi-Fi is a registered trademarks of the Wi-Fi Alliance. Android and Google Play are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac, and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. All other referenced product names and marks are trademarks of their respective owners. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors. ©2021 Canon U.S.A., Inc. All rights reserved.

CSA-21-0855-6312

0921-iCXMF1643iF-PDF-IH

