




rOtring was born in 1928, in the era of the influential Bauhaus design school in Germany. Their modernist "Art into Industry" philosophy still inspires our unique approach to industrial design. We design tools to enable people to think and create whenever inspiration takes them. Our creative tools are engineered with German precision ensuring premium performance.





Tikky NEW	Tikky Tikky mechanical pencils Tikky professional mechanical pencils Tikky ballpoint Tikky Graphic Tikky Rollerpoint	6 9 11 12 13
	Mechanical pencils 800 + 800 600 500 300 Rapid Pro Leads & erasers	16 17 17 18 18 19 20
	Pens Rapid Pro ballpoint & refills	25
	Technical pens Rapidograph Isograph Inks and accessories	27 29 31
	Tools and drawing aids Compasses Drawing aids Drawing boards Drawing accessories Merchandising	35 41 46 50 51

Tikky by rOtring



Creativity is a bold expression of originality, so it's vital that writing and drawing instruments help ideas stand apart. Tikky by rOtring offers distinctly different technical pens and pencils, with bright coloured designs that get noticed.

- Light-weight, high quality construction allow ideas to flow uninterrupted
- Inspired approach to design and innovation to elevate the creative experience

Only Tikky by rOtring boldly brings ideas to life!

In 2017, rOtring introduces new products, new packaging and new merchandising assets. With distinctly different & bold designs, the updated range offers a consistent look and feel to the brand while maximising stands out on shelf

Tikky Mechanical pencil colours

NEW





Light-weight mechanical pencil with a rubberised grip and neon colours for a modern and edgy look.

- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Plastic body for a light-weight tool
- Triangular barrel for relaxed drawing
- Soft touch rubberised grip for a great comfort
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

1904698 1904506	white white	HB HB	0.5 mm 0.7 mm	r@ming Thly 0.7
1904700	black	НВ	0.5 mm	r⊛tring Tasy 0.5
1904701 1904508	blue blue	НВ НВ	0.5 mm 0.7 mm	retting Buy 0.7
UPDATED 1904699 1904507	red red	HB HB	0.5 mm 0.7 mm	rotring lity 0.7
UPDATED 1904702 1904509	yellow yellow	HB HB	0.5 mm 0.7 mm	earling Tity or
NEW 2007253 2007252	light blue	HB HB	0.5 mm 0.7 mm	- Series Mrs. A.S.
NEW 2007421 2007040	dark green dark green	HB HB	0.5 mm 0.7 mm	enting liky 0.7
NEW 2007255 2007254	purple purple	HB HB	0.5 mm 0.7 mm	Fatring Tixty 0.7







Tikky by rOtring

NEW 2007215 2007211	neon orange		0.5 mm 0.7 mm	retting hity or
NEW 2007219 2007218	neon pink neon pink	HB HB	0.5 mm 0.7 mm	retring liky ay
NEW 2007217 2007216	neon green neon green	HB HB	0.5 mm 0.7 mm	Coming fity at
NEW 2007251 2007220	neon yellow neon yellow	HB HB	0.5 mm 0.7 mm	

Tikky assorted tucks

1904505	assorted colours, 3 x w	HB vhite, 3 x	0.7 mm s blue, 3 x red, 3 x yellow 🔘 🕒 🛑 💛
1904749	assorted colours, 3 x w	HB vhite, 3 x	1.0 mm s blue, 3 x red, 3 x yellow
2007423	assorted	HB	0.7 mm
	3 x neon orar	nge, 3 x r	neon pink, 3 x neon green, 3 x neon yellow 🛑 🛑 🕒
2007424	assorted	HB	0.7 mm
	3 x purple, 3	x light bl	ue, 3 x red, 3 x dark green • • • •

Blisters of 1 pc.

1908508

blisters of 1 pc.								
1904818	white	НВ	0.5 mm					
1904819	black	НВ	0.5 mm					
1904820	blue	НВ	0.5 mm					
Blisters of 1 p	Blisters of 1 pc. with leads							
1908503	white	НВ	0.5 mm					
1908349	white	НВ	0.7 mm					
1908505	black	НВ	0.5 mm					
Assorted blisters of 2 pcs. with 2B leads								
1908507	red and blue	НВ	0.5 mm					

red and blue HB

0.7 mm



Tikky neon single cardboard Display

Filled

2010022

Tikky MP HB 0.7 mm assorted colours, 3 x neon orange, 3 x neon pink, 3 x neon green, 3 x neon yellow 3 x white, 3 x blue, 3 x red, 3 x yellow

Dimensions: 105 x 105 x 250 mm

2010026 Tikky neon single cardboard Display - Empty

Empty display, design as per 2010022 Dimensions: 105 x 105 x 250 mm

Tikky



















2010021

Tikky MP HB 0.7 mm assorted colours, 3 x purple, 3 x light blue, 3 x red, 3 x dark green 3 x white, 3 x blue, 3 x red, 3 x yellow Dimensions: 105 x 105 x 250 mm

Tikky primary single cardboard Display



Filled

Tikky MP HB 0.7 mm assorted colours, 3 x neon orange, 3 x neon pink, 3 x neon green, 3 x neon yellow 3 x purple, 3 x light blue, 3 x red, 3 x dark green 6 x white, 6 x blue, 6 x red, 6 x yellow Dimensions: 210 x 250 x 250 mm



Tikky professional mechanical pencil

Light-weight mechanical pencil with a rubberised grip.

- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Plastic body for a light-weight tool
- Triangular barrel for relaxed drawing
- Soft touch rubberised grip for a great comfort
- Available models using the ISO 3098 color-coding for an easy line width identification
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads



Blisters of 1 pc. with leads

1904815 black 0.5 mm **1904814** black 0.7 mm

Blisters of 1 pc. with 2B leads

 1908502
 burgundy
 0.5 mm

 1908370
 burgundy
 0.7 mm

 1908506
 burgundy
 1.0 mm

 1908501
 black
 0.7 mm

Blisters of 1 pc. with leads and a Tikky 30 eraser

1904817 black 0.5 mm **1904816** black 0.7 mm \$0801310 black, with colour-coding

Set of 3 HB 0.35/0.5/0.7 mm

2007425 burgundy, with colour-coding Pack of 12 HB 0.35/0.5/0.7/1.0 mm

Tikky Professional Displays



2008598 Tikky single cardboard Display

Filled

Tikky professional mechanical pencils black, HB, 0.5 mm x 12 Tikky professional mechanical pencils black, HB, 0.7 mm x 12 Dimensions: $105 \times 105 \times 250$ mm











2010024 Tikky double cardborad Display

Filled

Tikky professional mechanical pencils burgundy, HB, 0.5 mm x 12 Tikky professional mechanical pencils burgundy, HB, 0.7 mm x 12 Tikky professional mechanical pencils black, HB, 0.5 mm x 12 Tikky professional mechanical pencils black, HB, 0.7 mm x 12 Dimensions: $210 \times 250 \times 250 \text{ mm}$

Tikky ballpoint

Light-weight ballpoint pen with rubberised grip.

- Retractable ballpoint pen: pocket-safe
- Triangular barrel for relaxed writing
- Soft touch rubberised grip for a great comfort
- Airplane-safe
- Medium line width
- Loaded with plastic jumbo refill, blue ink

Also available in mechanical pencil.

1904718	white	M	
1904629	black	М	
1904741	blue	М	
1904628	red	М	-
1904742	yellow	M	





2008599 Tikky ballpoint single cardboard Display

Filled

Tikky ballpoints red, M x 12
Tikky ballpoints white, M x 12
Dimensions: 105 x 105 x 250 mm

Jumbo ballpoint refill

High quality metal refill for ballpoint pens.

• Medium line width

 \$0195360
 blue
 M

 \$0195390
 black
 M



- Fineliner with pigmented ink.
- Free Ink technology for a constant and consistent line quality and a long usage
- Pigmented lightfast and water-resistant ink for long-life drawings
- Ink level window showing the amount of ink left in the reservoir
- Available in 7 different line widths-Black ink
- Not refillable

Tucks of 12 pcs.

	1
1904750	0.1 mm
1904752	0.2 mm
1904753	0.3 mm
1904754	0.4 mm
1904756	0.5 mm
1904757	0.7 mm
1904758	0.8 mm



Tikky

Blisters of 1 pc.



1904751 0.5 mm

1904755 0.7 mm



1904780 blister of 3, assorted line widths, 0.1 / 0.3 / 0.5 mm
 1904811 blister of 3, assorted line widths, 0.2 / 0.4 / 0.8 mm
 1904812 blister of 3, assorted line widths, 0.3 / 0.5 / 0.7 mm







Otring 2017 Catalogue





Tikky Graphic single cardboard display

Filled in with 24 Tikky Graphic pens with different line widths

 $(4 \times 0.1/4 \times 0.2/4 \times 0.3/4 \times 0.5/4 \times 0.7/4 \times 0.8)$

Tikky Rollerpoint

Tikky Rollerpoint, a precise roller experience.

- Free Ink technology for a constant and consistent line quality and a long usage
- Plastic grip zone for a great comfort
- Ink level window showing the amount of ink left in the reservoir
- Intense ink colours: black, blue, red

Tuck of 12 S0940710 S0940720

Fine, black ink Fine, blue ink Fine, red ink

Blister

S0940730

2007414 Fine, black ink 2007415 Fine, blue ink 2007416 Fine, red ink

2007417 Blister of 3 assorted colours

1x black ink, 1x blue ink, 1x red ink

• not refillable





Tikky rollerpoint single cardboard Display unit

Tikky Rollerpoint, fine tib, black ink x 12 Tikky Rollerpoint, fine tib, blue ink x 12 Dimensions: 105x105x250 mm




mechanical pencils







A rOtring mechanical pencil is a purposefully designed creative tool, that is engineered with precision for optimum performance. A problem solving tool, capturing thoughts and a device to communicate creative visions. rOtring has a wide range of analog and hybrid mechanical pencils to help getting the idea out.



mechanical pencil + stylus hybrid

Premium hybrid mechanical pencil + stylus, combining both modes at the same end with a unique retractable mechanism.

Hybrid

- Unique "Twist and Click" retractable mechanism of the entire sleeve and lead: pocket safe + durability
- Retract the pencil and use the stylus without the hassle of turning the tool around. Its all on the same end
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- Non-slip metal knurled grip

Stylus

- · Precision stylus tip for high accuracy, control and speed
- 100% effective at every angle
- Soft tip glides smoothly and is compatible with all capacitive touchscreens

Mechanical Pencil

- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads
- Sold individually in the new rOtring triangular packaging


1900181	black	НВ	0.5 mm	-	r⊜tring 800+ 0.5 mm
1900182	black	НВ	0.7 mm		r⊜tring 800+ Ω7mm
1900183	silver	НВ	0.5 mm	-	ng tring (800 + 0.5 mm
1900184	silver	НВ	0.7 mm		r®tring nco+ 07 mm



800 mechanical pencil

Top of the line mechanical pencil with full metal body and retractable mechanism.

- Unique "Twist and Click" retractable mechanism of the entire sleeve and lead: pocket safe + durability
- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Full metal body providing ideal balance of weight and feeling
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- Non-slip metal knurled grip
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads
- Sold individually in the new rOtring triangular packaging



600 mechanical pencil

Iconic mechanical pencil with full metal body and rOtring's original design.

- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- · Full metal body providing ideal balance of weight and feeling
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- Non-slip metal knurled grip
- Adjustable lead hardness grade indicator
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads
- Sold individually in the new rOtring triangular packaging



Premium light-weight mechanical pencil with hexagonal plastic body and metal-grip-zone.

- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- · Plastic body for a light-weight tool
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- Non-slip metal knurled grip
- Adjustable lead hardness grade indicator
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads
- · Sold in tucks of 12 pencils



300 mechanical/clutch pencil

0.5 and 0.7 mm:

• rOtring brass mechanism for precision lead advancement

Light-weight mechanical pencil with hexagonal plastic body.

- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- · Plastic body for a light-weight tool
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- · Adjustable lead hardness grade indicator
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

2.0 mm:

- Clutch-grip mechanism for secure holding of the 2.0mm lead
- Plastic body for a light-weight tool
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- · Adjustable lead hardness grade indicator
- Built-in sharpener under the push-button cap
- · Refillable. Loaded with HB leads

1904726	tucks of 12, black	НВ	0.5 mm	r®tring 300 / 0,5 an
1904724	tucks of 12, black	НВ	0.7 mm	r®tring 300 / 0,7 ms
1904729	tucks of 10, black	НВ	2.0 mm	(Strling 300) 2,7 ion 10









Rapid Pro mechanical pencil

0.5 and 0.7 mm

Mechanical pencil with full metal body and cushion lead mechanism.

- Sliding sleeve and cushion lead mechanism for high level of break resistance and outstanding writing and doodling comfort
- rOtring brass mechanism for precision lead advancement
- Full metal body providing ideal balance of weight and feeling
- Non-slip metal knurled grip
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

2.0 mm

Mechanical pencil with full metal body and unique precision lead advancement mechanism.

- Unique push mechanism for controlled 2mm lead transportation
- Full metal body providing ideal balance of weight and feeling
- Non-slip metal knurled grip
- Built-in sharpener under the push-button cap
- Refillable. Loaded with rOtring HB leads
- Sold individually in the new rOtring triangular packaging (unless specified otherwise)

Also available in ballpoint pen.

1904258 1904730	black Tucks of 10, black	HB HB	0.5 mm 0.5 mm	-	Figure 1 report FEO 0.5
1904257 1904730	black Tucks of 10, black	HB HB	0.7 mm 0.7 mm		Fighting, replicit PRO, 9.7
1904260	black	НВ	2.0 mm		righting report PAO 2.0
1904255	silver	НВ	0.5 mm	-	#Being replif PRO 6.5
1904256	silver	НВ	0.7 mm		righting rapid PRO 0,7
1904259	silver	НВ	2.0 mm		r@ning repid PRO 2.0

High-polymer leads for fine mechanical pencils.

- Extra-strong and flexible
- Easy to erase

12 pcs.

S0312410	НВ	0.35 mm	0.35 S = 2 S = 3 S
S0312630	2B	0.5 mm	2 2 8 8 2 2 8 8 9 9 9 9 9 9 9 9 9 9 9 9
S0312640	В	0.5 mm	O O O O O O O O O O O O O O O O O O O
S0312650	НВ	0.5 mm	1 H B H B B B B B B B B B B B B B B B B
S0312660	Н	0.5 mm	1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
S0312670	2H	0.5 mm	1 2 H 2 S S S S S S S S S S S S S S S S S
S0231230	2B	0.7 mm	2 2 2 8 2 2 8 3 2 4 3 9 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
S0312680	В	0.7 mm	De Calabi
S0312690	НВ	0.7 mm	The state of the s
S0312700	НВ	1.0 mm	The second of th
Blister, 2 pcs.	НВ	0.5 mm	

2.0 mm leads

1908367

1904837

1908366

Strong leads for 2.0 mm mechanical/clutch pencils.

0.5 mm

0.7 mm

0.7 mm

2B

HB

2B

- Extra-strong
- Easy to erase

12 pcs.

S0230351	2B	2.0 mm
S0230451	HB	2.0 mm
S0230541	2H	2.0 mm







rapid B eraser

Premium eraser for polymer/graphite pencil lines.

- Dust brushes easily off the media
- The erased surface stays clean, with no smears or marks
- · Ink lines unaffected
- Does not contain abrasives
- Available in two sizes: Rapid B20 (large) and Rapid B30 (medium)

rapid B20

S0194570 Box of 20

rapid B30

S0233921 Box of 30



rapid TB 20 eraser

Combined eraser for pencil and ink lines.

- · Dust brushes easily off the media
- The erased surface stays clean, with no smears or marks
- · Does not contain abrasives

S0194611 Box of 20



Tikky eraser

Eraser for polymer/graphite pencil lines.

- Media surface always remains clean due to use of dirt-catching additives (no hard avrasives)
- Available in 3 different size: Tikky 40 (small), Tikky 30 (medium) and Tikky 20 (large)

S0195831 Tikky 20

1904822 Tikky 20, ECBL

\$0234101 Tikky 30 **\$0234151** Tikky 40

Eraser refills

for Tikky mechanical pencils

S0271220

for 300 mechanical pencils

1934364



for 500/600 mechanical pencils

1934365

for 800 mechanical pencils

1892340









Each rOtring pen is created with a specific technology to meet your needs when sketching, writing or drawing. Our ballpoints are a combination of ergonomics and sophisticated mechanisms to give your ideas more detail and permanence.



Rapid Pro ballpoint

Top of the line refillable ballpoint pen with full metal body.

- Long-lasting, smooth and precise ballpoint
- Retractable ballpoint pen: pocket-safe
- Full metal body providing ideal balance of weight and feeling
- Hexagonal barrel ensuring fatigue-free writing. Shaped to prevent the tool from sliding when laid down on tables
- Non-slip metal knurled grip
- Airplane-safe
- Medium line width
- Refillable. Loaded with high quality metal jumbo refill, blue ink

Also available in mechanical pencil.









10

technical & calligraphy pens

A rOtring technical pen is a professional high precision pen offering a unique drawing technology available in 13 different line widths, with a color coding in compliance with ISO standards. A rOtring calligraphy pen, available in lettering, sketching and calligraphy line widths, is a must for people who want to put a personal stamp on their written work.







rapidograph technical pen

High precision technical pen with rOtring's unique capillary cartridge, in 13 line widths.

- Wear-resistant, hard chrome-plated thin tip allows working in exquisite detail
- Innovative cartridge including the ink helix so every time it is changed, the pen gets a new clean helix and a new pressure equalisation system for easy maintenance
- Improved temperature stability through extra large ink-helix volume and optimum location of the ventilation opening for the best reliability
- Ink can be used down to the last drop
- Ink level is clearly visible
- One ink cartridge included inside the pen
- Can be used on a variety of surfaces such as lineboard, tracing paper or vellum drawing paper





Line widths for drawing per ISO 128 and DIN 15 and for lettering per ISO 3098/I-DIN 6776.

Drawing tube in 3 mm dia. metal bushing.



S0204440

	0.25
_	0.35
_	0.5
	0.7



rapidograph Junior Set

Content: 3 rapidograph pens, 1 Tikky burgundy 0.5, 6 ink cartridges

S0699480 S0699490

0.2
0.4
0.0



rapidograph College Set

Content: 3 rapidograph pens, 1 Tikky burgundy 0.5, 12 hi-Polymer HB leads, 1 B20 eraser, 6 ink cartridges,

1 compass attachment

S0699500 S0699510 S0699520 S0699540

_	0.1
_	0.3
_	0.5

30033310		
_	0.2	
_	0.3	
	0.5	



990	+,
0.2	
0.4	
0.6	
	0.2



rapidograph College Set with Pen Station

Content: 3 rapidograph pens, 1 Tikky burgundy 0.5, 12 hi-Polymer HB leads, 1 B20 eraser, 3 pen stations, 3 ink cartridges, 1 compass attachment

S0699530

	0.25
_	0.35
	0.5



rapidograph College Set 4

Content: 4 rapidograph pens, 12 hi-Polymer HB leads, 1 B20 eraser, 6 ink cartridges, 1 compass attachment

S0699570

_	0.25
_	0.35
_	0.5
	0.7



Tikky

(



isograph technical pen

High precision technical pen with refillable ink reservoir, in 13 line widths.


- Wear-resistant, hard chrome-plated thin tip allows working in exquisite detail
- Refillable ink reservoir ideal for frequent drawers using bottle inks
- Patented push-on sleeve for easy access to the ink helix and for fast cleaning
- Ink level is clearly visible
- Ink bottle not included
- Can be used on a variety of surfaces such as lineboard, tracing paper or vellum drawing paper

1903394 S0217870	isograph nib	0.1 mm 0.1 mm	10	r®tring isograph
1903395 S0217940	isograph nib	0.13 mm * 0.13 mm *	- B	r⊚tring Isograph
1903396 S0218020	isograph nib	0.18 mm * 0.18 mm *	.18	r⊚tring Isograph
1903397 S0218100	isograph nib	0.2 mm 0.2 mm	20	r⊚tring isograph
1903398 S0218170	isograph nib	0.25 mm * 0.25 mm *	.25	r⊚tring Isograph
1903399 S0218250	isograph nib	0.3 mm 0.3 mm	30	r⊚tring Isograph
1903400 \$0218320	isograph nib	0.35 mm * 0.35 mm *		r⊚tring isograph
1903491 \$0218400	isograph nib	0.4 mm 0.4 mm	.40	r⊚tring /sograph
1903492 S0218460	isograph nib	0.5 mm * 0.5 mm *		r⊚tring /sograph
1903493 S0218540	isograph nib	0.6 mm 0.6 mm	.60	r⊚tring Isograph
1903494 S0218600	isograph nib	0.7 mm * 0.7 mm *	70	r⊚tring Isograph
1903495 S0218680	isograph nib	0.8 mm 0.8 mm	.80	r⊚tring isograph
1903496 S0218740	isograph nib	1.0 mm * 1.0 mm *	1,0	r⊚tring Isograph



Line widths for drawing per ISO 128 and DIN 15 and for lettering per ISO 3098/I-DIN 6776.

Drawing tube in 3 mm dia. metal bushing.



S0202940 S0226890

	0.25	_	0.2
	0.35		0.3
_	0.5	_	0.4
	0.7	_	0.5



isograph Junior Set

Contents: 3 isograph pens, 1 Tikky burgundy 0.5, 4 ink cartridges

S0699300 S0699320 S0699330 S0699340

_	0.1	_	0.:
_	0.2	_	0.
_	0.3	_	0.

_	0.25
_	0.35
_	0.5





Tikky

(0)

isograph College Set

Contents: 3 isograph pens,

1 Tikky burgundy 0.5,

12 hi-polymer HB leads, 1 B20 eraser,

1 bottle of ink 23ml, 1 compass attachment

S0699370 S0699380

	0.2
	0.3
_	0.5

_	0.25
_	0.35
_	0.5

S0699390 S0706970 S0699400

_	0.2
_	0.4
_	0.6

_	0.2
_	0.4
_	0.8

	0.2
	0.35
_	0.7



isograph Master Set

Contents: 3 isograph pens,

1 Tikky burgundy 0.5,

12 hi-polymer HB leads, 1 B20 eraser,

1 Centro compass,

1 bottle of ink 23ml, 1 compass attachment

S0699420 S0699430 S0699450

_	0.1
_	0.3
	0.5

_	0.2
_	0.3
_	0.5

_	0.2
_	0.4
_	0.6



Accessories

Rapidograph ink - capillary cartridges

Innovative capillary cartridges for Rapidograph.

- High density of pigment particles for opacity and lightfastness
- Line sharpness and adhesiveness
- · Fast drying on media
- Waterproofness
- Can be used on a variety of surfaces: lineboard, tracing paper, vellum drawing paper

	Ink Colour	
S0215710	Box of 3, red	
S0215870	Box of 3, blue	
S0194640	Box of 3, black	•
S0194650	Blister of 3, black	

Isograph ink - bottled ink

Bottled pigmented ink for Isograph.

- High density of pigment particles for opacity and lightfastness
- Line sharpness and adhesiveness
- · Fast drying on media
- Waterproofness
- Can be used on a variety of surfaces: lineboard, tracing paper, vellum drawing paper

		Ink Colour	
S0216040	23 ml	red	
S0216200	23 ml	green	•
S0216280	23 ml	blue	•
S0194660	23 ml	black	•
S0216550	23 ml	white	\rangle
S0216630	250 ml	black	•
S0215630	Cartridges	black	•

rOtring cleaning fluid for technical pens

For cleaning drawing instruments used with non-etching drawing inks.

S0215410 100 ml















technical & calligraphy pens

ArtPen calligraphy fountain pen

Premium calligraphy and lettering pen with ergonomic body.

- Precise nib crafted from the finest stainless steel
- Ergonomic body combining the balance and nib shape of the quill pen with the convenience of a modern fountain pen for comfortable grip
- Body compatible with ArtPen lettering, sketching and calligraphy nibs
- Two ink cartridges included
- Refillable with cartridges and ink bottle via ArtPen converter (not included)



ArtPen 1903440	Front Section S0270810	Sketch	EF	Greetings
1903641	S0270820	Sketch	F	Festival
1903642	S0270830	Lettering	М	New York
1903643	S0324620	Lettering	В	PARTY
1903644	S0270850	Calligraphy	1.1	Richard
1903645	S0270870	Calligraphy	1.5	Maria
1903647	S0270880	Calligraphy	1.9	Musik
1903648	S0270890	Calligraphy	2.3	Menu

Calligraphy-Set 1 x ArtPen 1.5 mm,

front section 1.9 and 2.3 mm, 6 cartridges, black ink



ArtPen Inks

The best ink for your rOtring Artpen and your calligraphy work. High intensity for the optimum quality of your drawing and writing publications. Available in Black and Blue.

Brillant ink

S0194751 S0194681

black royal blue







Tikky









compasses

A rOtring compass is engineered to help developing the most precise and perfect designs in the easier way. We offer three ranges of compasses - Compact, Centro and Convex - for student to professional use.







Convex

Convex Universal compass with telescopic extension

- Premium material for a professional tool
- Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head
- Length: 150 mm. Circles up to Ø 520 mm. Pivot: Ø 3.5 mm.
- · Convenient integrated extension bar
- Lead box and spare needle

S0233471



Centro

Centro Giant Bow Rapid Adjustment compass

(+ optional extension bar)

- Premium material
- Convenient rapid adjustment through button-mechanism.
 Precise settings. Simultaneous opening and closing of both legs. High degree of protection against unintended leg opening and thus change in radius
- Length: 170 mm. Pivot: Ø 4.0 mm
- Circles up to Ø 400 mm (S0214470 without extension bar) or circles up to Ø 640 mm (S0214540 with extension bar)
- Lead box and spare needle

\$0214470 without extension bar,

circles up to 400 mm dia.

\$0214540 with extension bar,

circles up to 640 mm dia.

Centro Geometry compass

- Premium material
- Precise radius setting by setting through central adjusting wheel and spindle. Simultaneous opening and closing of both legs. Highly resistant to accidental changes in radius
- Length: 160 mm. Circles up to Ø 250 mm
- Lead box and spare needle





Centro Rapid Adjustement compass silver edition

Infinitely variable radius adjustment in silver edition

- Premium material
- Convenient rapid adjustment through operating the legs.
 Precise settings. Simultaneous opening and closing of both legs. High degree of protection against unintended leg opening and thus change in radius
- Lead box and spare needle

S0830390



Centro Universal compass

(+ optional extension bar and pen holder)

- Premium material
- Radius easily adjusted and stays adjusted due to static friction in the compass head
- Circles up to Ø 380 mm (S0214320 without extension bar) or circles up to Ø 540 mm (S0214390 with extension bar and pen holder)
- · Lead box and spare needle

S0214320

S0214390

with extension bar and pen holder













Centro Universal set

7 pieces

- Universal compass: Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head.
 Circles up to Ø 540 mm
- Extension bar
- Dividers compass: For marking line segments needles in both legs. Radius stays adjusted due to static friction in the compass head.
- Small Bow compass
- Drawing pen and drawing pen holder
- Lead box and spare needle

S0233370



Centro Universal set 8 pieces

- Universal compass: Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head. Circles up to Ø 540 mm
- Extension ba
- Dividers compass: For marking line segments needles in both legs. Radius stays adjusted due to static friction in the compass head
- Small Bow compass
- Bow compass
- Drawing pen and drawing pen holder
- Lead box and spare needle




Compact

Compact Rapid Adjustment compass

- Rapid adjustment through operating the legs. Precise settings.
 Simultaneous opening and closing of both legs. High degree of protection against unintended leg opening and thus change in radius
- Plastic grip zone with dots for comfortable use
- Length: 170 mm. Circles up to Ø 360 mm. Pivot: Ø 4.0 mm
- · Lead box and spare needle

S0676580



Compact Geometry compass

- Precise radius setting. Simultaneous opening and closing of both legs. Highly resistant to accidental changes in radius
- Plastic grip zone with dots for comfortable use
- Length: 170 mm. Circles up to Ø 360 mm. Pivot: Ø 4.0 mm
- Lead box and spare needle

S0676570



Compact Giant Universal set

6-pieces

- Giant universal compass: Universally applicable due to interchangeable inserts such as compass attachment and extension bar.
 Radius easily adjusted and stays adjusted due to static friction in the compass head
- Stable extension bar
- Compass attachment with universal compass holding device
- Drawing pen and drawing pen holder
- Lead box and spare needle



(+ optional extension bar and compass attachment)

- Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head
- Lead box
- Length: 130 mm. Pivot: Ø 3.5 mm
- Circles up to Ø 320 mm (S0676530 without extension bar) or circles up to Ø 480 mm (S0676540 with extension bar and compass attachment)

30676530







A rOtring drawing aid is a professional tool made of high-quality durable materials. Our selection of set squares, rulers, templates, lettering stencils and other drawing aids was designed to answer all your needs.

Tikky

(

northing 2017 Catalogue



Professional Set Square

Crystal clear, robust plastic, convenient, removable grip Clearly and precisely embossed Counter-directional numbering with coloured background Indian ink edges and naps, angle scales 180°/1° Hypotenuse 32 cm with 30 cm / 1 mm scale

S0699270

Professional Set Square

High-quality plexiglas
Convenient removable handle
Clear and precise fine imprinting
Contrary scale with coloured background
Tracing edges and ink naps
Angle scale 180°/1°
Hypotenuse 25 cm with 22cm/1 mm scale

S0451820

Large Geometry Set Square with Handle

Crystal-clear, stable plastic Robust handle Contrary scale with coloured background Bevelled edges and ink naps Hypotenuse 23 cm with 20 cm/1 mm scale

S0903950

Geometry Set Square

Crystal-clear, stable plastic Contrary scale with coloured background Bevelled edges and ink naps Hypotenuse 16 cm with 14 cm/1 mm scale

S0237630

Geometry Set Square with Handle

Crystal-clear, stable plastic
Robust removable handle
Contrary scale with coloured background
Bevelled edges and ink naps
Hypotenuse 16 cm with 14 cm/1 mm scale

S0903940

Geometry Set (4 pieces)

Crystal-clear, stable plastic, bevelled edges and/or tracing edges

Contents: 30 cm ruler, semicircular protractor, set square 30°/60°, hypotenuse 23 cm, set square 45°, hypotenuse 20 cm

S0221370

Set Squares Sets of 2, 45° and 30°/60° set square


Crystal-clear, stable plastic, tracing edges all round , 1 mm scale $\,$

\$0237870 45°, hypotenuse 32 cm, 30°/60°, hypotenuse 37 cm **\$0237900** 45°, hypotenuse 36 cm, 30°/60°, hypotenuse 41 cm















Crystal-clear, stable plastic, contrary scale, centring point and bevelled edges Scaling: 10 cm

S0221230



Burmester Curves Set

(3 pieces)

For drawing of universal curves

Crystal-clear, stable plastic, double-sided tracing edges all round

S0221301



Flat Ruler

Crystal-clear, stable plastic, bevelled edge and tracing edge,

1 mm increments

S0220870 Scaling: 16 cm S0220950 Scaling: 30 cm

S0221500 Scaling: 50 cm




Tikky











H-profile lettering stencils Type 1451


Roman Character rapidograph isograph height

\$0228061 5.0 mm 1903240 1903492

_SEPCEGGEÄNKIMUSESIRAMKÄTU ([//:::F:Fsw) *ABCDEGHUKLMN.OPRSTÜVWXYZ [1234567.**50

Circles templates 1-36 mm

Circles of 1-36 mm dia. in 1 mm increments. With polygon guides and protractor. Radii 6, 10, 16, 20 mm. With millimetre ruler and fingerlift.






Tikky







A rOtring drawing board is a robust board of unbreakable and non-warping material enabling stability and direct measurement for the best drawing precision. Available in A4 and A3 sizes, this professional and premium tool offer an ergonomic design for easy and comfortable working.



Tikky

rOtring drawing table

High-quality drawing table with complete drawing system.

- Complete drawing system with drawing board laminated on all sides
- Anodised aluminium guide track with plastic guide coating
- Parallel straightedge with Stop-and-Gomechanism
- Drawing head with STOP-and-GO mechanism
- Adjustable plastic tilter


\$0213920 A2 (board size 700 x 600 x 16 mm)



rapid drawing board A4 and A3

Top of the line premium board.

- Robust board of unbreakable, non-warping material.
- Two magnetic clamp strips with central pushbutton operation and additional corner clamp at top-right hand corner for easy, secure and exact positioning of the media at all four corners. No danger of wrinkling the media when erasing.
- Parallel straightedge with Stop-and-Go-mechanism and second locking facility on A3 sized boards for added stability.
- Guide rails designed for permanently smooth, featherlight straight-edge movement.
- Media-size markings to aid in drawing the drawing field lines.
- Compass plotting scale for picking up radii quickly.
- Tilters for comfortable working.
- Rapid set square for drawing vertical, horizontal lines and angles, with full accuracy.



\$0232710 rapid A4 **\$0213910** rapid A3

rapid drawing board in college case

- Rapid drawing board features above.
- Rigid case.
- Features guides to hold the drawing board securely.
- Space for books and utensils.

\$0232980 rapid A3 + college case






48 | 49

profil drawing board A4 and A3

Full-featured board.

- Robust board of unbreakable, non-warping material.
- One magnetic clamp strip with automatic hold-open and additional corner clamp for easy positioning and clamping the media.
- Parallel straightedge with Stop-and-Go-mechanism and second locking facility on A3 sized boards for added stability.
- Guide rails designed for permanently smooth, featherlight straight-edge movement.
- Media-size markings and viewing holes for checking the exact placement of the media.
- Compass plotting scale for picking up radii quickly.




\$0232430 profil A4 **\$0213750** profil A3

college board

Drawing board with parallel straightedge.

- One magnetic clamp strip with scale and additional corner clamp for easy positioning.
- Parallel straightedge with Stop-and-Gomechanism and grip area.
- Straightedge guide slots on all four sides with signal humps.



Carry bag

Protective carry bag for drawing board.

- Tough weatherproof nylon.
- Detachable shoulder strap.
- Space for books and utensils.
- Empty.
- Available in two sizes for A4 and A3 boards.

\$0232160 for A3 boards

\$0232200 for A4 boards

College case

Protective case for drawing board.

- Rigid case.
- Features guides to hold the drawing board securely.
- Empty.
- Available in one size for A3 boards.

S0232510 for A3 boards





Tikky









2017 Catalogue



Premium drawing head for drawing board.

- Automatic setting every 15°, locking of any angle in between.
- Free swing-setting.
- Contra-rotating 0-90° scale.
- Break mechanism to lock in position on straightedge.
- Compatible with all rOtring drawing boards (current catalogue).

S0213830

Junior drawing head

Drawing head for drawing board.

- 15° ratchet action.
- Compatible with all rOtring drawing boards (current catalogue)..


S0213680



Rapid set square

Set square for drawing board.

- For direct measurement and drawing of vertical and horizontal lines and angles.
- For hatching.
- Compatible with all rOtring drawing boards (current catalogue).



Merchandising

Shelf unit

This new rOtring shelf unit combines modularity, practicality and design. It can house both mid range and high price point products while bringing the brand to life via a digital screen. The display of products in the central unit is completed by product information cards. The side unit offer the perfect storage facility, fitting up to 18 boxed products per section, it can easily be locked and product layouts changed.







Tikky





Othing 2017 Catalogue

2010510 Shelf unit - Central unit

Dimensions: 400 x 300 x 250 mm

2010511 Shelf unit - Side unit

Dimensions: 150 x 300 x 250

Please consult your sales representative regarding availability of Merchandising Units.

FSDU

This new modular unit can fit shelves, CDUs, shelf unit (central or side units) and blisters. Furnished with 2 shelves, this very versatile display and storage solution is able to adapt to every in-store needs.

Dimensions: 1760 x 480 x 380 mm

Depth for hangsells: 78mm, Comes with 50 x 160mm euro hooks

2010029 FSDU





Please consult your sales representative regarding availability of Merchandising Units.

Product of Newell Europe sàrl 10 chemin de Blandonnet 1214 Vernier, Switzerland

Represented by NWL Hamburg Services GmbH Albert-Einstein-Ring 17 22761 Hamburg, Germany

Distributed in Poland by Newell Poland SA plac Andersa 7 61-894 Poznań, Poland

www.rOtring.com