
HZ105200TX

Mercer Storage Cabinet



Southern enterprises

For assistance with assembly contact: Southern Enterprises Inc. Customer Service 1-800-633-5096 service@seidal.com www.seidal.com



HZ105200TX Mercer Storage Cabinet Assembly Instructions								
Please review all parts and hardware before disposing of any packaging. Call Customer Service if missing hardware. Do not return to store/retailer. Using a screw that is too long will cause damage. Before beginning assembly, separate each type of screw. Carefully study the screw diagrams below. You may receive extra hardware with your unit.								
※ MAX. LOADING C	APACITY IS 10 LBS FOR	R DRAWER, 15 LBS FOR	ADJUSTABLE SHELF.					
1 Allen Wrench M4 Quantity Of 1	2. Allen Wrench Screw 38mm Quantity Of 8	3. Spring Plate 1/4mmx12mm Quantity Of 8	4. Washer 1/4mmx16mm Quantity Of 8					
Ĵ	(@))	\bigcirc	6					
5. Wood Dowel ø8mmx30mm Quantity Of 6	6. Wood Dowel ø6mmx25mm Quantity Of 4	7. Round Head Screw 6x3x12mm Quantity Of 18	8. Cam Bolt Quantity Of 10					
		Company of						
9. Cam Lock Quantity Of 10	10. Screw 8mmx3.5mmx15mm Quantity Of 6	11. Door Handle Quantity Of 3	12. Pin Quantity Of 4					
13. Plastic Anchor Quantity Of 2	14. Metal Plate Quantity Of 4	15. 1-1/2" Flat Head Screw Quantity Of 2	16. Plastic Band Quantity Of 2					
17. 5/8" Round Head Screw Quantity Of 2								
Care and Cleaning Instructions: Before using, wipe with a clean , dry cloth. Periodically apply furniture wax to renew the finish. Avoid rubbing or scratching the surface with rough or abrasive objects.		For replacement parts or questions, please call Customer Service at 1-800-633-5096. Do not return product to store. Please call manufacturer for assistance, questions or parts.						
Tool required: Phillip (Not Included)	s screw driver							


HZ105200TX

Mercer Storage Cabinet

Southern Enterprises

For assistance with assembly contact: Southern Enterprises Inc. Customer Service 1-800-633-5096 service@seidal.com www.seidal.com

PARTS LIST:							
NO	DESCRIPTION	QTY	NO	DESCRIPTION	QTY		
А	Top Panel	1	J	Leg	4		
В	Bottom Panel	1	Κ	Drawer Front Panel	1		
С	Left Side Panel	1	L	Drawer Left Side Panel	1		
D	Right Side Panel	1	М	Drawer Right Side Panel	1		
Е	Left Glass Door	1	Ν	Drawer Bottom Panel	1		
F	Right Glass Door	1	0	Drawer Back Panel	1		
G	Back Panel	1	Р	Drawer Supporting Bar	1		
Н	Adjustable Shelf	1					
Ι	Drawer Horizontal Bar	1					




CAM LOCK INSTRUCTION:

THIS ITEM IS ASSEMBLED WITH CAM LOCK SET. --SCREW CAM BOLT INTO PANEL II. --INSERT CAM LOCK INTO PRE-DRILLED HOLE IN PANEL I, AND --ROTATE CAM LOCK UNTIL ARROW IS IN LINE WITH HOLE ON PANEL EDGE. --ALIGN CAM BOLT TO CAM LOCK HOLE ON PANEL I, AND PRESS PANELS I & II TOGETHER. --LOCK PANELS TOGETHER BY TURNING CAM LOCK CLOCKWISE UNTIL TIGHT.


NOTE :

FOLLOW INSTRUCTIONS LISTED BELOW IN THE PROPER SEQUENCE AS NUMBERED TO ASSURE FAST, EASY AND CORRECT ASSEMBLY. HOUSE HOLD GLUE SUGGESTED FOR WOOD DOWEL.(eg. ELMERS GLUE, NOT PROVIDED).SOLID ARROW MARK POINTS AT FRONT SIDE OR UP DIRECTION. PHILLIP SCREW DRIVER IS REQUIRED(NOT PROVIDED).TWO PERSONS ARE RECOMMENDED TO ASSEMBLE THIS ITEM.



Southern ENTERPRISES

Step 1Customer Service 1-800-633-5096 service@seidal.com Southern Enterprises, Inc. 600 Freeport Pkwy Ste: 200 Coppell, Texas 75019




Step 1:

Insert the cam bolts (8) into the left and right side panel (C) and (D).

Step 2:

Assemble the left side panel (C), right side panel (D) and drawer horizont al bar (I) using wood dowels (5), and tighten cam bolts (8) with cam locks (9) from the predrilled holes as shown in figure 2.

Southerr ENTERPRISES




Step 1:

Join the top panel (A) and bottom panel (B) to the assembly from figure 2 using wood dowels (5) as shown in figure 3.

Step 2:

Switch the lock as shown in figure 3.


Southern Enterprises



Step 1:

Tighten the back panel (G) to the assembly using round head screws (7) as shown in figure 4.


Southerr ENTERPRISES



Step 1:

Insert the pins (12) at the desired position and place the adjustable shelf (H) above the pins as shown in figure 5.

Southern ENTERPRISES




Step 1:

Assemble the door panels (E) and (F) to the assembly as shown in figure 6.

Step 2:

Tighten the door handles (11) to the door panels (E) and (F) using screws (10) through the pre-drilled holes as shown in figure 6.



Step 1:

Insert cam bolts (8) into the panels (L) (M) and (O).

Step 2:

Insert wood dowels (6) into the panels (P), and cam locks into the panel (O). Assemble as shown in figure 7.


Step 3:


Insert the drawer bottom panel (N) into the assembly as shown in figure 7.

Step 4:

Tighten the door handle (11) on drawer front panel (K) using screws (10), and assemble the drawer front panel (K) to the assembly using hardware (6) (8) (9) as shown in figure 7.

Southern ENTERPRISES





TO AVOID ITEM TILTING FORWARD. MOUNTING TO THE WALL IS REQUIRED.

TO AVOID ITEM TILTING FORWARD. MOUNTING TO THE WALL IS RECOMMENDED.

Step 1:

TIGHTEN THE METAL PLATE (14) TO THE REAR OF THE TOP PANEL BY USING 5/8" ROUND HEAD SCREW (17).

Step 2:

PLACE THE CABINET AT THE DESIRED POSITION. MARK THE INSERTION POINTS FOR THE PLASTIC ANCHOR (13).

Step 3:

USING THE PLASTIC ANCHOR (13) INCLUDED OR THE PROPER HARDWARE FOR YOUR WALL TYPE. DRILL 1/4" HOLE; INSERT THE PLASTIC ANCHOR (13) INTO THE WALL. AND TIGHTEN THE METAL PLATE (14) TO THE PLASTIC ANCHOR (13) BY USING 1-1/2" FLAT HEAD SCREW (15).

Step 4:

USING PLASTIC BAND (16) TO CONNECT TWO METAL PLATES (14) AS SHOWN.

Parts Replacement Form

Customer Information
Name Address
City/State/Zip Code
Phone Number
Please indicate where you purchased this item: Store/Website/Catalog
Please indicate color/size/style number:

Please immediately examine this product carefully. Any request for missing parts or damage replacement must be received within 90 days of your receipt of the product. Replacement, if available, will be honored within this time frame. Parts will not be available for items arriving fully assembled. We do not recommend modifying product(s) and we are not responsible for any damages due to product modification(s). If damages or missing parts are not reported within 90 days of your receipt, we are under no obligation to provide parts or replacement merchandise.

Please contact Southern Enterprises at 800-633-5096 or in Dallas 972-869-0111/ 9am – 4pm Mon-Fri Central time if you have product issues or email us at service@hollyandmartin.com. Please ask for customer service representative for issues involving damages or replacement parts. Please ask for technical assistance representative for any issues with product and assembly/construction.

Please contact the retailer that you purchased from for returns.



Customer Service 1-800-633-5096 service@seidal.com Southern Enterprises, Inc. 600 Freeport Parkway, Suite 200 Coppell, Texas 75019