

COLOR APPEAL™

GLASS WALL & MOSAIC - GLASS SOLIDS & BLENDS

AMERICAN OLEAN®



MOSAIC



AMERICAN OLEAN®
PROVEN IN TILE™

COLOR APPEAL™

Color Appeal™ revisits glass with updated colors, fresh sizes, and on-trend stone and glass blends. Color Appeal offers sophisticated range of both cool and warm neutrals as well as a vivid color group designed to add 'pop' to the whole color palette.

Marbles and travertine are combined in harmonic blends with the neutral glass shades that perfectly complement each of the stone selections.



COLOR APPEAL™

GLASS WALL & MOSAIC - GLASS SOLIDS & BLENDS

AMERICAN OLEAN®

FINISHES: GLOSSY


USAGE



MATERIAL



PRICING



SPECIAL FEATURES



NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

MOSAIC

GLASS WALL TILE SOLIDS



PEARL C101



SILVER CLOUD C102



CLOUDBURST C120




ORCHID C118



MINK C119



CHARCOAL GRAY 121



CHERRY C117



VINTAGE MINT C107



MOONLIGHT C106



FOUNTAIN BLUE C108



POWDER C109



HAWAIIAN OCEAN C125




DUSK C110




GRASSHOPPER C111


1 x 1 GLASS MOSAIC BLENDS




SEA PEARL BLEND C128




BLUE MOON BLEND C130




SAND STORM BLEND C133




MIDNIGHT SKY BLEND C135




SILVER SPRING BLEND C134




PEARL C101




MOONLIGHT C106




FOUNTAIN BLUE C108




POWDER C109



DUSK C110



CHERRY C117



LIME GREEN C124



WATERPROOF



STAINPROOF



FIRE-RESISTANT
Not Applicable to Mesh-Mounted Mosaics



SIMPLICLEAN™

VISIT AMERICANOLEAN.COM/WHYTILE FOR A COMPLETE LIST OF QUALIFICATIONS AND EXCLUSIONS.

COLOR APPEAL™

GLASS WALL & MOSAIC - GLASS SOLIDS & BLENDS

AMERICAN OLEAN®

FINISHES: GLOSSY

USAGE



FLOOR



WALL



COUNTERTOP



SHOWER FLOOR



EXTERIOR FLOOR

MATERIAL



GLASS

PRICING



LOW HIGH

SPECIAL FEATURES



STEPWISE™



TRUEDGE™



MADE IN THE U.S.A.



LARGE FORMAT



MOSAIC/DECO



ENCAUSTIC



TERRAZZO



PAVER



CUSTOMIZE

NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

MOSAIC

3 x RANDOM GLASS & NATURAL STONE MOSAIC BLENDS



PACIFIC COAST BLEND C136



SEA CLIFF BLEND C141



MOUNTAIN MORNING BLEND C140



PEBBLE BEACH BLEND C137



CANYON TRAIL BLEND C138



TORTOISE SHELL BLEND C139

5/8 x RANDOM GLASS & NATURAL STONE MOSAIC BLENDS



PACIFIC COAST BLEND C136



SEA CLIFF BLEND C141



MOUNTAIN MORNING BLEND C140



PEBBLE BEACH BLEND C137



CANYON TRAIL BLEND C138



TORTOISE SHELL BLEND C139



WATERPROOF



STAINPROOF



FIRE-RESISTANT
Not Applicable to Mesh-Mounted Mosaics



SIMPLICLEAN™

VISIT AMERICANOLEAN.COM/WHYTILE FOR A COMPLETE LIST OF QUALIFICATIONS AND EXCLUSIONS.

FINISHES: GLOSSY

| | | | |
|--|---|--|--|
| USAGE  FLOOR  WALL  COUNTERTOP  SHOWER FLOOR  EXTERIOR FLOOR | MATERIAL  G GLASS | PRICING  LOW HIGH | SPECIAL FEATURES  STEPWISE™  TRUEEDGE™  MADE IN THE U.S.A.  LARGE FORMAT  MOSAIC/DECO  ENCAUSTIC  TERRAZZO  PAVER  CUSTOMIZE |
|--|---|--|--|

NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

MOSAIC

BLEND COMPONENTS

| 1 x 1 MOSAIC & RANDOM INTERLOCKING | COMPONENTS / USAGE |
|--|---|
| Sea Pearl Blend C128 | Pearl C101-33%, Vintage Mint C107-34%, Fountain Blue C108-33% |
| Blue Moon Blend C130 | Pearl C101-33%, Powder C109-34%, Dusk C110-33% |
| Sand Storm Blend C133 | Oxford Tan C103-25%, Plaza Taupe C105-25%, Cloud Cream C104-34% |
| Silver Spring Blend C134 | Silver Cloud C102-34%, Pearl C101-33%, Charcoal Gray C121-33% |
| Midnight Sky Blend C135 | Cloudburst C120-30%, Charcoal Gray C121-30%, Silver Cloud C102-30%, Slate C122-10% |
| 5/8 x RANDOM & 3 x RANDOM GLASS & NATURAL STONE BLENDS | COMPONENTS / USAGE |
| Pacific Coast Blend C136 | Pearl C101-33%, Moonlight C106-33%, Botticino Marble-34% |
| Pebble Beach Blend C137 | Emperador Dark-33%, Emperador Light-33%, Cloud Cream C104-34% |
| Canyon Trail Blend C138 | Cloud Cream C104-25%, Oxford Tan C103-25%, Copper Brown C114-25%, Noce Travertine-25% |
| Tortoise Shell Blend C139 | Mink C119-25%, Sable C113-25%, Oxford Tan C103-25%, Emperador Dark-25% |
| Mountain Morning Blend C140 | Silver Cloud C102-33%, Mink C119-33%, Chenile White 34% |
| Sea Cliff Blend C141 | Cloudburst C120-33%, Charcoal Gray C121-33%, Silver Screen Marble-34% |



WATERPROOF



STAINPROOF



FIRE-RESISTANT
Not Applicable to Mesh-Mounted Mosaics



SIMPLICLEAN™

COLOR APPEAL™

GLASS WALL & MOSAIC - GLASS SOLIDS & BLENDS

AMERICAN OLEAN®

FINISHES: GLOSSY


USAGE



MATERIAL



PRICING



SPECIAL FEATURES



NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

MOSAIC

SIZES

| | | | THICKNESS | SQ. FT./ CARTON | PIECES/ CARTON |
|--|---|--|-----------|--------------------|-------------------|
| | 4 x 12 Wall Tile | 3-7/8" x 11-3/4" (9.80 cm x 29.80 cm) | 5/16" | 6.60 | 20 |
| | 2 x 8 Wall Tile | 1-7/8" x 7-7/8" (4.80 cm x 19.80 cm) | 5/16" | 6.60 | 60 |
| | 3 x 6 Wall Tile | 2-7/8" x 5-7/8" (7.30 cm x 14.80 cm) | 5/16" | 4.00 | 32 |
| | 1 x 1 Glass Mosaic** (Mesh-mounted) | 11-3/4" x 11-3/4" Sheet (29.80 cm x 29.80 cm Sheet) | 5/16" | 10.00 | 10 |
| | 3 x Random Glass & Stone Mosaic* (Mesh-mounted) | 12-3/4" x 11-3/4" Sheet (32.39 cm x 29.80 cm Sheet) | 5/16" | 9.50 | 10 |
| | 5/8 x Random Glass & Stone Mosaic* (Mesh-mounted) | 11-3/4" x 12-1/2" Sheet (29.80 cm x 31.75 cm Sheet) | 5/16" | 10.00 | 10 |

* Available in blends only.

** Available in solid colors C101, C106, C108, C109, C110, C117, C124 and blends C128, C130, C133, C134, C135

APPLICATIONS

| | TARGET DCOF WET | SUITABLE |
|--|--------------------|----------|
| Dry & Level – Interior Floor | N/A | |
| Wet & Level – Interior Floor | ≥ 0.42 | |
| Shower Floors (Residential or Light Commercial) | ≥ 0.42 | |
| Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear) | ≥ 0.60 | |
| Ramps & Inclines | ≥ 0.65 | |
| Walls/Backsplashes | N/A | ● |
| Countertops | N/A | |
| Pool Linings | N/A | ●* |

A DCOF value of ≥ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest™, visit americanolean.com/DCOF.

APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in freezing and non-freezing climates, when proper installation methods are followed.

* Glass & Stone blends are not recommended for pool use. C117 Cherry and C125 Hawaiian Ocean are not recommended for exterior use.

INSTALLATION

| Grout Joint Recommendation | Shade Variation |
|----------------------------|-----------------------|
| Wall: 1/8" | LOW (V1-Solids) |
| Mosaic: 1/8" | RANDOM (V4-Blends) |

PERFORMANCE CHARACTERISTICS

| | ASTM# | WALL RESULT |
|---------------------|-------|----------------|
| Water Absorption | C373 | < 0.5% |
| Breaking Strength | C648 | > 100 lbs |
| Scratch Hardness | MOHS | 4.0 |
| Chemical Resistance | C650 | Resistant |

For additional information on test results, visit us at: americanolean.com/information/TestResults.

NOTES

Since there are variations in all glass products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.2 standards. Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

To achieve optimal results, all tile should be selected from multiple cartons and shading and graphic arrangement planned prior to installation.

For additional information refer to "Factors to Consider" at: americanolean.com/Factors.

Use of a white latex modified thin-set is recommended for installation.

888.AOT.TILE



AMERICAN OLEAN®
PROVEN IN TILE™

AMERICANOLEAN.COM

©2024 AMERICAN OLEAN (01/24)