

COLOR APPEAL™
GLASS, GLASS & STONE




Photo features Color Appeal Willow Brook Blend 1 x 1 mosaic and Plaza Taupe 4 x 12 on the wall.

Color Appeal™ revisits glass with updated colors, fresh sizes, and on-trend stone and glass blends. Color Appeal offers a sophisticated range of both cool and warm neutrals as well as a vivid color group designed to add ‘pop’ to the color palette. Marbles and travertine are combined in harmonic blends with the neutral glass shades that perfectly complement each of the stone selections.

GLASS WALL TILE SOLIDS




1 x 1 GLASS MOSAIC BLENDS




GLASS RANDOM INTERLOCKING MOSAIC BLENDS

MOSAICS & ACCENTS



SEA PEARL BLEND C128



BLUE MOON BLEND C130



WILLOW BROOK BLEND C129



SAND STORM BLEND C133



PECAN GROVE BLEND C132



EARTH FIRE BLEND C131



SILVER SPRING BLEND C134



MIDNIGHT SKY BLEND C135

3 x RANDOM GLASS & NATURAL STONE MOSAIC BLENDS




PACIFIC COAST BLEND C136



SEA CLIFF BLEND C141




MOUNTAIN MORNING BLEND C140



PEBBLE BEACH BLEND C137



CANYON TRAIL BLEND C138



TORTOISE SHELL BLEND C139

5/8 x RANDOM GLASS & NATURAL STONE MOSAIC BLENDS



PACIFIC COAST BLEND C136



SEA CLIFF BLEND C141



MOUNTAIN MORNING BLEND C140



PEBBLE BEACH BLEND C137



CANYON TRAIL BLEND C138



TORTOISE SHELL BLEND C139










Photo features Color Appeal™ Sea Cliff Blend 3 x Random mosaic on the wall.

BLEND COMPONENTS

1 x 1 MOSAIC & RANDOM INTERLOCKING	COMPONENTS / USAGE
Sea Pearl Blend C128	Pearl C101-33%, Vintage Mint C107-34%, Fountain Blue C108-33%
Willow Brook Blend C129	Grasshopper C111-25%, Celedon C112-25%, Oxford Tan C103-25%, Plaza Taupe C105-25%
Blue Moon Blend C130	Pearl C101-33%, Powder C109-34%, Dusk C110-33%
Earth Fire Blend C131	Copper Brown C114-20%, Oxford Tan C103-35%, Cloud Cream C104-30%, Auburn C116-15%
Pecan Grove Blend C132	Sable C113-25%, Oxford Tan C103-33%, Plaza Taupe C105-33%, Cloud Cream C104-25%
Sand Storm Blend C133	Oxford Tan C103-25%, Plaza Taupe C105-25%, Cloud Cream C104-34%
Silver Spring Blend C134	Silver Cloud C102-34%, Pearl C101-33%, Charcoal Gray C121-33%
Midnight Sky Blend C135	Cloudburst C120-30%, Charcoal Gray C121-30%, Silver Cloud C102-30%, Slate C122-10%
5/8 x RANDOM & 3 x RANDOM GLASS & NATURAL STONE BLENDS	COMPONENTS / USAGE
Pacific Coast Blend C136	Pearl C101-33%, Moonlight C106-33%, Botticino Marble-34%
Pebble Beach Blend C137	Emperador Dark-33%, Emperador Light-33%, Cloud Cream C104-34%
Canyon Trail Blend C138	Cloud Cream C104-25%, Oxford Tan C103-25%, Copper Brown C114-25%, Noce Travertine-25%
Tortoise Shell Blend C139	Mink C119-25%, Sable C113-25%, Oxford Tan C103-25%, Emperador Dark-25%
Mountain Morning Blend C140	Silver Cloud C102-33%, Mink C119-33%, Chenile White 34%
Sea Cliff Blend C141	Cloudburst C120-33%, Charcoal Gray C121-33%, Silver Screen Marble-34%

SIZES

			THICKNESS	SQ. FT./ CARTON	PIECES/ CARTON
	4 x 12 Wall Tile	3-7/8" x 11-3/4" (9.80 cm x 29.80 cm)	5/16"	6.60	20
	2 x 8 Wall Tile	1-7/8" x 7-7/8" (4.80 cm x 19.80 cm)	5/16"	6.60	60
	3 x 6 Wall Tile	2-7/8" x 5-7/8" (7.30 cm x 14.80 cm)	5/16"	4.00	32
	1 x 1 Glass Mosaic ■	11-3/4" x 11-3/4" Sheet (29.80 cm x 29.80 cm Sheet)	5/16"	10.00	10
	Glass Random Interlocking Mosaic ■ ◇	12" x 18" Sheet (30.48 cm x 45.72 cm Sheet)	5/16"	10.00	10
	3 x Random Glass & Stone Mosaic ■	12-3/4" x 11-3/4" Sheet (32.39 cm x 29.8 cm Sheet)	5/16"	9.50	10
	5/8 x Random Glass & Stone Mosaic ■	11-3/4" x 12-1/2" Sheet (29.80 cm x 31.75 cm Sheet)	5/16"	10.00	10

■ Mesh-mounted ◇ Available in blends only

INSTALLATION & PRICING

RECOMMENDED GROUT JOINT:

Wall: 1/8"

Mosaic: 1/8"

RELATIVE PRICING: Medium to High

SHADE VARIATION



LOW
(V1)
(Solids)



RANDOM
(V4)
(Mosaic Blends)

PERFORMANCE CHARACTERISTICS

	ASTM#	WALL RESULT	MOSAIC RESULT*
Water Absorption	C373	< 0.5%	< 0.5%
Breaking Strength	C648	> 100 lbs.	> 100 lbs.
Scratch Hardness	MOHS	4.0	4.0
Chemical Resistance	C650	Resistant	Resistant
Abrasion Resistance	C1027	N/A	N/A

* Test results are for glass tile only.

USAGE

FLOORS	WALLS	COUNTERTOPS
	W	

APPLICATIONS

	TARGET DCOF WET	SUITABLE
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	●
Countertops	N/A	
Pool Linings	N/A	●*

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest™, visit americanolean.com/DCOF.

APPLICATION NOTES:

Suitable for exterior applications in freezing and non-freezing climates, when proper installation methods are followed.

* Glass & Stone blends are not recommended for pool use. C117 Cherry and C125 Hawaiian Ocean are not recommended for exterior use.

NOTES

For additional information refer to “Factors to Consider” at: americanolean.com/Factors.

Random visuals enhance the natural beauty of this product. To achieve optimal results, all tile should be selected from multiple cartons and shading and graphic arrangement planned prior to installation.

Since there are variations in all glass products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.2 standards.

Use of a white latex modified thin-set is recommended for installation.

Stone is sealed at the factory and should be resealed as part of normal maintenance.