

COLOR STORY™ MOSAICS

COLOR STORY™ COLLECTION - GLAZED CERAMIC

AMERICAN OLEAN®



MOSAIC



AMERICAN OLEAN®
PROVEN IN TILE™

COLOR STORY™ MOSAICS

Make your mark and tell your story with Color Story™. This mosaic collection features an attractive mix of colors and sizes to offer design versatility. Give your space its own personality with various mosaic designs ranging from a classic penny round to a popular 1.5" hexagon. For a contemporary feel, black and white mosaic pattern combinations were carefully put together to align with today's current trends. Offering solutions to the most creative demands, Color Story Mosaics delivers quality, functionality and style to artists and designers everywhere.



Cover photo features Matte Designer White, Matte Black and Matte Balance.
Above photo features Harlequin Mosaic Wisdom, Ice White, and Balance.

COLOR STORY™ MOSAICS

COLOR STORY™ COLLECTION - GLAZED CERAMIC

AMERICAN OLEAN®

FINISHES: GLOSSY | MATTE

USAGE  FLOOR  WALL  COUNTERTOP  SHOWER FLOOR  EXTERIOR FLOOR	MATERIAL  CERAMIC	PRICING  LOW HIGH	SPECIAL FEATURES  STEPWISE™  TRUEDGE™  MADE IN THE U.S.A.  LARGE FORMAT  MOSAIC/DECO  ENCAUSTIC  TERRAZZO  PAVER  CUSTOMIZE
--	--	--	---


NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

MOSAIC


SHAPES




1.5" Hexagon Mosaic
(Dot-mounted
on 12" x 10" Sheet)




Penny Round Mosaic
(Mesh-mounted
on 13-1/2" x 11-7/16" Sheet)



2 x 3 Harlequin Mosaic
(Dot-mounted
on 12" x 13" Sheet)



2 x 2 Mosaic
(Dot-mounted
on 12" x 24" Sheet)




1" x 3" Basket Weave Mosaic*
(Mesh-mounted
on 13-1/8" x 13-1/8" Sheet)



Penny Round Mosaic*
(Mesh-mounted
on 13-1/2" x 11-7/16" Sheet)



1.5" Hexagon Mosaic*
(Mesh-mounted
on 14" x 12" Sheet)



2 x 3 Cube Mosaic†
(Mesh-mounted
on 12" x 13" Sheet)

NEUTRAL - GLOSS



ICE WHITE
0025 (1)

STABLE
0055 (2)

DEPENDABLE
0053 (2)

BALANCE
0014 (1)

BLACK
0049 (2)

NEUTRAL - MATTE



MATTE DESIGNER
WHITE 0061 (1)

MATTE STABLE
0052 (2)

MATTE DEPENDABLE
0056 (2)

MATTE BALANCE
0034 (1)

MATTE BLACK
0064 (2)

VIBRANT - GLOSS



RESTORE
0058 (3)

PEACOCK BLUE
0084 (3)

SAPPHIRE SKY
0070 (3)

WISDOM
0082 (3)

NAVY
0117 (3)



SLIP RESISTANT*
Applicable to products with Matte and
Terraizo Finishes



STAINPROOF



DENTPROOF



SCRATCH-RESISTANT*
Applicable to products with Matte and
Terraizo Finishes



FIRE-RESISTANT*
Not Applicable to Mesh-Mounted
Mosaic



SIMPLECLEAN™

VISIT AMERICANOLEAN.COM/WHYITEL FOR A COMPLETE LIST OF QUALIFICATIONS AND EXCLUSIONS.

- Stocked in CS60 Matte Designer White and Matte Black.
- † Stocked in CS61 Matte Designer White, Matte Black and Matte Balance.
- ◀ 2 x 3 cube mosaic requires special installation considerations. Please refer to americanolean.com/colorstorymosaics for more information.

(1), (2) and (3) indicate price groups. (1) being the least expensive.
Custom pattern and blend options available in 1.5" Hexagon,
2x3 Harlequin, 2x2 and 2x3 Cube on a made to order basis.

COLOR STORY™ MOSAICS

COLOR STORY™ COLLECTION - GLAZED CERAMIC

AMERICAN OLEAN®

FINISHES: GLOSSY | MATTE

USAGE



MATERIAL



PRICING



SPECIAL FEATURES



NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

SIZES

			THICKNESS	SQ. FT./ CARTON	PIECES/ CARTON
	1.5" Hexagon Mosaic (Dot-mounted on 12" x 10" Sheet)	11-5/8" x 10-1/4" Sheet (28.89 cm x 26.04 cm Sheet)	1/4"	9.76	12
	Penny Round Mosaic (Mesh-mounted on 13-1/2" x 11-7/16" Sheet)	13-1/2" x 11-7/16" Sheet (34.29 cm x 29.08 cm Sheet)	1/4"	10.50	10
	2 x 3 Harlequin Mosaic (Dot-mounted on 12" x 13" Sheet)	12" x 13" Sheet (30.48 cm x 33.02 cm Sheet)	1/4"	8.80	10
	2 x 2 Mosaic (Dot-mounted on 12" x 24" Sheet)	12" x 24" Sheet (30.48 cm x 60.96 cm Sheet)	1/4"	24.00	12
	1" x 3" Basket Weave Mosaic* (Dot-mounted on 13-1/8" x 13-1/8" Sheet)	13-1/8" x 13-1/8" Sheet (33.34 cm x 33.34 cm Sheet)	1/4"	10.00	10
	Penny Round Mosaic* (Mesh-mounted on 13-1/2" x 11-7/16" Sheet)	13-1/2" x 11-7/16" Sheet (34.29 cm x 29.08 cm Sheet)	1/4"	10.50	10
	1.5" Hexagon Mosaic* (Mesh-mounted on 14" x 12" Sheet)	14" x 12" Sheet (35.56 cm x 29.21 cm Sheet)	1/4"	10	10
	2 x 3 Cube Mosaic† (Mesh-mounted on 12" x 13" Sheet)	12" x 13" Sheet (30.48 cm x 33.02 cm Sheet)	1/4"	8.80	10

* Stocked in CS60 Matte Designer White and Matte Black.

† Stocked in CS61 Matte Designer White, Matte Black and Matte Balance.

Custom pattern and blend options available in 1.5" Hexagon, 2x3 Harlequin, 2x2 and 2x3 Cube on a made to order basis.

‡ 2 x 3 cube mosaic requires special installation considerations. Please refer to americanolean.com/colorstorymosaics for more information.

APPLICATIONS

	TARGET DCOF WET	SUITABLE
Dry & Level - Interior Floor	N/A	●*
Wet & Level - Interior Floor	≥ 0.42	●*
Shower Floors - Standard Center Drain (Residential or Commercial)	≥ 0.42	●*
Shower Floors - Linear Drain	≥ 0.60	●*
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.60	●*
Ramps & Inclines	≥ 0.65	●*
Walls/Backsplashes	N/A	●
Countertops	N/A	●†
Pool Linings	N/A	●

A DCOF value of ≥ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest™, visit americanolean.com/DCOF.

APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in non-freezing climates, when proper installation methods are followed.

* Matte finish only.

† Darker colors may show scratches.

MOSAIC

TRIM

			NUMBER	PIECES/ CARTON
	Jolly	1/2 x 12	S1/212J	6 CARDS*

* Jolly suitable for wall applications only (4 pieces per card)

INSTALLATION & PRICING

Grout Joint Recommendation	Shade Variation
Mosaic: 1/8"	 LOW (V1)

PERFORMANCE CHARACTERISTICS

	ASTM#	GLOSS RESULT	MATTE RESULT
Water Absorption	C373	< 3.0%	< 3.0%
Breaking Strength	C648	> 250 lbs.	> 250 lbs.
Scratch Hardness	MOHS	4.0 - 6.0	8.0
Chemical Resistance	C650	Resistant	Resistant

For additional information on test results, visit us at: americanolean.com/information/TestResults.

DURABILITY

Floor Surface Wear Resistance

1 Residential Bathrooms	3	All Residential / Light Commercial
2 All Residential Areas	④	All Residential / Commercial*

* Matte finish only.

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

For additional information refer to "Factors to Consider" at: americanolean.com/Factors.

Manufacturer Advisory: All tile is measured by the DCOF AcuTest™ method. Tiles with DCOF values < 0.42 are not recommended for use in areas with wet or slippery conditions. For more information, see ANSI standard A137.1 section 6.2.2.1.10, available at www.tileusa.com.

COLOR STORY™ MOSAICS

		MUNSELL	LRV
			Illuminate-OBS: F02-02 (CWF)
0014	BALANCE	1.0GY 7.5/0.2	51.1
0025	ICE WHITE	7.0Y 9.2/0.2	83.9
0034	MATTE BALANCE	1.3GY 7.5/0.3	51.1
0049	BLACK	10.0B 2.6/0.1	5.0
0052	MATTE STABLE	2.1Y 7.8/0.7	55.9
0053	DEPENDABLE	0.6Y 6.3/0.5	34.2
0055	STABLE	2.0Y 7.8/0.8	56.1
0056	MATTE DEPENDABLE	0.4Y 6.3/0.5	33.5
0058	RESTORE	3.7BG 7.4/1.3	48.3
0061	MATTE DESIGNER WHITE	4.9Y 9.2/0.2	83.4
0064	MATTE BLACK	3.3PB 2.8/0.1	5.8
0070	SAPPHIRE SKY	7.6PB 3.2/4.4	7.0
0082	WISDOM	5.8G 3.2/1.5	7.3
0084	PEACOCK BLUE	1.9B 5.0/4.5	18.0
0117	NAVY	5.0PB 2.9/1.2	5.9

888.AOT.TILE



AMERICAN OLEAN®
PROVEN IN TILE™

AMERICANOLEAN.COM

©2024 AMERICAN OLEAN (08/24)