

COLOR STORY™ WALL

COLOR STORY™ COLLECTION - GLAZED CERAMIC

AMERICAN OLEAN®



WALL



AMERICAN OLEAN®
PROVEN IN TILE™



COLOR STORY™ WALL

Make your mark and tell your story with Color Story™. This wall collection features an attractive mix of 32 colors and multiple finish selections to offer design versatility. Colors range from neutral and earth hues to bright and energetic tones. Give your space its own personality through various size selections. Offering solutions to the most creative demands, Color Story Wall delivers quality, functionality and style to artists and designers everywhere.

Cover photo features Devotion, Blaze, Wisdom, Mandarin, Lemon Zest, Green Apple, and Sapphire Sky Penny Round mosaic.

Above photo features 2 x 8 Navy and Ice White on the wall, 2x2 Navy mosaic in the niche and Panoramic Porcelain Statuario on the countertop.

COLOR STORY™ WALL

COLOR STORY™ COLLECTION - GLAZED CERAMIC

AMERICAN OLEAN®

FINISHES: GLOSSY | MATTE

USAGE



MATERIAL



PRICING




SPECIAL FEATURES



NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

WALL

NEUTRAL



ICE WHITE 0025 (1)




CALM 0035 (1)




BALANCE 0014 (1)



BLACK 0049 (2)




MATTE DESIGNER WHITE 0061 (1)



MATTE CALM 0036 (1)




MATTE BALANCE 0034 (1)



MATTE BLACK 0064 (2)


NEUTRAL+



STABLE 0055 (2)




DEPENDABLE 0053 (2)



STORM GRAY 0040 (2)



SHADOW 0006 (2)



MATTE STABLE 0052 (2)



MATTE DEPENDABLE 0056 (2)



MATTE STORM GRAY 0017 (2)



MATTE SHADOW 0016 (2)

VIBRANT*



SCARLET 0010 (3)



PASSION 0019 (3)



BLAZE 0029 (3)



WISDOM 0082 (3)



NAVY 0117 (3)



SAPPHIRE SKY 0070 (3)



DEVOTION 0086 (3)



LEMON ZEST 0075 (3)

VIBRANT+*



TRANQUILITY 0059 (3)



FRESH 0031 (3)



MANDARIN 0077 (3)



GREEN APPLE 0076 (3)



PEACOCK BLUE 0084 (3)



RESTORE 0058 (3)



BLUSH 0023 (3)



GRACE 0068 (3)

*Vibrant available in glossy finish only.

(1), (2) and (3) indicate price groups. (1) being the least expensive.

COLOR STORY™ WALL

COLOR STORY™ COLLECTION - GLAZED CERAMIC

AMERICAN OLEAN®

FINISHES: GLOSSY | MATTE

USAGE	MATERIAL	PRICING	SPECIAL FEATURES
FLOOR WALL COUNTERTOP SHOWER FLOOR EXTERIOR FLOOR	CERAMIC	LOW HIGH	STEPWISE* TRUEDGE* MADE IN THE U.S.A. LARGE FORMAT MOSAIC/ DECO ENCAUSTIC TERRAZZO PAVER CUSTOMIZE

NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

WALL

SIZES

			THICKNESS	SQ. FT./ CARTON	PIECES/ CARTON
	8 x 24 Wall Tile	8" x 24" (20.34 cm x 61.03 cm)	3/8" 9.30 mm	13.30	10
	4 x 16 Wall Tile	4" x 16" (10.17 cm x 40.68 cm)	3/8" 9.30 mm	13.20	30
	4 x 12 Wall Tile	4-1/4" x 12-7/8" (10.91 cm x 32.77 cm)	5/16" 7.90 mm	10.64	28
	2 x 8 Wall Tile	2-1/8" x 8-9/16" (5.45 cm x 21.82 cm)	5/16" 7.90 mm	10.40	80
	3 x 6 Wall Tile	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	12.50	100
	6 x 6 Wall Tile	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	12.50	50
	4 x 4 Wall Tile	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm	12.50	100

COLOR/SHAPE AVAILABILITY CHART

	8 x 24	4 x 16	4 x 12	2 x 8	3 x 6	6 x 6	4 x 4	JOLLY	A106 & AC106	BULLNOSE	COVE BASE
NEUTRAL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
NEUTRAL +	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	○
VIBRANT	✓	✓	✓	✓	✓			✓			
VIBRANT +		✓	✓	✓	✓			✓			

✓ Inventory ○ Made to order

INSTALLATION

Grout Joint Recommendation	Shade Variation
<p>8 x 24: 1/16" (1/8" when rectangular size is installed in a staggered brick-joint pattern; overlap should not exceed 33%.)</p> <p>4 x 16, 4 x 12, & 2 x 8: 1/16" (When rectangular size is installed in a staggered brick-joint pattern, overlap should not exceed 33%.)</p> <p>6 x 6, 4 x 4, & 3 x 6: 1/16"</p>	<p>LOW (V1)</p>

PERFORMANCE CHARACTERISTICS

	ASTM#	RESULT
Water Absorption	C373	<20.0%
Breaking Strength	C648	120 - 230 lbs.
Scratch Hardness	MOHS	4.0 - 6.0
Chemical Resistance	C650	Resistant
Abrasion Resistance	C1027	N/A

For additional information on test results, visit us at: americanolean.com/information/TestResults.

APPLICATIONS

	TARGET DCOF WET	SUITABLE
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	●
Countertops	N/A	●*
Pool Linings	N/A	●**

A DCOF value of ≥ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest™, visit americanolean.com/DCOF.

APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in non-freezing climates, when proper installation methods are followed.

* 6 x 6, 4 x 4, 3 x 6 Matte finish only. Darker colors may show scratches.

** 6 x 6, 4 x 4, 3 x 6 only.

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

For additional information refer to "Factors to Consider" at: americanolean.com/Factors.

FEATURES

POST-CONSUMER RECYCLED MATERIALS	PRE-CONSUMER RECYCLED MATERIALS
MADE IN THE U.S.A.	ZEROTOX Healthy Homes Healthy Planet

All or select items within this series meet the requirements for these qualifications. For more information visit americanolean.com.

STAINPROOF	DENTPROOF	SCRATCH-RESISTANT™ <small>Applicable to products with Stone and Natural Finishes</small>	FIRE-RESISTANT	SIMPLICLEAN™
------------	-----------	---	----------------	--------------

VISIT AMERICANOLEAN.COM/WHYTILE FOR A COMPLETE LIST OF QUALIFICATIONS AND EXCLUSIONS.

888.AOT.TILE

AMERICAN OLEAN®
PROVEN IN TILE™

COLOR STORY™ WALL

COLOR STORY™ COLLECTION - GLAZED CERAMIC

AMERICAN OLEAN®

FINISHES: GLOSSY | MATTE

USAGE



MATERIAL



PRICING



SPECIAL FEATURES



NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

WALL

TRIM

TRIM	Thickness	Pieces/ Carton
S1/212J / 1/2 x 12 Jolly ^ 4 pieces per card	1/2" x 11-15/16" (1.29 cm x 30.36 cm)	1/4" 7.23 mm 6 Cards
A106 / 1 x 6 Quarter Round	1" x 6" (2.43 cm x 15.16 cm)	5/16" 7.90 mm 152
AC106 / 1 x 6 Quarter Round Corner	1" x 6" (2.43 cm x 15.16 cm)	5/16" 7.90 mm 120
SURFACE BULLNOSE		
S44D9 / 4 x 16 Bullnose (on 16" side)	4" x 16" (10.17 cm x 40.68 cm)	3/8" 9.30 mm 24
SN44D9 / 4 x 4 Bullnose Corner	4" x 4" (10.17 cm x 10.17 cm)	3/8" 9.30 mm 20
S44C9MOD / 4 x 12 Bullnose (on 12" side)	4-1/4" x 12-7/8" (10.91 cm x 32.77 cm)	5/16" 7.90 mm 28
SCRL4449 / 4 x 4 Bullnose Corner	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm 100
S4289MOD / 2 x 8 Bullnose (on 8" side)	2-1/8" x 8-9/16" (5.45 cm x 21.82 cm)	5/16" 7.90 mm 80
SN4289M / 2 x 2 Bullnose Corner	2-1/8" x 2-1/8" (5.45 cm x 5.45 cm)	5/16" 7.90 mm 25
S4369MOD / 3 x 6 Bullnose (on 6" side)	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm 100
SN4339 / 3 x 3 Bullnose Corner	3" x 3" (7.65 cm x 7.65 cm)	5/16" 7.90 mm 32
S4269 / 2 x 6 Bullnose (on 6" side)	2" x 6" (5.15 cm x 15.31 cm)	5/16" 7.90 mm 100
SN4269 / 2 x 2 Bullnose Corner	2" x 2" (5.15 cm x 5.15 cm)	5/16" 7.90 mm 25
S4449 / 4 x 4 Bullnose	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm 100
RADIUS BULLNOSE		
A4200 / 2 x 6 Bullnose	2" x 6" (5.28 cm x 15.20 cm)	5/16" 7.90 mm 100
AN4200 / 2 x 2 Bullnose Corner	2" x 2" (5.28 cm x 5.28 cm)	5/16" 7.90 mm 20
FLAT TOP COVE BASE		
A34C1MOD / 4 x 12 Cove Base	4-1/4" x 12-7/8" (10.91 cm x 32.77 cm)	5/16" 7.90 mm 40
A3361MOD / 3 x 6 Cove Base	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm 36
SCR3361M / 3 x 6 Cove Base Corner Right	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm 36
SCL3361M / 3 x 6 Cove Base Corner Left	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm 36
A3601 / 6 x 6 Cove Base	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm 44
SCR3601 / 6 x 6 Cove Base Corner Right	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm 20
SCL3601 / 6 x 6 Cove Base Corner Left	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm 20
A3401 / 4 x 4 Cove Base	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm 84
SCR3401 / 4 x 4 Cove Base Corner Right	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm 30
SCL3401 / 4 x 4 Cove Base Corner Left	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm 30

TRIM (CON'T)

TRIM	Thickness	Pieces/ Carton
SANITARY COVE BASE		
S3619T / 6 x 6 Cove Base	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm 40
SCR3619T / 6 x 6 Cove Base Corner Right	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm 20
SCL3619T / 6 x 6 Cove Base Corner Left	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm 20
S3419T / 4 x 6 Cove Base	4-1/4" x 6" (10.90 cm x 15.31 cm)	5/16" 7.90 mm 60
SCR3419T / 4 x 6 Cove Base Corner Right	4-1/4" x 6" (10.90 cm x 15.29 cm)	5/16" 7.90 mm 20
SCL3419T / 4 x 6 Cove Base Corner Left	4-1/4" x 6" (10.90 cm x 15.31 cm)	5/16" 7.90 mm 20
SANITARY COVE BASE - Slim Foot Design		
S3619TN / 6 x 6 Cove Base	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm 40
SC3619TN / 1 x 6 Cove Base Corner	1" x 6" (2.43 cm x 15.16 cm)	5/16" 7.90 mm 60

All trim is available in Neutral and Neutral + colors only. ^ Jolly available in all colors.

TRIM USAGE

Wall Tile	8 x 24	4 x 16	4 x 12	2 x 8	3 x 6	6 x 6	4 x 4
Jolly	S1/212J	S1/212J	S1/212J	S1/212J	S1/212J	S1/212J	S1/212J
Quarter Round	A106	A106	A106	A106	A106	A106	A106
Quarter Round Corner	AC106	AC106	AC106	AC106	AC106	AC106	AC106
SURFACE BULLNOSE							
Bullnose	S44D9	S44C9MOD	S4289MOD	S4369MOD	S4269	S4449	
Corner	SN44D9	SCRL4449	SN4289M	SN4339	SN4269	SCRL4449	
Bullnose				S4269			S4269
Corner				SN4269			SN4269
RADIUS BULLNOSE							
Bullnose	A4200	A4200	A4200	A4200	A4200	A4200	A4200
Corner	AN4200	AN4200	AN4200	AN4200	AN4200	AN4200	AN4200
FLAT TOP COVE BASE							
Cove Base	A3601	A3601	A34C1MOD	A3401	A3361MOD	A3601	A3401
Cove Base Corner	SCR3601 & SCL3601	SCR3601 & SCL3601	SCR3401 & SCL3401	SCR3401 & SCL3401	SCR3361M & SCL3361M	SCR3601 & SCL3601	SCR3401 & SCL3401



888.AOT.TILE



AMERICAN OLEAN®
PROVEN IN TILE™

AMERICANOLEAN.COM

©2021 AMERICAN OLEAN (05/21)

COLOR STORY™ WALL

COLOR STORY™ COLLECTION - GLAZED CERAMIC

AMERICAN OLEAN®



FINISHES: GLOSSY | MATTE

USAGE



MATERIAL



PRICING



SPECIAL FEATURES



NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

WALL

COLOR STORY™

		MUNSELL	LRV
			Illuminate-OBS: F02-02 (CWF)
0006	SHADOW	1.3B 3.9/0.4	11.4
0010	SCARLET	5.1R 4.4/11.1	14.0
0014	BALANCE	1.0GY 7.5/0.2	51.1
0016	MATTE SHADOW	0.6B 3.9/0.4	11.1
0017	MATTE STORM GREY	9.8G 5.3/0.1	22.3
0019	PASSION	N/A	N/A
0023	BLUSH	2.4YR 6.8/3.1	41.0
0025	ICE WHITE	7.0Y 9.2/0.2	83.9
0029	BLAZE	0.5YR 5.5/8.7	25.9
0031	FRESH	4.1BG 5.7/3.1	25.1
0034	MATTE BALANCE	1.3GY 7.5/0.3	51.1
0035	CALM	5.2Y 8.8/0.9	75.9
0036	MATTE CALM	5.2Y 8.8/0.9	75.9
0040	STORM GREY	1.9B 5.3/0.1	22.6
0049	BLACK	10.0B 2.6/0.1	5.0
0052	MATTE STABLE	2.1Y 7.8/0.7	55.9
0053	DEPENDABLE	0.6Y 6.3/0.5	34.2
0055	STABLE	2.0Y 7.8/0.8	56.1
0056	MATTE DEPENDABLE	0.4Y 6.3/0.5	33.5
0058	RESTORE	3.7BG 7.4/1.3	48.3
0059	TRANQUILITY	9.8BG 4.7/1.0	17.2
0061	MATTE DESIGNER WHITE	4.9Y 9.2/0.2	83.4
0064	MATTE BLACK	3.3PB 2.8/0.1	5.8
0068	GRACE	7.0P 4.6/2.2	16.6
0070	SAPPHIRE SKY	7.6PB 3.2/4.4	7.0
0075	LEMON ZEST	2.8Y 7.9/9.3	61.8
0076	GREEN APPLE	5.8YR 6.6/8.3	41.2
0077	MANDARIN	5.8YR 6.6/8.3	41.2
0082	WISDOM	5.8G 3.2/1.5	7.3
0084	PEACOCK BLUE	1.9B 5.0/4.5	18.0
0086	DEVOTION	2.8P 3.2/2.1	7.5
0117	NAVY	5.0PB 2.9/1.2	5.9



DESIGNER WHITE, BLACK, ICE WHITE, RESTORE, AND BLUSH.

888.AOT.TILE



AMERICAN OLEAN®
PROVEN IN TILE™

AMERICANOLEAN.COM

©2021 AMERICAN OLEAN (05/21)