

WALL

CLASSIC

COLOR WHEEL™ COLLECTION – GLAZED CERAMIC



daltile®

CLASSIC

COLOR WHEEL™ COLLECTION – GLAZED CERAMIC

A Spectacular Spectrum

The element of color is visually represented in Color Wheel™. This vibrant collection offers a wide spectrum of colorful selections from bright and pigmented hues to neutral and earthy tones. A favorite of artists and designers, Color Wheel provides the perfect palette to inspire the imagination.

WALL

USAGE

- FLOOR
- WALL
- COUNTERTOP
- SHOWER FLOOR
- EXTERIOR FLOOR

SPECIAL FEATURES

- STEPWISE™
- TRU-EDGE™
- REVEAL SYNC3D™
- MADE IN THE U.S.A.
- LARGE FORMAT
- MOSAIC/ DECO
- ENCAUSTIC
- TERRAZZO
- PAVER
- CUSTOMIZE

CG GLAZED CERAMIC

$ LOW HIGH

SEE CHARTS FOR FULL PRODUCT DETAILS

IMAGINE WHAT'S POSSIBLE™ WITH DALTILE DESIGNS

Cover photo features Color Wheel™ Classic Arctic White and Navy, 3 x 6 on the walls and Reminiscent™ Reclaimed Gray, 12 x 24 on the floor.
Above photo features Color Wheel™ Classic Spa, 3 x6 on the wall.

WALL

CLASSIC

COLOR WHEEL™ COLLECTION – GLAZED CERAMIC

SIZES:

6 x 6 Wall Tile | 4 x 4 Wall Tile | 3 x 6 Wall Tile | 3 x 6 Bevel Wall Tile

FINISHES: MATTE | GLOSSY

GLOSSY

WHITE
0100 (1)

ARCTIC WHITE
0190 (1)

BISCUIT
K175 (1)

ALMOND
0135 (1)


URBAN PUTTY
0161 (2)


ARCHITECTURAL GRAY 0109 (2)


ELEMENTAL TAN
0166 (2)


ARTISAN BROWN
0144 (2)


DESERT GRAY
X114 (1)


SUEDE GRAY
0182 (2)


CHALKBOARD
0180 (2)


BLACK
K111 (2)

MATTE

MATTE ARCTIC WHITE
0790 (1)

MATTE BISCUIT
K775 (1)

MATTE ALMOND
X735 (1)
* 3 x 6, 3 x 6 Bevel, and 6 x 6 only.


MATTE URBAN PUTTY
0761 (2)


MATTE ARCHITECTURAL GRAY 0709 (2)
* 3 x 6, and 6 x 6 only.


MATTE ELEMENTAL TAN 0766 (2)


MATTE ARTISAN BROWN 0744 (2)


MATTE DESERT GRAY X714 (1)
* 3 x 6 Bevel, and 6 x 6 only.


MATTE SUEDE GRAY
0782 (2)


MATTE CHALKBOARD
0780 (2)


MATTE BLACK
K711 (2)

ACCENT♦

CORNSILK
0160 (3)
* 4 x 4, and 6 x 6 only.



MUSTARD
1012 (3)

SUNFLOWER
DH50 (3)


ORANGE BURST
1097 (3)


CURRANT
SH17 (3)


PLUM CRAZY
1178 (3)


SPA
0148 (3)


GARDEN SPOT
0141 (3)
* 6 x 6 only.


KEY LIME
1098 (3)


ELECTRIC BLUE
1194 (3)


COBALT
DM14 (3)†


WOOD VIOLET
1467 (3)


WATERFALL
0169 (3)
* 4 x 4, and 6 x 6 only.


EMERALD
0115 (3)


OCEAN BLUE
1049 (3)


SEA BREEZE
1174 (3)


GALAXY
1469 (3)

NAVY
K189 (3)

♦ Accent available in Glossy finish only. † Subject to crazing; black grout not recommended (1), (2) and (3) indicate price groups. (1) being the least expensive

Made in U.S.A. designation applies to field tile only. This designation is subject to change, please visit Daltile.com for the most current manufacturing information

STAINPROOF

DENTPROOF

SCRATCH-RESISTANT†
†Applicable to products with Matte and Textured Finishes

FIRE-RESISTANT†
†Not Applicable to Mesh-Mounted Mosaics

SIMPLICLEAN™

VISIT THE WHY TILE PAGE AT WWW.DALTILE.COM FOR A COMPLETE LIST OF QUALIFICATIONS AND EXCLUSIONS.

CLASSIC

COLOR WHEEL™ COLLECTION – GLAZED CERAMIC

LINERS• (SHOWN IN ARCTIC WHITE 0190)

1/2 x 6 Payette

1/2 x 6 Half Round



1/2 x 6 Flat

1/2 x 6 Droplet



1/2 x 6 Pyramid

1 x 6 Rope

1 x 6 Dome

1 x 6 Flat

RAILS• (SHOWN IN ARCTIC WHITE 0190)

2 x 6 Chair Rail

2 x 2 Chair Rail Corner

2 x 6 Shelf Rail

2 x 2 Shelf Rail Corner

2 x 6 Sink Rail

2 x 2 Sink Rail Outside Corner

2 x 2 Sink Rail Inside Corner

•Stocked in 0190, 0790, K111, K175, K711, K775, X114 & X714. All other colors are Made-to-Order.

WALL

CLASSIC

COLOR WHEEL™ COLLECTION – GLAZED CERAMIC

SIZES

			Thickness	Finish
	6 x 6 Wall Tile	6" x 6" (15.31 cm x 15.31 cm)	5/16"	G M
	4 x 4 Wall Tile	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16"	G M
	3 x 6 Wall Tile	3" x 6" (7.65 cm x 15.31 cm)	5/16"	G M
	3 x 6 † Bevel Wall Tile	3" x 6" (7.65 cm x 15.31 cm)	3/8"	G M

G Glossy Finish M Matte Finish

† Bevel is available in Group 1 colors only.

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors - Standard Center Drain	≥ 0.42	
Shower Floors - Linear Drain	≥ 0.42 (Mosaic) ≥ 0.60 (Floor)	
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	✓*
Pool Linings	N/A	✓**

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest™, visit daltile.com/DCOF.

APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) non-freezing climates, when proper installation methods are followed.

* Matte finish and all sink rails only. No Bevel Tile. Darker colors may show scratches.
** Wall tile, trim and liner only.

INSTALLATION

Grout Joint Recommendation	Shade Variation
1/16" (Features a lugged edge that creates an automatic 1/16" grout joint.)	Low (V1)

PERFORMANCE CHARACTERISTICS

	ASTM#	Result
Water Absorption	C373	≤ 20.0%
Breaking Strength	C648	≥ 125 lbf
Scratch Hardness	C1895	≥ 4
Chemical Resistance	C650	Resistant
Abrasion Resistance	C1027	N/A

For additional information on test results, visit us at: daltile.com/information/TestResults.

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

For additional information refer to "Factors to Consider" at: daltile.com/Factors.

LRV & MUNSELL

Color #	LRV Illuminate-OBS: F02-02 (CWF)	Munsell
SEMI-GLOSS		
0100	83.9	2.6Y 9.2/0.5
0190	83.9	7.0Y 9.2/0.2
K175	75.9	5.2Y 8.8/0.9
0135	68.0	2.9Y 8.4/1.2
0161	48.0	1.7Y 7.3/1.5
0166	26.8	1.1Y 5.7/1.6
0144	14.5	5.9YR 4.3/1.3
0109	37.9	6.0Y 6.6/1.0
X114	43.7	1.4GY 7.0/0.3
0182	22.6	1.9B 5.3/0.1
0180	11.4	1.3B 3.9/0.4
K111	5.0	10.0B 2.6/0.1
MATTE		
0790	83.4	4.9Y 9.2/0.2
K775	75.9	5.2Y 8.8/0.9
X735	70.9	3.5Y 8.6/1.2
0761	48.1	2.5Y 7.3/1.5
0766	26.8	0.2Y 5.7/1.7
0744	13.9	7.6YR 4.3/1.3
0709	36.9	5.6Y 6.5/1.0
X714	43.9	3.6GY 7.0/0.4
0782	22.3	9.8G 5.3/0.1
0780	11.1	0.6B 3.9/0.4
K711	5.8	3.3PB 2.8/0.1
ACCENT		
K189	5.9	5.0PB 2.9/1.2
1012	48.1	9.7YR 7.2/6.9
1049	18.0	1.9B 5.0/4.5
1097	26.4	10.1R 5.6/10.2
0115	11.7	3.3G 4.1/4.9
1174	9.1	5.8PB 3.6/5.6
1178	6.8	5.9RP 3.1/2.0
SH17	14.0	5.1R 4.4/11.1
0141	24.7	3.0GY 5.5/2.1
0148	48.3	3.7BG 7.4/1.3
0160	73.3	3.3Y 8.7/3.3
0169	40.4	9.7B 6.9/2.6
1469	9.3	4.5PB 3.6/2.7
DH50	70.6	4.7Y 8.4/8.8
DM14	4.7	9.9PB 2.5/4.4
1098	50.9	2.6GY 7.4/5.2
1194	19.0	0.3PB 5.2/6.7
1467	16.6	7.0P 4.6/2.2

PRE-CONSUMER RECYCLED MATERIALS

POST-CONSUMER RECYCLED MATERIALS

All or select items within this series meet the requirements for these qualifications. For more information, visit daltile.com.

CLASSIC

COLOR WHEEL™ COLLECTION – GLAZED CERAMIC

TRIM

			Thickness	Pieces/ Carton
	TRIM			
	S1/212J / 1/2 x 12 Jolly	1/2" x 11-15/16" (1.29 cm x 30.36 cm)	1/4" 7.23 mm	12
	A106 / 1 x 6 Quarter Round	1" x 6" (2.43 cm x 15.16 cm)	5/16" 7.90 mm	152
	AC106 / 1 x 6 Quarter Round Corner	1" x 6" (2.43 cm x 15.16 cm)	5/16" 7.90 mm	120
	SURFACE BULLNOSE			
	S4269 / 2 x 6 Bullnose	2" x 6" (5.15 cm x 15.31 cm)	5/16" 7.90 mm	100
	SN4269 / 2 x 2 Bullnose Corner	2" x 2" (5.15 cm x 5.15 cm)	5/16" 7.90 mm	25
	S4669 / 6 x 6 Bullnose	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	50
	SCRL4669 / 6 x 6 Bullnose Corner	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	50
	S4449 / 4 x 4 Bullnose	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm	100
	SCRL4449 / 4 x 4 Bullnose Corner	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm	100
	S4369MOD / 3 x 6 Bullnose (on 6" side)	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	100
	S4639MOD / 3 x 6 Bullnose (on 3" side)	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	100
	SCR4369M / 3 x 6 Bullnose Corner Right	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	100
	SCL4369M / 3 x 6 Bullnose Corner Left	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	100
	RADIUS BULLNOSE			
	A4200 / 2 x 6 Bullnose	2" x 6" (5.28 cm x 15.20 cm)	5/16" 7.90 mm	100
	AN4200 / 2 x 2 Bullnose Corner	2" x 2" (5.28 cm x 5.28 cm)	5/16" 7.90 mm	20
	FLAT TOP COVE BASE ▲			
	A3601 / 6 x 6 Cove Base	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	44
	SCR3601 / 6 x 6 Cove Corner Right	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	20
	SCL3601 / 6 x 6 Cove Corner Left	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	20
	A3401 / 4 x 4 Cove Base	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm	84
	SCR3401 / 4 x 4 Cove Corner Right	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm	30
	SCL3401 / 4 x 4 Cove Corner Left	4-1/4" x 4-1/4" (10.90 cm x 10.90 cm)	5/16" 7.90 mm	30
	A3361MOD / 3 x 6 Cove Base	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	36
	SCR3361M / 3 x 6 Cove Base Corner Right	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	36
	SCL3361M / 3 x 6 Cove Base Corner Left	3" x 6" (7.65 cm x 15.31 cm)	5/16" 7.90 mm	36
	SANITARY COVE BASE ⁺			
	S3619T / 6 x 6 Cove Base	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	40
	SCR3619T / 6 x 6 Cove Base Corner Right	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	20

TRIM (CON'T)

			Thickness	Pieces/ Carton
	SCL3619T / 6 x 6 Cove Base Corner Left	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	20
	S3419T / 4 x 6 Cove Base	4-1/4" x 6" (10.90 cm x 15.31 cm)	5/16" 7.90 mm	60
	SCR3419T / 4 x 6 Cove Base Corner Right	4-1/4" x 6" (10.90 cm x 15.29 cm)	5/16" 7.90 mm	20
	SCL3419T / 4 x 6 Cove Base Corner Left	4-1/4" x 6" (10.90 cm x 15.31 cm)	5/16" 7.90 mm	20
	SANITARY COVE BASE - Slim Foot Design ⁺			
	S3619TN / 6 x 6 Cove Base	6" x 6" (15.31 cm x 15.31 cm)	5/16" 7.90 mm	40
	SC3619TN / 1 x 6 Cove Base Corner	1" x 6" (2.43 cm x 15.16 cm)	5/16" 7.90 mm	60

▲ Available in Group 1 & 2 Colors. Group 3 Colors are Made-to-Order.

⁺ Available in Group 1 Colors. Group 2 & 3 Colors are Made-to-Order.

TRIM USAGE

Wall Tile	6 x 6	4 x 4	3 x 6	3 x 6 Bevel
Jolly	S1/212J	S1/212J	S1/212J	S1/212J
Quarter Round	A106	A106	A106	A106
Quarter Round Corner	AC106	AC106	AC106	AC106
SURFACE BULLNOSE				
Bullnose	S4669	S4449	S4369MOD & S4639MOD	
Corner	SCRL4669	SCRL4449	SCR4369M & SCL4369M	
Bullnose	S4269	S4269	S4269	
Corner	SN4269	SN4269	SN4269	SN4269
RADIUS BULLNOSE				
Bullnose	A4200	A4200	A4200	
Corner	AN4200	AN4200	AN4200	
FLAT TOP COVE BASE				
Cove Base	A3601	A3401	A3361MOD	A3361MOD
Cove Base Corner	SCR3601 & SCL3601	SCR3401 & SCL3401	SCR3361M & SCL3361M	SCR3361M & SCL3361M

Best Match

CLASSIC

COLOR WHEEL™ COLLECTION – GLAZED CERAMIC

TRIM (CON'T)

			Thickness	Pieces/ Carton
	LINERS*			
	16 / 1 x 6 Flat	1" x 6" (2.57 cm x 15.20 cm)	5/16" 8.00 mm	20
	16BN / 1 x 6 Flat Bullnose	1" x 6" (2.57 cm x 15.20 cm)	5/16" 8.00 mm	20
	16END / 1 x 6 Flat Bullnose End	1" x 6" (2.57 cm x 15.20 cm)	5/16" 8.00 mm	20
	16DOM / 1 x 6 Dome	1" x 6" (2.57 cm x 15.20 cm)	7/16" 11.81 mm	15
	16DOMBN / 1 x 6 Dome Bullnose	1" x 6" (2.57 cm x 15.20 cm)	7/16" 11.81 mm	15
	16DOMED / 1 x 6 Dome Bullnose End	1" x 6" (2.57 cm x 15.20 cm)	7/16" 11.81 mm	15
	16ROP / 1 x 6 Rope	1" x 6" (3.20 cm x 15.20 cm)	5/8" 16.11 mm	16
	16ROPED / 1 x 6 Rope End	1" x 6" (3.20 cm x 15.20 cm)	5/8" 16.11 mm	16
	1/26 / 1/2 x 6 Flat	1/2" x 6" (1.30 cm x 15.20 cm)	5/16" 8.00 mm	20
	1/26BN / 1/2 x 6 Flat Bullnose	1/2" x 6" (1.30 cm x 15.20 cm)	5/16" 8.00 mm	20
	1/26END / 1/2 x 6 Flat Bullnose End	1/2" x 6" (1.30 cm x 15.20 cm)	5/16" 8.00 mm	20
	1/26HRD / 1/2 x 6 Half Round	1/2" x 6" (1.30 cm x 15.20 cm)	7/16" 11.30 mm	15
	1/26HRDBN / 1/2 x 6 Half Round Bullnose	1/2" x 6" (1.30 cm x 15.20 cm)	7/16" 11.30 mm	15
	1/26HRDED / 1/2 x 6 Half Round Bullnose End	1/2" x 6" (1.30 cm x 15.20 cm)	7/16" 11.30 mm	15
	1/26DRO / 1/2 x 6 Droplet	1/2" x 6" (1.30 cm x 15.20 cm)	7/16" 11.43 mm	15
	1/26DROED / 1/2 x 6 Droplet End	1/2" x 6" (1.30 cm x 15.20 cm)	7/16" 11.43 mm	15
	1/26PAY / 1/2 x 6 Payette	1/2" x 6" (1.30 cm x 15.20 cm)	7/16" 12.19 mm	15
	1/26PAYED / 1/2 x 6 Payette End	1/2" x 6" (1.30 cm x 15.20 cm)	7/16" 12.19 mm	15
	1/26PYR / 1/2 x 6 Pyramid	1/2" x 6" (1.30 cm x 15.20 cm)	7/16" 11.71 mm	15
	1/26PYRED / 1/2 x 6 Pyramid End	1/2" x 6" (1.30 cm x 15.20 cm)	7/16" 11.71 mm	15
	RAILS*			
	26CR / 2 x 6 Chair Rail	2-1/2" x 5-15/16" (6.42 cm x 15.20 cm)	3/8" 10.16 mm	8
	22CRCN / 2 x 2 Chail Rail Corner	2-1/2" x 2-1/2" (6.42 cm x 6.42 cm)	3/8" 10.16 mm	20
	26SR / 2 x 6 Shelf Rail	2-1/2" x 5-15/16" (6.42 cm x 15.20 cm)	3/8" 10.16 mm	8
	22SRCN / 2 x 2 Shelf Rail Corner	2-1/2" x 2-1/2" (6.42 cm x 6.42 cm)	3/8" 10.16 mm	12
	WA8262 / 2 x 6 Sink Rail	2-1/8" x 5-15/16" x 2-9/16" (5.43 cm x 15.13 cm x 6.41 cm)	1/2" 12.95 mm	66
	WAC8262 / 2 x 2 Sink Rail Outside Corner	2-1/8" x 2-1/8" x 2-9/16" (5.41 cm x 5.41 cm x 6.41 cm)	1/2" 12.95 mm	40
	WAM8262 / 2 x 2 Sink Rail Inside Corner	2-1/6" x 2-1/16" (5.33 cm x 5.33 cm)	1/2" 12.95 mm	20

*Stocked in 0190, 0790, K111, K175, K711, K775, X114 & X714. All other colors are Made-to-Order.

7834 C.F. Hawn Freeway,
Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile® products and information, visit our website at **daltile.com.**

ZEROTOX

daltile®

©2026 Daltile (8/26)