




NATURAL STONE

FONTÉ™
MARBLE & LIMESTONE



 daltile®
IMAGINE WHAT'S POSSIBLE™

FONTÉ™
MARBLE & LIMESTONE

Dramatic Dimension

Add sophistication to any space with the naturally occurring veining of Fonté. This collection offers a rich color palette with striking hues of whites, greys, and blues. Fonté will take your designs to new heights with its high-end visual selections.

NATURAL STONE

USAGE



SPECIAL FEATURES

NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.



Cover photo features Fonté Heather Harbor Picket Mosaic on the wall. Above photo features Fonté Pier White 12 x 24 on the floor and double leaf mosaic on the wall.

SIZES:



12" x 24"
Floor/
Wall Tile



3" x 9"
Floor/
Wall Tile



Rotating
Hexagon
Mosaic



Double
Leaf
Mosaic



Picket
Mosaic



2" Hex
Mosaic




Herringbone
Mosaic

FINISHES: POLISHED | HONED

COLOR PALETTE



MARBLE
PIER WHITE



MARBLE
NAUTICAL GREY



LIMESTONE
HEATHER HARBOR

MARBLE

PIER WHITE M012



12" x 24" & 3" x 9" – HONED
12" x 24" – POLISHED



2" HEX MOSAIC –
HONED



HERRINGBONE
MOSAIC – HONED

NAUTICAL GREY M013



12" x 24" – HONED




HERRINGBONE
MOSAIC – HONED

LIMESTONE

HEATHER HARBOR L242



12" x 24" – HONED



2" HEX MOSAIC –
HONED



HERRINGBONE
MOSAIC – HONED

DECORATIVE ACCENTS




PIER WHITE BLEND DA46
Rotating Hexagon Mosaic – Honed
Mosaic shown in 4 sheets



PIER WHITE BLEND DA49
Double Leaf Mosaic – Polished




PIER WHITE BLEND DA43
Picket Mosaic – Honed




NAUTICAL GREY BLEND DA47
Rotating Hexagon Mosaic – Honed
Mosaic shown in 4 sheets



NAUTICAL GREY BLEND DA50
Double Leaf Mosaic – Polished



NAUTICAL GREY BLEND DA44
Picket Mosaic – Honed



HEATHER HARBOR BLEND DA45
Picket Mosaic – Honed

NOTES

Natural stone products inherently lack uniformity and are subject to variation in aesthetics (color, shade, finish, etc.) and performance (hardness, strength, slip resistance, etc.). Natural stone products do not meet minimum coefficient of friction thresholds recommended by safety standard setting organizations. No warranties, expressed or implied, relative to merchantability or fitness for a particular purpose are made regarding the natural stone products distributed by Dal-Tile. Check local building codes prior to specification or installation to verify that product technical characteristics comply with required parameters.

The existence and dimensions of a bevel may vary from lot to lot. Be sure to request a sample of the specific lot you are planning to order if the bevel is an important feature of your job.

For additional application and technical information, refer to the "Stone Usage Guide" at daltile.com/sug.

7834 C.F. Hawn Freeway,
Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of
Daltile® products and information,
visit our website at daltile.com.

 **daltile**®

IMAGINE WHAT'S POSSIBLE™

©2026 Daltile (02/26)