



MOSAIC

DECORATIVE
JEWEL TIDE™
GLASS MOSAICS



 **dalTile®**
IMAGINE WHAT'S POSSIBLE™

DECORATIVE

JEWEL TIDE™

GLASS MOSAICS

Bring the Beautifully Weathered Feel of Sea Glass into any Space

With its shimmering hues and tumbled glass look, Jewel Tide could well have been collected from the incoming surf. Augmented by metallic accents, the gorgeous weathered appearance adds a calming complement to contemporary design. An array of color options includes a variety of coordinating hues, providing a beautiful range of looks to match any palette. Jewel Tide is the perfect choice for those searching for a unique look for backsplashes, tub and shower surrounds.

- TRENDY AND INNOVATIVE

- Unique glass mosaic with a tumbled edge
- Gorgeous jewel-like appearance complements any style

- NATURALLY ATTRACTIVE

- Distressed, worn sea glass feel adds a natural, warm element to designs
- A mix of colors ranging from the light shimmer of Sparkling Sand to the deep red glow of Bonfire are available; each tile option features a number of complementary shades to create a beautifully striking look

MOSAIC

USAGE



FLOOR



WALL



COUNTERTOP



SHOWER FLOOR



EXTERIOR FLOOR



STEPWISE™



TRU-EDGE™



MADE IN THE U.S.A.



LARGE FORMAT



MOSAIC/DECO



ENCAUSTIC



TERRAZZO



PAVER



CUSTOMIZE



FLEXFIT™



GLASS

LOW HIGH

SEE CHARTS FOR FULL PRODUCT DETAILS

SPECIAL FEATURES

Cover photo features Jewel Tide™ Beach Pebble 5/8 random mosaic on the backsplash. Above photo features Jewel Tide™ Silver Shore 5/8 random mosaic on the wall.


SIZES:




5/8" Random
Mosaic

FINISHES: GLOSSY


GLASS MOSAICS




SPARKLING SAND JT01




BEACH PEBBLE JT02




SILVER SHORE JT03




SEA GLASS SHIMMER JT04




AMBER WAVE JT05



COBBLESTONE JT06



BONFIRE JT07



SUNSET PATH JT08



SIMPLICLEAN™

SIZES

	Thickness	Sq. Ft./ Carton	Pieces/ Carton
 5/8" Random Mosaic (Mesh-mounted on a 12 x 12 sheet) (12-5/16" x 12-3/16" Sheet) (31.30 cm x 30.90 cm Sheet)	5/16"	11.22	11

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	
Pool Linings	N/A	

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest™, visit daltille.com/DCOF.

APPLICATION NOTES:

Suitable for exterior applications in non-freezing climates, when proper installation methods are followed.

INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8" Approximately	 Random (V4)

PERFORMANCE CHARACTERISTICS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 100 lbs
Scratch Hardness	MOHS	4.0
Chemical Resistance	C650	Resistant

For additional information on test results, visit us at: daltille.com/information/TestResults.

NOTES

Strong random shading enhances the natural beauty of this product. To achieve optimal results, tile should be selected from multiple cartons and shading arrangement planned prior to installation.

Since there are variations in all glass products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile samples or color reproductions. Manufactured in accordance with ANSI A137.2 standards.

For additional information refer to "Factors to Consider" at daltille.com/Factors.

 **PRE-CONSUMER RECYCLED MATERIALS**

All or select items within this series meet the requirements for these qualifications. For more information, visit daltille.com.