



METALLIC LOOK

METALLICA™  
METAL



# METALLICA™

METAL

## Modern Sophistication

Polish up your space with the gleam of Brushed Stainless or Oxidized Copper metallic tile colors. Metallica™ lets you enjoy a decorative accent that gets attention. Elevate your accent wall or backsplash with one of several unique mosaics, from penny rounds to hexagons, or keep it simple with classic 4 x 4 squares.

- **UNIQUE YET SUBTLE**
  - Real metal-faced accent in unique mosaics or 4 x 4 squares
  - Matte finish in Brushed Stainless or Oxidized Copper for distinctive walls and backsplashes
- **RESIDENTIAL OR COMMERCIAL STYLE**
  - Easy to clean and polish for that brand-new shine in a modern kitchen or bathroom
  - Excellent selection for cutting-edge commercial designs with an overlay of sophistication

### METALLIC LOOK

#### USAGE



FLOOR



WALL



COUNTERTOP



SHOWER FLOOR



EXTERIOR FLOOR



STEPWISE™



TRU-EDGE™



MADE IN THE U.S.A.



LARGE FORMAT



MOSAIC/DECO



ENCAUSTIC



TERRAZZO



PAVER



CUSTOMIZE



FLEXFIT™



METAL

### SPECIAL FEATURES



LOW HIGH

Cover photo featured in EXTREME MAKEOVER: HOME EDITION.  
Cover photo features Brushed Stainless Steel penny round mosaic.  
Above photo features Brushed Stainless Steel random mosaic with 4 x 4 wall tile.

NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

SIZES:



FINISHES: POLISHED

WALL TILE



BRUSHED STAINLESS STEEL SS50




OXIDIZED COPPER SS51

MOSAIC WALL TILE (Shown in Brushed Stainless Steel SS50)




2 X 2 MOSAIC



1 X 1 MOSAIC




1 X 1 HEXAGON MOSAIC



1 X 1 & 1 X 4 LARGE BASKETWEAVE MOSAIC




1 X 1 & 1 X 2 SMALL BASKETWEAVE MOSAIC



1 X 1 & 1-1/2 X 1-1/2 SQUARE COMBINATION MOSAIC



3/4 X 3/4 & 3/4 X 2-1/2 RANDOM MOSAIC



3/4 X 3/4 PENNY ROUND MOSAIC

DECORATIVE ACCENT



1 X 10 LINER ACCENT (SHOWN IN BRUSHED STAINLESS STEEL)

JOLLY TRIM



BRUSHED STAINLESS STEEL SS50



OXIDIZED COPPER SS51

All shapes are available in both colors.

# METALLICA™

METAL

## SIZES

			Thickness	Sq. Ft./ Carton	Pieces/ Carton
	4 x 4 Wall Tile	(3-15/16" x 3-15/16") (10.00 cm x 10.00 cm)	3/8"	--	5
	2 x 2 Mosaic*	(1-15/16" x 1-15/16") (5.00 cm x 5.00 cm)	3/8"	6.00	6
	1 x 1 Mosaic*	(1-3/16" x 1-3/16") (3.00 cm x 3.00 cm)	3/8"	6.00	6
	1 x 1 Hexagon Mosaic*	(1-13/16" x 1-13/16") (3.00 cm x 3.00 cm)	3/8"	6.00	6
	1 x 1 and 1 x 4 Large Basketweave Mosaic*	(1-3/16" x 1-3/16" & 1-3/16" x 3-13/16") (3.00 cm x 3.00 cm & 3.00 cm x 9.70 cm)	3/8"	6.00	6
	1 x 1 and 1 x 2 Small Basketweave Mosaic*	(7/8" x 7/8" & 7/8" x 2-3/8") (2.20 cm x 2.20 cm & 2.20 cm x 6.00 cm)	3/8"	6.00	6
	1 x 1 and 1-1/2 x 1-1/2 Square Combination Mosaic*	(7/8" x 7/8" & 1-7/8" x 1-7/8") (2.30 cm x 2.30 cm & 4.80 cm x 4.80 cm)	3/8"	6.00	6
	3/4 x 3/4 and 3/4 x 2-1/2 Random Mosaic*	(3/4" x 3/4" & 3/4" x 2-1/2") (2.00 cm x 2.00 cm & 2.00 cm x 6.40 cm)	3/8"	6.00	6
	3/4 x 3/4 Penny Round Mosaic*	(3/4" x 3/4") (2.00 cm x 2.00 cm)	3/16"	6.00	6
	1 x 10 Liner	(1-3/16" x 9-13/16") (3.00 cm x 25.00 cm)	3/8"	--	6

\* Mesh Mounted

## APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	
Pool Linings	N/A	

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest™, visit [daltile.com/DCOF](http://daltile.com/DCOF).

### APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in non-freezing climates, when proper installation methods are followed.

## METALLIC LOOK

## TRIM

Type	Number	Size	Pieces/ Carton
 12" Jolly	S1/212J	1/2 x 11-15/16	12

## INSTALLATION

### Grout Joint Recommendation

### Shade Variation

1/8"

 Oxidized Copper: High (V3)

 Brushed Stainless Steel: Low (V1)

## NOTES

Tiles can be cleaned using warm water and a cloth. To prevent spots dry with a cloth. Wipe in the direction of the polish lines. For deeper cleaning, a mild detergent or glass cleaner can be used. Do not use abrasive cleaners or abrasive sponges.

Metallica can be cut using a standard wet-saw. Tiles should be cut with the metal side up. They cannot be cut with tile cutters that are made to score and break the tiles. Once the tile is cut, the marble bisque is going to be visible from the side. Unsanded grout is recommended to avoid scratches.

Since there are variations in all natural products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile samples or color reproductions.

For additional information, refer to "Factors to Consider" at <http://daltile.com/factors-to-consider.cfm>.

