SLAB



PANORAMIC

porcelain surfaces™

daltile®

ELEMENTAL SELECTION | INDUSTRIAL SELECTION | METALLIC SELECTION

INTRODUCING SURFACES
LIKE YOU'VE NEVER SEEN THEM BEFORE.

Panoramic Porcelain Surfaces™ features porcelain that performs and design that delivers for your walls, floors and countertops. This collection offers breathtaking views, stunning visuals and seamless design with no boundaries.

THE POSSIBILITIES: **LIMITLESS**

With Panoramic Porcelain Surfaces™, you have a unique opportunity to let your imagination run wild.
If you've ever dreamt of using limestone slab in places limestone should never be used, Panoramic can help you make those dreams come true. Or, if you've ever wished you could bathe a room in marble, now you can create that look at a fraction of the cost.

PANORAMIC PORCELAIN SURFACES™
IMAGINE WHAT'S POSSIBLE

Cover photo features Panoramic Porcelain Surfaces™ Celestine and Indoterra™ White Desert 24 x 48 on the floor.

Above photo features Panoramic Porcelain Surfaces™ Golden Angelite on the table and bar and Belmont Terrace on the floor..

SLAB

USAGE

- FLOOR
- WALL
- COUNTERTOP
- SHOWER FLOOR
- EXTERIOR

SPECIAL FEATURES

- STEPWISE™
- TRU-EDGE™
- MADE IN THE U.S.A.
- LARGE FORMAT
- MOSAIC/ DECO
- ENCAUSTIC
- TERRAZZO
- PAVER
- CUSTOMIZE
- FLEXFIT™

P PORCELAIN

LOW — HIGH

NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

* EXCLUDES EXTERIOR FLOOR

SLIP RESISTANT | WATERPROOF | STAINPROOF | DENTPROOF | SCRATCH-RESISTANT† | FIRE-RESISTANT | CLIMATEPRO™ | SIMPLICLEAN™

†Applicable to products with Matte and Textured Finishes


VISIT THE WHY TILE PAGE AT WWW.DALTILE.COM FOR A COMPLETE LIST OF QUALIFICATIONS AND EXCLUSIONS.



Photo features Panoramic Porcelain Surfaces™ Black Diamond on the countertop and backsplash and Calligo™ Tusk, 15 x 30 on the floor.

			RESISTANCE						
	PRICE	STYLE	CHIPS	HEAT	STAIN	SCRATCHES	SEALING REQUIRED	MAINTENANCE	PROS
PANORAMIC PORCELAIN SURFACES™	$$	•••	••	•••	•••	•••	NO	NO	Large size for fewer seams; lighter than other slab materials Great for indoor or outdoor installation Virtually maintenance-free Works on walls, floors & countertops – even outdoors

••• EXCELLENT
•• GOOD
• FAIR



SET THE STAGE FOR LUXURY

ELEMENTAL **SELECTION**

Elevate the ambiance of virtually any space with the sophisticated marble looks within Elemental Selection.

Create drama with striking vein patterns, or infuse tranquility with subtle marbling designs. Large format slabs create fewer grout lines for a more seamless appearance in both glossy and matte finishes. By combining the look of natural stone with the value and ease of porcelain, Elemental Selection reinvents classic décor.

Photo features Panoramic Porcelain Surfaces™ Selenite on the walls, Dignitary™ Governor Black abstract mosaic on the shower floor and 24 x 48 on the floor, with Rigid Clay™ Salt offset mosaic in the niche.



STATUARIO CM03
6mm – Matte & Glossy
12mm – Matte & Glossy



CALACATTA CM04
6mm – Matte & Glossy
12mm – Matte & Glossy




DIAMOND MINE CM12
6mm – Matte & Glossy
12mm – Matte & Glossy



OPALITE CM55
6mm – Matte & Glossy
12mm – Matte & Glossy



MARFIL CM06
6mm – Matte & Glossy
12mm – Matte & Glossy



MOONSTONE CM11
6mm – Matte & Glossy
12mm – Matte & Glossy



BLANC CM05
6mm – Matte
12mm – Matte



SELENITE CM51
6mm – Matte



WHITE JADE CM56
6mm – Glossy
12mm – Glossy



GYPSUM CALACATTA CM22
6mm – Matte & Glossy
12mm – Matte & Glossy



CALACATTA ARIES CM21
6mm - Glossy
12mm - Matte & Glossy



CALACATTA TOPAZ CM82
6mm – Matte & Glossy
12mm – Glossy



LEMURIAN CM49
6mm – Glossy



AURALINE CM90
6mm – Glossy



CELESTINE C144
6mm – Matte & Glossy
12mm – Matte & Glossy



IRIDESSE C147
6mm – Glossy



PRASINA C148
6mm – Glossy



SMOKED GEODE CM58
6mm – Matte



OPAL TRAVERTINE CM84
6mm – Matte



TITANIUM GREY CM13
6mm – Matte & Glossy




JASPER GREY CM81
6mm – Glossy
12mm – Glossy




ELESTIAL CM48
6mm – Glossy & Satin
12mm – Glossy & Satin



SUNSTONE CM57
6mm – Matte




SAPPHIRE STATUS CM87
6mm – Glossy



IMPERIAL STATUS CM54
6mm – Glossy



ZEBRA CALACATTA CM59
6mm – Glossy
12mm – Glossy



ONYX GALAXY CM14
6mm – Matte & Glossy
12mm – Glossy




ANTHRACITE CM85
6mm – Glossy

PANORAMIC
porcelain surfaces™

PANORAMIC IN **2CM THICKNESS!**

Available in 6 colors, the 20mm (2cm) thickness features through-body veining, so what you see on the surface is not just surface-deep, emulating an even more natural look with all of the benefits of porcelain.*



MANOR WHITE CM18
20mm (2cm) – Glossy



STERLING CALACATTA CM96
20mm (2cm) – Glossy & Matte




SILVER MIRAGE CM95
20mm (2cm) – Glossy & Matte



GOLDEN ANGELITE CM92
20mm (2cm) – Glossy & Matte



CRYSTAL HAZE CM94
20mm (2cm) – Glossy



BLACK DIAMOND CM93
20mm (2cm) – Glossy & Matte

* Through-body veining color and vein pattern can differ throughout the slab in the 20mm (2cm) thickness.



Photo features Panoramic Porcelain Surfaces™ Sterling Calacatta on the table top and Fabric Art™ Ashen Steel Prism 12 x 24 on the floor.



ELEMENTAL SELECTION **PROGRAMS**

Photo features Panoramic Porcelain Surfaces™ Horizon on the walls, Haddonstone™ Horizon, 2 x 2 straight-joint mosaic on the shower floor and 24 x 48 on the floor.

PANORAMIC
porcelain surfaces™


SHOWER WALL PROGRAM




PANORAMIC PORCELAIN SURFACES™ PROVIDES GREATER EASE OF INSTALLATION WITH SHOWER WALLS AND TUB SURROUNDS.

SLAB | ELEMENTAL SELECTION

OPALITE
CM55
6mm – Glossy | 48 x 96
Bookmatch available



STATUARIO
CM03
6mm – Glossy | 48 x 96
Bookmatch available



DIAMOND MINE
CM12
6mm – Glossy | 48 x 96
Bookmatch available



GYPSUM CALACATTA
CM22
6mm – Glossy | 48 x 96
Bookmatch available



SELENITE
CM51
6mm – Matte | 48 x 96



LEMURIAN
CM49
6mm – Glossy
32 x 72, 32 x 90,
36 x 90 & 48 x 96
Infinity Veining in 32 x 72, 32 x 90 & 36 x 90
Bookmatch available in 48 x 96 only

AURALINE
CM90
6mm – Glossy
32 x 72, 32 x 90 & 36 x 90
Infinity Veining

PEONY
HS04
6mm – Honed
32 x 72, 32 x 90 & 36 x 90
Vein-cut



DAWN
HS05
6mm – Honed
32 x 72, 32 x 90 & 36 x 90
Vein-cut



HORIZON
HS07
6mm – Honed
32 x 72, 32 x 90 & 36 x 90
Vein-cut

Bookmatch: Slabs are crafted to create a mirrored pattern, offering a stunning symmetrical appearance in installations.

Infinity Veining: Slabs feature a continuous pattern, providing installations with a seamless and uninterrupted look.

PANORAMIC
porcelain surfaces™

PANORAMIC COORDINATING SHOWER PROGRAM

SLAB | HADDONSTONE™ - STONE LOOK



PEONY HS04
6mm – Honed
Vein-cut



DAWN HS05
6mm – Honed
Vein-cut



HORIZON HS07
6mm – Honed
Vein-cut

COORDINATING TILE & MOSAICS | HADDONSTONE™ (SHOWN IN PEONY HS04)



24 x 48 FLOOR TILE CROSSCUT | VEIN-CUT

24 x 24 FLOOR TILE CROSSCUT

24 x 24 PAVER TILE CROSSCUT



12 x 24 FLOOR TILE CROSSCUT | VEIN-CUT



12 x 24 FLOOR TILE RIDGE



2 x 2 MOSAIC TILE CROSSCUT

PANORAMIC
porcelain surfaces™

PANORAMIC DUET™ COORDINATION

SLAB | PANORAMIC PORCELAIN SURFACES™ - MARBLE LOOK



DIAMOND MINE CM12
6mm & 12mm
Matte & Glossy




CELESTINE C144
6mm & 12mm
Matte & Glossy

IRIDESSE C147
6mm – Glossy



CALACATTA ARIES CM21
6mm – Glossy
12mm – Matte & Glossy




CALACATTA TOPAZ CM82
6mm – Matte & Glossy
12mm – Glossy



PRASINA C148
6mm – Glossy



ELESTIAL CM48
6mm & 12mm
Glossy & Satin




ANTHRACITE CM85
6mm – Glossy

COORDINATING TILE & MOSAICS (SHOWN IN CALACATTA TOPAZ CM82)



24 x 48 FLOOR TILE



24 x 24 FLOOR TILE



12 x 24 FLOOR TILE



2 x 2 MOSAIC



Photo features Panoramic Porcelain Surfaces™ Calacatta Topaz on the wall and tub surround, Panoramic Duet™ Calacatta Topaz 12 x 24 on the floor, and 2 x 2 mosaic on the shower floor.


INSPIRING RUGGED ELEGANCE

INDUSTRIAL **SELECTION**

Capture a sense of strength and character with Industrial Selection.

Bring the urban chic feel of a downtown gallery or loft to virtually any space with the look of sleek concrete. Large format slabs provide seamless style to more closely mimic the essence of poured concrete while the smooth, matte finish adds a touch of sophistication. Infuse your space with the robust, stoic presence of concrete while enjoying the versatility of porcelain tile with Industrial Selection.

Photo features Panoramic Porcelain Surfaces™ Brushed Ore on the countertop, Outlander™ Dusk Palazzo 24 x 48 on the outer floor, Dusk Grande 12 x 24 on the inner floor and Farrier™ Andalusian Gray 2-1/2 x 15 on the bar face.



MANOR WHITE CM18
6mm – Matte & Glossy
12mm – Matte & Glossy
20mm (2cm) – Glossy



BELMONT TERRACE CM07
6mm – Matte



FOUNDRY C142
20mm (2cm) – Honed



BRUSHED ORE C143
20mm (2cm) – Honed



STONEWALL COAL CM09
6mm – Matte
12mm – Matte



CINDER RAIL CM17
6mm – Matte



CHARRED NICKEL CM16
6mm – Matte



HEARTH SMOKE CM08
6mm – Matte
12mm – Matte

UNREFINED URBAN GLAMOUR

METALLIC SELECTION

Dazzle with the glitz and glam of the Metallic Selection.

Dripping with design and opulence, the reflective, iridescent metallic sheen encompassed on these sleek slabs takes fashion to new heights. The unrefined essence of concrete enhanced with mixed metals is provided on a scale only large format porcelain slabs can reach. Experience glimmering style with Metallic Selection.



Photo features Panoramic Porcelain Surfaces™ Brass on outer walls and desk base, with Anthracite on center wall & desk. Perpetuo™ Elegant Beige is featured on the floor.



BRASS CM86
6mm – Matte



CHROMIUM CM19
6mm – Matte



OBSIDIAN CM20
6mm – Matte


SLAB FACE – BOOK MATCHED APPLICATION
ELEMENTAL SELECTION SKUS

GOLDEN ANGELITE CM92

20mm (2cm) – Matte & Glossy

STERLING CALACATTA CM96

20mm (2cm) – Matte & Glossy


STATUARIO CM03

6mm – Matte & Glossy
12mm – Matte & Glossy

CALACATTA CM04

12mm – Matte & Glossy

DIAMOND MINE CM12

12mm – Matte & Glossy


CALACATTA TOPAZ CM82

12mm – Polished

LEMURIAN CM49

48 x 96 - 6 mm - Glossy


OPALITE CM55

6mm – Matte & Glossy
12mm – Matte & Glossy

GYPSUM CALACATTA CM22

12mm – Matte & Glossy

PANORAMIC
porcelain surfaces™

SLAB FACE – BOOK MATCHED APPLICATION
ELEMENTAL SELECTION SKUS


CALACATTA ARIES CM21

6mm - Glossy
12mm – Matte & Glossy


CELESTINE C144


12mm – Matte & Glossy


ELESTIAL CM48

12mm – Glossy & Satin

SAPPHIRE STATUS CM87

6mm – Glossy

IMPERIAL STATUS CM54

6mm – Glossy

ZEBRA CALACATTA CM59

6mm – Glossy
12mm – Glossy

ANTHRACITE CM85

6mm – Glossy

SLAB FACE – INFINITY VEIN APPLICATION
ELEMENTAL SELECTION SKUS

LEMURIAN CM49



32 x 72, 32 x 90, & 36 x 90 - 6 mm - Glossy

AURALINE CM90



6mm – Glossy

PANORAMIC
porcelain surfaces™

SIZES

Nominal Size		Thickness	Sq. Ft./ Slab
	63" x 126" Slab	6mm	55.00
	64" x 127" Slab	12mm 20mm (2cm)	56.00
	48" x 96" Slab*	6mm	32.00
	36" x 90" Slab**	6mm	22.50
	32" x 90" Slab**	6mm	20.00
	32" x 72" Slab**	6mm	16.00

* Available in CM03, CM12, CM22, CM49, CM51 and CM55.
** Avaliable in CM49, CM90, HS04, HS05, HS07.

FLEXFIT™ SIZE SOLUTIONS

Standard FlexFit Sizes+	Actual Size	Thickness
	62" x 62"	6 mm or 12 mm
	31" x 124"	6 mm or 12 mm
	31" x 62"	6 mm or 12 mm
	15-1/2" x 62"	6 mm or 12 mm
	31" x 31"	6 mm or 12 mm
	15-1/2" x 31"	6 mm or 12 mm
	20-1/2" x 20-1/2"	6 mm or 12 mm

PLUS – DREAM IT, DESIGN IT, WE CAN DO IT! WITH OUR CUSTOM CUT TO SIZE PROGRAM
Request your quick quote: **customquote@daltile.com**
+ Please allow 4-6 weeks for processing & shipping FlexFit™ standard sizes.
NOTE: Available only in 63" x 126" and 64" x 126" sizes only.

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	✓
Wet & Level – Interior Floor	≥ 0.42	✓*
Shower Floors – Standard Center Drain	≥ 0.42	
Shower Floors – Linear Drain	≥ 0.42 (Mosaic) ≥ 0.60 (Floor)	
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	✓**
Pool Linings	N/A	✓

A DCOF value of ≥ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-2012, Section 9.6. For more information about DCOF and the DCOF AcuTest™, visit daltile.com/DCOF.

APPLICATION NOTES:
Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in freezing and non-freezing climates, when proper installation methods are followed.

* Matte, honed, and satin finishes only.
** Applies to 12mm and 20mm (2cm) thickness only.

INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8"	**Medium (V2):** Industrial Selection Metallic Selection **High (V3):** Elemental Selection

PERFORMANCE CHARACTERISTICS

		AVERAGE RESULTS*		
	ASTM#	6 MM	12 MM	2 CM
Water Absorption	C373	≤ 0.5%	≤ 0.5%	≤ 0.5%
Breaking Strength	C1505 C648	≥ 175 lbs	≥ 275 lbs	≥ 3000 lbs
Scratch Hardness (MOHS) - Glossy	C1895	6.0	6.0	6.0
(MOHS) - Matte	C1895	8.0	8.0	8.0
Chemical Resistance	C650	Resistant	Resistant	Resistant

For additional information on test results, visit us at: daltile.com/information/TestResults.
* Custom testing restults by color and finish are available upon request.

NOTES

Special consideration must be given when installing tiles greater than 15 inches. Please refer to ANSI A108.19 standards for Gauged Porcelain Slabs for more information.

Use of an LFT (Large Format Tile) mortar is required. Thin-set mortars are not suitable for Panoramic Porcelain Surfaces.

Since there are variations in all fired ceramic products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual panels and trim and not from product samples or color reproductions.

Water, oil, grease, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

WARNING: This product can expose you to chemicals known to the State of California to cause cancer, including crystalline Silica (airborne particles of respirable size) in dust created if the product is dry cut/ground/polished or pulverized during fabrication/installation/removal. For more information, go to www.P65Warnings.ca.gov.

For additional information refer to "Factors to Consider" at daltile.com/Factors.

Refer to Safety Data Sheet for additional safety information.



Five Year Commercial Limited Warranty, visit daltile.com for complete warranty details.



Twenty Five Year Residential Limited Warranty, visit daltile.com for complete warranty details.

Dal-Tile | 7834 C.F. Hawn Freeway
Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile® products and information, visit our website at **daltile.com.**

daltile®

©2026 Dal-Tile Distribution, LLC (09/26)