

SLAB

PANORAMIC

porcelain surfaces™

 daltile®

ELEMENTAL SELECTION | INDUSTRIAL SELECTION | METALLIC SELECTION

INTRODUCING SURFACES LIKE YOU'VE NEVER SEEN THEM BEFORE.

Panoramic Porcelain Surfaces™ features porcelain that performs and design that delivers for your walls, floors and countertops. This collection offers breathtaking views, stunning visuals and seamless design with no boundaries.

THE POSSIBILITIES: LIMITLESS

With Panoramic Porcelain Surfaces™, you have a unique opportunity to let your imagination run wild.

If you've ever dreamt of using limestone slab in places limestone should never be used, Panoramic can help you make those dreams come true. Or, if you've ever wished you could bathe a room in marble, now you can create that look at a fraction of the cost.



Cover photo features Panoramic Porcelain Surfaces™ Elestial bookmatch on the walls and indoor floor and Dignitary™ Superior Taupe, 24 X 48 on the outdoor floor.

Above photo features Panoramic Porcelain Surfaces™ Golden Angelite on the table and bar and Belmont Terrace on the floor.

SLAB

USAGE



SPECIAL FEATURES

- SLIP RESISTANT
- WATERPROOF
- STAINPROOF
- DENTPROOF
- SCRATCH-RESISTANT
*Applicable to products with Matte and Textured Finishes
- FIRE-RESISTANT
- CLIMATEPRO™
- SIMPLICLEAN™

VISIT THE WHY TILE PAGE AT WWW.DAL TILE.COM FOR A COMPLETE LIST OF QUALIFICATIONS AND EXCLUSIONS.

NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

* EXCLUDES EXTERIOR FLOOR



Photo features Black Diamond on the countertop and backsplash and Calligo™ Tusk, 15 x 30 on the floor.

| | PRICE | STYLE | RESISTANCE | | | | SEALING REQUIRED | MAINTENANCE | PROS |
|--------------------------------------|-------|-------|------------|------|-------|-----------|------------------|-------------|---|
| | | | CHIPS | HEAT | STAIN | SCRATCHES | | | |
| PANORAMIC PORCELAIN SURFACES™ | \$\$ | ... | .. | ... | ... | ... | NO | NO | Large size for fewer seams; lighter than other slab materials Great for indoor or outdoor installation Virtually maintenance-free Works on walls, floors & countertops – even outdoors |

... EXCELLENT
 .. GOOD
 . FAIR



SET THE STAGE FOR LUXURY

ELEMENTAL SELECTION

Elevate the ambiance of virtually any space with the sophisticated marble looks within Elemental Selection.

Create drama with striking vein patterns, or infuse tranquility with subtle marbling designs. Large format slabs create fewer grout lines for a more seamless appearance in both glossy and matte finishes. By combining the look of natural stone with the value and ease of porcelain, Elemental Selection reinvents classic décor.





Photo features Panoramic Porcelain Surfaces™ Selenite on the walls, Dignitary™ Governor Black, Abstract mosaic on the shower floor and 24 x 48 on the floor with Rigid Clay™ Salt, Offset mosaic in the niche.




STATUARIO CM03
6mm – Matte & Glossy
12mm – Matte & Glossy




CALACATTA CM04
6mm – Matte & Glossy
12mm – Matte & Glossy




DIAMOND MINE CM12
6mm – Matte & Glossy
12mm – Matte & Glossy



OPALITE CM55
6mm – Matte & Glossy
12mm – Matte & Glossy



MARFIL CM06
6mm – Matte & Glossy
12mm – Matte & Glossy



MOONSTONE CM11
6mm – Matte & Glossy
12mm – Matte & Glossy



BLANC CM05
6mm – Matte
12mm – Matte



SELENITE CM51
6mm – Matte



WHITE JADE CM56
6mm – Glossy
12mm – Glossy



GYPSUM CALACATTA CM22
6mm – Matte & Glossy
12mm – Matte & Glossy



CALACATTA ARIES CM21
6mm - Glossy
12mm - Matte & Glossy



CALACATTA TOPAZ CM82
6mm – Matte & Glossy
12mm – Glossy



LEMURIAN CM49
6mm – Glossy




AURALINE CM90
6mm – Glossy




SMOKED GEODE CM58
6mm – Matte



OPAL TRAVERTINE CM84
6mm – Matte




TITANIUM GREY CM13
6mm – Matte & Glossy




JASPER GREY CM81
6mm – Glossy
12mm – Glossy



ELESTIAL CM48
6mm – Glossy & Satin
12mm – Glossy & Satin




SUNSTONE CM57
6mm – Matte




SAPPHIRE STATUS CM87
6mm – Glossy



IMPERIAL STATUS CM54
6mm – Glossy



ZEBRA CALACATTA CM59
6mm – Glossy
12mm – Glossy




ONYX GALAXY CM14
6mm – Matte & Glossy
12mm – Glossy




ANTHRACITE CM85
6mm – Glossy

PANORAMIC IN 2CM THICKNESS!

Available in 6 colors, the 20mm (2cm) thickness features through-body veining, so what you see on the surface is not just surface-deep, emulating an even more natural look with all of the benefits of porcelain.*



MANOR WHITE CM18
20mm (2cm) – Glossy



STERLING CALACATTA CM96
20mm (2cm) – Glossy & Matte




SILVER MIRAGE CM95
20mm (2cm) – Glossy



GOLDEN ANGELITE CM92
20mm (2cm) – Glossy & Matte



CRYSTAL HAZE CM94
20mm (2cm) – Glossy



BLACK DIAMOND CM93
20mm (2cm) – Glossy

* Through-body veining color and vein pattern can differ throughout the slab in the 20mm (2cm) thickness.





ELEMENTAL SELECTION PROGRAMS




Photo features Panoramic Porcelain Surfaces™ Horizon on the walls, Haddonstone™ Horizon, 2 x 2 straight-joint mosaic on the shower floor and 24 x 48 on the floor.

SHOWER WALL PROGRAM



PANORAMIC PORCELAIN SURFACES™ PROVIDES GREATER EASE OF INSTALLATION WITH SHOWER WALLS AND TUB SURROUNDS.

SLAB | ELEMENTAL SELECTION



**OPALITE
CM55**
6mm – Glossy | 48 x 96
Bookmatch available



**STATUARIO
CM03**
6mm – Glossy | 48 x 96
Bookmatch available



**DIAMOND MINE
CM12**
6mm – Glossy | 48 x 96
Bookmatch available



**GYPSUM CALACATTA
CM22**
6mm – Glossy | 48 x 96
Bookmatch available



**SELENITE
CM51**
6mm – Matte | 48 x 96



**LEMURIAN
CM49**
6mm – Glossy
32 x 72, 32 x 90,
36 x 90 & 48 x 96
*Infinity Veining in 32 x 72,
32 x 90 & 36 x 90
Bookmatch available in
48 x 96 only*



**AURALINE
CM90**
6mm – Glossy
32 x 72, 32 x 90 & 36 x 90
Infinity Veining



**PEONY
HS04**
6mm – Honed
32 x 72, 32 x 90 & 36 x 90
Vein-cut



**DAWN
HS05**
6mm – Honed
32 x 72, 32 x 90 & 36 x 90
Vein-cut



**HORIZON
HS07**
6mm – Honed
32 x 72, 32 x 90 & 36 x 90
Vein-cut

Bookmatch: Slabs are crafted to create a mirrored pattern, offering a stunning symmetrical appearance in installations.

Infinity Veining: Slabs feature a continuous pattern, providing installations with a seamless and uninterrupted look.

PANORAMIC COORDINATING SHOWER PROGRAM SLAB | HADDONSTONE™ - STONE LOOK



PEONY HS04
6mm – Honed
Vein-cut



DAWN HS05
6mm – Honed
Vein-cut



HORIZON HS07
6mm – Honed
Vein-cut


COORDINATING TILE & MOSAICS | HADDONSTONE™ (SHOWN IN PEONY HS04)




24 x 48 FLOOR TILE
CROSSCUT | VEIN-CUT




24 x 24 FLOOR TILE
CROSSCUT



24 x 24 PAVER TILE
CROSSCUT



12 x 24 FLOOR TILE
CROSSCUT | VEIN-CUT



12 x 24 FLOOR TILE
RIDGE



2 x 2 MOSAIC TILE
CROSSCUT

PANORAMIC COORDINATING SHOWER PROGRAM SLAB | PANORAMIC PORCELAIN SURFACES™ - MARBLE LOOK



DIAMOND MINE CM12
6mm – Matte & Glossy
12mm – Matte & Glossy



CALACATTA TOPAZ CM82
6mm – Matte & Glossy
12mm – Glossy



CALACATTA ARIES CM21
6mm – Glossy
12mm – Matte & Glossy




ANTHRACITE CM85
6mm – Glossy

COORDINATING TILE & MOSAICS (SHOWN IN CALACATTA TOPAZ CM82)




24 x 48 FLOOR TILE



24 x 24 FLOOR TILE



12 x 24 FLOOR TILE



2 x 2 MOSAIC



Photo features Panoramic Porcelain Surfaces™ Calacatta Topaz, on the wall and tub surround, Panoramic Duet™ Calacatta Topaz, 12 x 24 on the floor, and 2 x 2 mosaic on the shower floor.



INSPIRING RUGGED ELEGANCE

INDUSTRIAL SELECTION

Capture a sense of strength and character with Industrial Selection.

Bring the urban chic feel of a downtown gallery or loft to virtually any space with the look of sleek concrete. Large format slabs provide seamless style to more closely mimic the essence of poured concrete while the smooth, matte finish adds a touch of sophistication. Infuse your space with the robust, stoic presence of concrete while enjoying the versatility of porcelain tile with Industrial Selection.





Photo features Panoramic Porcelain Surfaces™ Brushed Ore on the countertop, Outlander™ Dusk Palazzo, 24 x 48 on the outer floor, Dusk Grande, 12 x 24 on the inner floor and Farrier™ Andalusian Gray, 2-1/2 x 15 on the bar face.



MANOR WHITE CM18
6mm – Matte & Glossy
12mm – Matte & Glossy
20mm (2cm) – Glossy



BELMONT TERRACE CM07
6mm – Matte



FOUNDRY C142
20mm (2cm) – Honed




BRUSHED ORE C143
20mm (2cm) – Honed




STONEWALL COAL CM09
6mm – Matte
12mm – Matte



CINDER RAIL CM17
6mm – Matte



CHARRED NICKEL CM16
6mm – Matte



HEARTH SMOKE CM08
6mm – Matte
12mm – Matte

UNREFINED URBAN GLAMOUR

METALLIC SELECTION


Dazzle with the glitz and glam of the Metallic Selection.

Dripping with design and opulence, the reflective, iridescent metallic sheen encompassed on these sleek slabs takes fashion to new heights. The unrefined essence of concrete enhanced with mixed metals is provided on a scale only large format porcelain slabs can reach. Experience glimmering style with Metallic Selection.

Photo features Panoramic Porcelain Surfaces™ Brass on outer walls and desk base, with Anthracite on center wall & desk. Perpetuo™ Elegant Beige is featured on the floor.



BRASS CM86
6mm – Matte



CHROMIUM CM19
6mm – Matte



OBSIDIAN CM20
6mm – Matte

SLAB FACE – BOOK MATCHED APPLICATION ELEMENTAL SELECTION SKUS

GOLDEN ANGELITE CM92




20mm (2cm) – Matte & Glossy

STERLING CALACATTA CM96



20mm (2cm) – Matte & Glossy

STATUARIO CM03



6mm – Matte & Glossy
12mm – Matte & Glossy

CALACATTA CM04




12mm – Matte & Glossy

DIAMOND MINE CM12



12mm – Matte & Glossy

CALACATTA TOPAZ CM82



12mm – Polished

LEMURIAN CM49




48 x 96 - 6 mm - Glossy

OPALITE CM55



6mm – Matte & Glossy
12mm – Matte & Glossy


GYPSUM CALACATTA CM22



12mm – Matte & Glossy

SLAB FACE – BOOK MATCHED APPLICATION ELEMENTAL SELECTION SKUS

CALACATTA ARIES CM21




6mm - Glossy
12mm – Matte & Glossy

ELESTIAL CM48




12mm – Glossy & Satin

SAPPHIRE STATUS CM87



6mm – Glossy

IMPERIAL STATUS CM54




6mm – Glossy

ZEBRA CALACATTA CM59



6mm – Glossy
12mm – Glossy

ANTHRACITE CM85



6mm – Glossy

SLAB FACE – INFINITY VEIN APPLICATION ELEMENTAL SELECTION SKUS

LEMURIAN CM49



32 x 72, 32 x 90, & 36 x 90 - 6 mm - Glossy

AURALINE CM90



6mm – Glossy









SIZES

| Nominal Size | | Thickness | Sq. Ft./ Slab |
|--|------------------|--------------------|---------------|
|  | 63" x 126" Slab | 6mm | 55.00 |
|  | 64" x 127" Slab | 12mm 20mm (2cm) | 56.00 |
|  | 48" x 96" Slab* | 6mm | 32.00 |
|  | 36" x 90" Slab** | 6mm | 22.50 |
|  | 32" x 90" Slab** | 6mm | 20.00 |
|  | 32" x 72" Slab** | 6mm | 16.00 |

* Available in CM03, CM12, CM22, CM49, CM51 and CM55.

** Available in CM49, CM90, HS04, HS05, HS07.

FLEXFIT™ SIZE SOLUTIONS

| Standard FlexFit Sizes† | Actual Size | Thickness |  |
|--|-------------------|---------------|---|
|  | 62" x 62" | 6 mm or 12 mm | |
|  | 31" x 124" | 6 mm or 12 mm | |
|  | 31" x 62" | 6 mm or 12 mm | |
|  | 15-1/2" x 62" | 6 mm or 12 mm | |
|  | 31" x 31" | 6 mm or 12 mm | |
|  | 15-1/2" x 31" | 6 mm or 12 mm | |
|  | 20-1/2" x 20-1/2" | 6 mm or 12 mm | |

PLUS – DREAM IT, DESIGN IT, WE CAN DO IT! WITH OUR CUSTOM CUT TO SIZE PROGRAM

Request your quick quote: customquote@daltile.com

† Please allow 4-6 weeks for processing & shipping FlexFit™ standard sizes.

NOTE: Available only in 63" x 126" and 64" x 126" sizes only.

APPLICATIONS

| | Target DCOF wet | Suitable |
|--|-----------------------------------|----------|
| Dry & Level – Interior Floor | N/A | ✓ |
| Wet & Level – Interior Floor | ≥ 0.42 | ✓* |
| Shower Floors – Standard Center Drain | ≥ 0.42 | |
| Shower Floors – Linear Drain | ≥ 0.42 (Mosaic) ≥ 0.60 (Floor) | |
| Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear) | ≥ 0.60 | |
| Ramps & Inclines | ≥ 0.65 | |
| Walls/Backsplashes | N/A | ✓ |
| Countertops | N/A | ✓** |
| Pool Linings | N/A | ✓ |

A DCOF value of ≥ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-2012, Section 9.6. For more information about DCOF and the DCOF AcuTest™, visit daltile.com/DCOF.



APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in freezing and non-freezing climates, when proper installation methods are followed.

* Matte, honed, and satin finishes only.

** Applies to 12mm and 20mm (2cm) thickness only.

INSTALLATION

| Grout Joint Recommendation | Shade Variation |
|----------------------------|---|
| 1/8" |  Medium (V2): Industrial Selection Metallic Selection  High (V3): Elemental Selection |

PERFORMANCE CHARACTERISTICS

| | ASTM# | AVERAGE RESULTS* | | |
|----------------------------------|---------------|------------------|-----------|------------|
| | | 6 MM | 12 MM | 2 CM |
| Water Absorption | C373 | ≤ 0.5% | ≤ 0.5% | ≤ 0.5% |
| Breaking Strength | C1505 C648 | ≥ 175 lbs | ≥ 275 lbs | ≥ 3000 lbs |
| Scratch Hardness (MOHS) - Glossy | C1895 | 6.0 | 6.0 | 6.0 |
| (MOHS) - Matte | C1895 | 8.0 | 8.0 | 8.0 |
| Chemical Resistance | C650 | Resistant | Resistant | Resistant |

For additional information on test results, visit us at: daltile.com/information/TestResults.

* Custom testing results by color and finish are available upon request.

NOTES

Special consideration must be given when installing tiles greater than 15 inches. Please refer to ANSI A108.19 standards for Gauged Porcelain Slabs for more information.

Use of an LFT (Large Format Tile) mortar is required. Thin-set mortars are not suitable for Panoramic Porcelain Surfaces.

Since there are variations in all fired ceramic products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual panels and trim and not from product samples or color reproductions.

Water, oil, grease, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

WARNING: This product can expose you to chemicals known to the State of California to cause cancer, including crystalline Silica (airborne particles of respirable size) in dust created if the product is dry cut/ground/polished or pulverized during fabrication/installation/removal. For more information, go to www.P65Warnings.ca.gov.

For additional information refer to "Factors to Consider" at daltile.com/Factors. Refer to Safety Data Sheet for additional safety information.



Five Year Commercial Limited Warranty, visit daltile.com for complete warranty details.



Twenty Five Year Residential Limited Warranty, visit daltile.com for complete warranty details.

Dal-Tile | 7834 C.F. Hawn Freeway
Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile® products and information, visit our website at daltile.com.

