



M

IMAGINE WHAT'S POSSIBLE

## Fluidity in Design

The natural elements of Raine<sup>®</sup> are displayed throughout this beautiful assortment. Raine<sup>®</sup> offers white and grey tones in a variety of tile sizes and mosaic selections. This natural marble collection embodies exquisite designs where no two pieces are the same.



II. Off

0ii

Cover photo features Raine<sup>®</sup> Stratus White Blend, Arabesque Mosaic on the wall. Above photo features Raine<sup>®</sup> Cirrus Storm Blend, Linked Ring Mosaic on the wall.

OII


OII

Off

STO

STONE

# RAINE<sup>TM</sup>



MARBLE

STRATUS WHITE M017





2" Hex Mosaic – Honed M017



Pebble Mosaic – Tumbled M017

Pebble Blend

Mosaic – Tumbled DA33

12" x 24" – Polished & Honed 3" x 9" – Honed CIRRUS STORM M018



12" x 24" – Polished & Honed

### CUMULUS GREY M019





2" Hex Mosaic

Blend – Honed DA32

2" Hex Mosaic – Honed M019



Pebble Blend Mosaic – Tumbled DA52

## RAINE<sup>™</sup> MARBLE

## DECORATIVE ACCENTS



STRATUS WHITE BLEND DA34 Linear Random Mosaic – Polished



STRATUS WHITE BLEND DA37 Linked Ring Mosaic – Honed



STRATUS WHITE BLEND DA40 Arabesque Mosaic – Honed



CIRRUS STORM BLEND DA35 Linear Random Mosaic – Polished



CIRRUS STORM BLEND DA38 Linked Ring Mosaic – Honed



CIRRUS STORM BLEND DA41 Arabesque Mosaic – Honed



CUMULUS GREY BLEND DA36 Linear Random Mosaic – Polished



CUMULUS GREY BLEND DA39 Linked Ring Mosaic – Honed



CUMULUS GREY BLEND DA42 Arabesque Mosaic – Polished

#### NOTES

Natural stone products inherently lack uniformity and are subject to variation in aesthetics (color, shade, finish, etc.) and performance (hardness, strength, slip resistance, etc.). Natural stone products do not meet minimum coefficient of friction thresholds recommended by safety standard setting organizations. No warranties, expressed or implied, relative to merchantability or fitness for a particular purpose are made regarding the natural stone products distributed by Dal-Tile. Check local building codes prior to specification or installation to verify that product technical characteristics comply with required parameters.

The existence and dimensions of a bevel may vary from lot to lot. Be sure to request a sample of the specific lot you are planning to order if the bevel is an important feature of your job. For additional application and technical information, refer to the "Stone Usage Guide" at daltile.com/sug.

> 7834 C.F. Hawn Freeway, Dallas, Texas 75217 | 1.800.933.TILE



To view the complete collection of Daltile® products and information, visit our website at daltile.com.