



WALL

RETROSPACE™ REMIX  
GLAZED CERAMIC WALL TILE



 daltile®

# RETROSPACE™ REMIX

GLAZED CERAMIC WALL TILE

## Mid-Century Modern Essentials

Reinvent the acclaimed look of mid-century modern design with RetroSpace™ Remix. A modern interpretation of a nostalgic aesthetic, this translucent-glazed wall tile beautifully reflects light in your space. A subtle undulated surface is the foundation of this artisan wall tile available in soft green and blue hues as well as a neutral color palette. RetroSpace™ Remix is offered in three wall tile sizes to achieve your one-of-a-kind feature walls or backsplashes.

WALL

USAGE



FLOOR



WALL



COUNTERTOP



SHOWER FLOOR



EXTERIOR FLOOR



STEPWISE™



TRU-EDGE™



REVEAL SYNC3D™



MADE IN THE U.S.A.



LARGE FORMAT



MOSAIC/DECO



ENCAUSTIC



TERRAZZO



PAVER



CUSTOMIZE



LOW HIGH

SEE CHARTS FOR FULL PRODUCT DETAILS.

SPECIAL FEATURES



Cover photo features RetroSpace™ Remix Modern White 3 x 6 tile on the wall.

Above photo features RetroSpace™ Remix Succulent Green 6 x 6 hex on the backsplash with ONE Quartz™ Nature Flecks Kodiak Quartz on the countertop.

SIZES:



FINISHES: GLOSSY

## COLOR PALETTE




MODERN WHITE



MERCURY GREY



SUCCULENT GREEN



SKY BLUE



MODERN WHITE RS30



MERCURY GREY RS31



SUCCULENT GREEN RS34



SKY BLUE RS33




MODERN WHITE RS30



MERCURY GREY RS31



SUCCULENT GREEN RS34



SKY BLUE RS33



MODERN WHITE RS30



MERCURY GREY RS31



SUCCULENT GREEN RS34



SKY BLUE RS33

## 1/2 x 12 JOLLY



MODERN WHITE RS30



MERCURY GREY RS31



SUCCULENT GREEN RS34



SKY BLUE RS33



STAINPROOF



DENTPROOF



SIMPLICLEAN™

# RETROSPACE™ REMIX

GLAZED CERAMIC WALL TILE

WALL

## SIZES

			Thickness	Finish
	6 x 6 Wall Tile	5-7/8" x 5-7/8" (15.00 cm x 15.00 cm)	5/16"	
	6 x 6 Hexagon Wall Tile	5-7/8" x 5-7/8" (15.00 cm x 15.00 cm)	5/16"	
	3 x 6 Wall Tile	2-15/16" x 5-7/8" (7.50 cm x 15.00 cm)	5/16"	

 Glossy Finish

## APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors – Standard Center Drain	≥ 0.42	
Shower Floors – Linear Drain	≥ 0.42 (Mosaic)	
	≥ 0.60 (Floor)	
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	
Pool Linings	N/A	

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A1371-A326.3. For more information about DCOF and the DCOF AcuTest™, visit [daltile.com/DCOF](http://daltile.com/DCOF).

### APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in non-freezing climates, when proper installation methods are followed.

## TRIM

	Type	Number	Size	Finish
	12" Jolly	S1/212J	1/2 x 12	

 Glossy Finish

## INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8"	 Low (V1)

## PERFORMANCE CHARACTERISTICS

	ASTM#	Result
Water Absorption	C373	< 20.0%
Breaking Strength	C648	≥ 125 lbf
Scratch Hardness	C1895	≥ 4.0
Chemical Resistance	C650	Resistant

For additional information on test results, visit us at: [daltile.com/information/TestResults](http://daltile.com/information/TestResults).

## NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A1371 standards.

For additional information refer to "Factors to Consider" at: [daltile.com/Factors](http://daltile.com/Factors).

## LRV CHARACTERISTICS

	LRV
	Illuminate-OBS: F02-02 (CWF)
MODERN WHITE RS30	81.7
MERCURY GRAY RS31	57.9
SKY BLUE RS33	56.9
SUCCULENT GREEN RS34	57.4

ZEROTOX 

7834 C.F. Hawn Freeway,  
Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile® products and information, visit our website at [daltile.com](http://daltile.com).

 daltile®

©2026 Daltile (1/26)