



NATURAL STONE

SUBLIMITY™
MARBLE



 daltile®
IMAGINE WHAT'S POSSIBLE™



SUBLIMITY™

MARBLE

Transcendent Details

Enhance your design and elevate your thoughts with Natural Stone mosaics that capture the essence of the sublime. These unique marble and encaustic mosaics deliver transcendent style for the backsplash and beyond. Beautiful geometric motifs provide simple access to luxurious details that exalt your living spaces.

NATURAL STONE

USAGE



FLOOR



WALL



COUNTERTOP



SHOWER FLOOR



EXTERIOR FLOOR



STEPWISE®



TRU-EDGE™



REVEAL SYNC3D™



MADE IN THE U.S.A.



LARGE FORMAT



MOSAIC/DECO



ENCAUSTIC



TERRAZZO



PAVER



CUSTOMIZE

SPECIAL FEATURES



LOW HIGH



Cover photo feature Sublimity™ Daphne White Cubist Mosaic on the backsplash and ONE Quartz Surfaces® Mercer Grey on the countertop. Above photo features Sublimity™ Namaste Herringbone Mosaic on the wall and ONE Quartz Surfaces® Liberty Gold on the countertop

NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE STONE GUIDE FOR FULL PRODUCT DETAILS.

SIZES:



FINISHES: POLISHED | HONED

MARBLE

CIRRUS STORM M018



CUBIST MOSAIC – HONED M018



ELONGATED HEX MOSAIC – HONED M018



PARQUET MOSAIC – HONED M018



TRAPEZOID MOSAIC – HONED M018

NAMASTE M072



HERRINGBONE MOSAIC – HONED M072



RANDOM LINEAR MOSAIC – HONED M072

DAPHNE WHITE M103



HYPNOTIC MOSAIC – HONED M103



BALANCE MOSAIC – HONED M103

3 x 3 ENCAUSTIC MOSAIC*



MINDFUL SEQUENCE SB63
– HONED

* Encaustic Mosaics not suitable for floor applications

NOTES

Natural stone products inherently lack uniformity and are subject to variation in aesthetics (color, shade, finish, etc.) and performance (hardness, strength, slip resistance, etc.). Natural stone products do not meet minimum coefficient of friction thresholds recommended by safety standard setting organizations. No warranties, expressed or implied, relative to merchantability or fitness for a particular purpose are made regarding the natural stone products distributed by Dal-Tile. Check local building codes prior to specification or installation to verify that product technical characteristics comply with required parameters.

The existence and dimensions of a bevel may vary from lot to lot. Be sure to request a sample of the specific lot you are planning to order if the bevel is an important feature of your job.

For additional application and technical information, refer to the "Stone Usage Guide" at daltile.com/sug.

7834 C.F. Hawn Freeway,
Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of
Daltile® products and information,
visit our website at daltile.com.

 **daltile**®
IMAGINE WHAT'S POSSIBLE™

©2025 Daltile (08/25)