

CASTELLINA™
A COLLECTION OF MOSAICS WITH STONE & METAL ELEMENTS

MARAZZI
DARE TO BE BOLD™

NATURAL STONE



CASTELLINA™

Step into the realm of luxury and sophistication with Castellina, embodying a fusion of three distinct material types, natural stone, and metal accents. From classic mosaic patterns like the Linear Hex mosaic to more intricate designs such as the baroque white & brass mosaic, this series provides a variety of striking shapes that effortlessly elevates any setting. Castellina is sure to captivate the eye and inspire the imagination.



Cover photo features Baroque, White and Brass mosaic on the wall. Above photo features Castellina™ Harlequin, White and Brass on the island, Rice™ Bianco Deco Blossom, 6 x 6 on the wall, and Historia™ Heirloom White, 24 x 24 on the floor.

NATURAL STONE

FINISHES: POLISHED

USAGE



MATERIAL



PRICING



SPECIAL FEATURES



NATURAL STONE


NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

STONE MOSAIC



CT56 Linear Hex
White and Gray
15 x 13 Sheet

STONE & METAL MOSAIC



CT58 Harlequin
White and Brass
13 x 12 Sheet



CT59 Baroque
White and Brass
16 x 14 Sheet



WATERPROOF



SCRATCH-RESISTANT



SIMPLICLEAN™

VISIT MARAZZIUSA.COM/WHYTILE FOR A COMPLETE LIST OF QUALIFICATIONS AND EXCLUSIONS.

FINISHES: POLISHED

USAGE			MATERIAL	PRICING	SPECIAL FEATURES									
														
FLOOR	WALL	COUNTERTOP	M ^x	LOW HIGH	STEPWISE™	TRUEDGE™	REVEAL SYNC3D™	MADE IN THE U.S.A.	LARGE FORMAT	MOSAIC/DECO	ENCAUSTIC	TERRAZZO	PAVER	CUSTOMIZE

NATURAL STONE

NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

SIZES

			Thickness	Finish
	Linear Hex (Mesh-mounted)	15-1/4" x 13-1/16" Sheet (38.73 cm x 33.17 cm)	3/8"	P
	Harlequin Mosaic (Mesh-mounted)	13" x 12" Sheet (33.02 cm x 30.48 cm Sheet)	3/8"	P
	Baroque Mosaic (Mesh-mounted)	16-3/16" x 14-3/16" Sheet (41.09 cm x 36.01 cm Sheet)	3/8"	P

P Polished Finish

NOTES

Natural stone products inherently lack uniformity and are subject to variation in aesthetics (color, shade, finish, etc.) and performance (hardness, strength, slip resistance, etc.). Natural stone products do not meet minimum coefficient of friction thresholds recommended by safety standard setting organizations. No warranties, expressed or implied, relative to merchantability or fitness for a particular purpose are made regarding the natural stone products distributed by Dal-Tile. Check local building codes prior to specification or installation to verify that product technical characteristics comply with required parameters.

The existence and dimensions of a bevel may vary from lot to lot. Be sure to request a sample of the specific lot you are planning to order if the bevel is an important feature of your job.

For additional application and technical information, refer to the "Stone Usage Guide" at daltile.com/sug.

INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8"	V4 Random Variation

CT59: No grout-joint required.