





CASTELLINA™

A COLLECTION OF MOSAICS WITH STONE, METAL & PORCELAIN ELEMENTS



FINISHES: HONED | POLISHED

USAGE











SPECIAL FEATURES



















NATURAL STONE

NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

STONE MOSAIC



CT54 Trellis White and Gray 14 x 12 Sheet



CT56 Linear Hex White and Gray 15 x 13 Sheet



CT57 Linear Hex Beige and Gray 15 x 13 Sheet

STONE & METAL MOSAIC



CT58 Harlequin White and Brass 13 x 12 Sheet



CT59 Baroque White and Brass 16 x 14 Sheet



CT61 Basilica White and Steel 15 x 13 Sheet

STONE & PORCELAIN MOSAIC



CT66 Modern Arabesque White and Midnight Gray 13 x 14 Sheet



CT68 Elongated Hex White and Midnight Gray 13 x 17 Sheet







COLLECTION OF MOSAICS WITH STONE, METAL & PORCELAIN ELEMENTS



FINISHES: HONED | POLISHED































NATURAL STONE

NOT APPLICABLE FOR ALL PRODUCTS IN THIS SERIES. SEE CHARTS FOR FULL PRODUCT DETAILS.

SIZES

			Thickness	Finish
	Trellis Mosaic (Mesh-mounted)	(14-5/16" x 12-1/16" Sheet) (36.34 cm x 30.63 cm Sheet)	3/8"	P
	Linear Hex (Mesh-mounted)	(15-1/4" x 13-1/16" Sheet) (38.73 cm x 33.17 cm)	3/8"	P (CT56) H (CT57)
	Harlequin Mosaic (Mesh-mounted)	(13" x 12" Sheet) (33.02 cm x 30.48 cm Sheet)	3/8"	P
	Baroque Mosaic (Mesh-mounted)	(16-3/16" x 14-3/16" Sheet) (41.09 cm x 36.01 cm Sheet)	3/8"	P
***	Basilica Mosaic (Mesh-mounted)	(15-3/16" x 13-5/8" Sheet) (38.55 cm x 34.59 cm Sheet)	3/8"	P
	Modern Arabesque Mosaic (Mesh-mounted)	(13-7/8" x 14-3/8" Sheet) (35.22 cm x 36.49 cm)	3/8"	P
	Elongated Hex Mosaic (Mesh-mounted)	(13-3/8" x 17-3/8" Sheet) (33.95 cm x 44.11 cm Sheet)	3/8"	P (CT68) H (CT69)





INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8"	Random Variation
CT59, CT60, CT61: No grout-joint required	

NOTES

Natural stone products inherently lack uniformity and are subject to variation in aesthetics (color, shade, finish, etc.) and performance (hardness, strength, slip resistance, etc.). Natural stone products do not meet minimum coefficient of friction thresholds recommended by safety standard setting organizations. No warranties, expressed or implied, relative to merchantability or fitness for a particular purpose are made regarding the natural stone products distributed by Dal-Tile. Check local building codes prior to specification or installation to verify that product technical characteristics comply with required parameters.

The existence and dimensions of a bevel may vary from lot to lot. Be sure to request a sample of the specific lot you are planning to order if the bevel is an important feature of your job.

For additional application and technical information, refer to the "Stone Usage Guide" at daltile.com/sug.