

**GEOMETAL™**  
3D METALLIC WALL TILE & MOSAICS

**MARAZZI®**  
DARE TO BE BOLD™

WALL

METALLIC LOOK



# GEOMETAL™

A bold metallic wall tile, GeoMetal stands out with its three dimensional structures in 6x6, Hex Mosaic and Harlequin Mosaic. GeoMetal makes a statement with Champagne Gold, Gunmetal, Bronze, and Nickel metallic color tones. Pattern designs in Geometric, Floret and Ornament lend rich textures to any space. A special blend of materials gives the authentic look of metal, while giving GeoMetal the durability to be installed in wet areas.



COVER PHOTO: GUNMETAL  
ABOVE PHOTO: CHAMPAGNE GOLD

METALLIC LOOK

USAGE



MATERIAL



PRICING



SPECIAL FEATURES



METALLIC LOOK

## WALL TILE

### Floret

GM01 Champagne Gold GM03 Nickel




GM02 Bronze

GM04 Gunmetal

### Geometric

GM01 Champagne Gold GM03 Nickel



GM02 Bronze

GM04 Gunmetal

### Ornament

GM01 Champagne Gold GM03 Nickel



GM02 Bronze

GM04 Gunmetal

## 3" HEXAGON MOSAIC 11 x 12 SHEET



GM01 Champagne Gold



GM03 Nickel



GM02 Bronze



GM04 Gunmetal

## 2" x 5" HARLEQUIN MOSAIC 11 x 13 SHEET



GM01 Champagne Gold



GM03 Nickel



GM02 Bronze



GM04 Gunmetal

USAGE



MATERIAL



PRICING



SPECIAL FEATURES



METALLIC LOOK

## SIZES

			Thickness	Pieces/Carton
	6 x 6 Wall Tile	6" x 6" (15.24 cm x 15.24 cm)	5/16"	48
	3" Hexagon Mosaic*	11-5/8" x 10-7/8" Sheet (29.52 cm x 27.62 cm Sheet)	5/16"	6 Sheets
	2" x 5" Harlequin Mosaic*	13-1/4" x 11-1/4" Sheet (33.65 cm x 28.57 cm Sheet)	5/16"	6 Sheets

\*Mesh-mounted

## TRIM

Description	Number	Size	Shape
Jolly	S1/212J	1/2 x 12	
Square Liner	SQU1/212	1/2 x 12	
Diamond Liner	DIA1/212	1/2 x 12	

## APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level - Interior Floor	N/A	
Wet & Level - Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	■
Countertops	N/A	
Pool Linings	N/A	

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A1371-A326.3. For more information about DCOF and the DCOF AcuTest™, visit [marazzitile.com/DCOF](http://marazzitile.com/DCOF).

### APPLICATION NOTES:

For interior use only. Product can be installed in wet areas such as backsplashes, bathroom walls and shower enclosures, but are not recommended in areas with swimming pools or hot tubs because pool chemicals may harm the protective coating.

## INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8"	Low Variation

## NOTES

Due to the handcrafted nature of GeoMetal, variations in structure can be expected and are intended to add to the visual interest of this artisan product. Special care should be used in installation; see installation instructions for details.

For additional information refer to "Factors to Consider" at: [marazzitile.com/Factors](http://marazzitile.com/Factors).

This is a cast metal collection and is permanently protected by Q-Seal: Stain and scratch resistant, antimicrobial.

## FEATURES



MADE IN THE U.S.A.



All or select items within this series meet the requirements for these qualifications. For more information visit [marazzitile.com](http://marazzitile.com).