

# MIDDLETON SQUARE™

GLAZED CERAMIC WALL TILE

MARAZZI®

WALL



# MIDDLETON SQUARE™

With its modern take on artisanal, hand-formed masonry, Middleton Square™ lets vertical spaces speak for themselves. Available in three neutral colors, the pairing of subtle undulation and a bold 4 x 12 size makes this a versatile choice for any design. Straight-line or staggered patterns can be installed vertically or horizontally and integrate stylishly with stone, wood and metal elements. Punctuating residential or commercial settings, Middleton Square adds striking sophistication to any room.



DARE TO BE BOLD



WITH MARAZZI DESIGNS

Cover and above photos feature Urban Mist, 4 x 12 on the backsplash.

WALL

# MIDDLETON SQUARE™

GLAZED CERAMIC WALL TILE

# MARAZZI®

FINISHES: GLOSSY

### USAGE



FLOOR



WALL



COUNTERTOP



SHOWER FLOOR



EXTERIOR FLOOR

### MATERIAL



C<sup>G</sup>

### PRICING



LOW HIGH

### SPECIAL FEATURES



STEPWISE™



TRUEDGE™



REVEAL SYNC3D™



MADE IN THE U.S.A.



LARGE FORMAT



MOSAIC/DECO



ENCAUSTIC



TERRAZZO



PAVER



CUSTOMIZE

WALL

SEE CHARTS FOR FULL PRODUCT DETAILS.

## WALL TILE



**MS40** Oxford White



**MS42** Latte



**MS43** Urban Mist



STAINPROOF



DENTPROOF



FIRE-RESISTANT



SIMPLECLEAN™

VISIT [MARAZZIUSA.COM/WHYTILE](http://MARAZZIUSA.COM/WHYTILE) FOR A COMPLETE LIST OF QUALIFICATIONS AND EXCLUSIONS.

FINISHES: GLOSSY

<b>USAGE</b>	<b>MATERIAL</b>	<b>PRICING</b>	<b>SPECIAL FEATURES</b>
FLOOR WALL COUNTERTOP SHOWER FLOOR EXTERIOR FLOOR		LOW HIGH	STEPWISE™ TRUEEDGE™ REVEAL SYNC3D™ MADE IN THE U.S.A. LARGE FORMAT MOSAIC/DECO ENCAUSTIC TERRAZZO PAVER CUSTOMIZE

WALL

SEE CHARTS FOR FULL PRODUCT DETAILS.

## SIZES

	Thickness	Finish
4 x 12 Wall Tile 4-1/4" x 12-7/8" (10.90 cm x 32.76 cm)	5/16"	<b>G</b>

**G** Glossy Finish

## TRIM

Description	Number	Size	Shape	Finish
Wall Bullnose	S44C9	4 x 12		<b>G</b>

**G** Glossy Finish

## APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors – Standard Center Drain	≥ 0.42	
Shower Floors – Linear Drain	≥ 0.42 (Mosaic)	
	≥ 0.60 (Floor)	
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	
Countertops	N/A	
Pool Linings	N/A	

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest™, visit [marazziusa.com/DCOF](http://marazziusa.com/DCOF).

### APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in non-freezing climates, when proper installation methods are followed.

## INSTALLATION

Grout Joint Recommendation	Shade Variation
1/16" (Features a lugged edge that creates an automatic 1/16" grout joint & when rectangular size is installed in a staggered brick-joint pattern; overlap should not exceed 33%.)	<b>V1</b> Low Variation

## PERFORMANCE CHARACTERISTICS

	ASTM#	Result
Water Absorption	C373	< 20%
Breaking Strength	C648	≥ 125 lbf
Scratch Hardness	C1895	≥ 4.0
Chemical Resistance	C650	Resistant

For additional information on test results, visit us at: [marazziusa.com/information/TestResults](http://marazziusa.com/information/TestResults).

## MUNSELL & LRV

	Munsell	LRV
		Illuminate-OBS: F02-02 (CWF)
Oxford White MS40	7.0Y 9.2/0.2	83.9
Latte MS42	1.4Y 7.8/1.0	55.8
Urban Mist MS43	1.0GY 7.5/0.2	51.1

## NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

For additional information refer to "Factors to Consider" at: [marazziusa.com/Factors](http://marazziusa.com/Factors).

## FEATURES



PRE-CONSUMER RECYCLED MATERIALS



ZEROTOX

All or select items within this series meet the requirements for these qualifications. For more information visit [marazziusa.com](http://marazziusa.com).