


# MODEL NUMBER IDENTIFICATION

(Current Product)

FURNACES | All **R-454B** AND **R-32** PRODUCTS | BOILERS


## RESIDENTIAL PRODUCT SPECIFICATIONS (EHB)

### GAS FURNACES (R-454B COMPATIBLE)



NOTE - Not all combinations (capacity, widths, etc.) shown are available for all models. Please refer to the actual model numbers available in the Price Book.

## AIR CONDITIONERS / HEAT PUMPS (R-454B)



NOTE - Not all combinations shown are available for all models. Please refer to the actual model numbers available in the Price Book.

## AIR HANDLERS (R-454B)

### CB K 45 UH E T - 036 - 230 A - 71

**Unit Type**  
CB = Air Handler  
**Refrigerant Type/Coil Type**  
K = Quantum™ Aluminum Coil/R-454B  
**Product Tier**  
48 = Dave Lennox *Signature*® Collection  
47 = Elite® Series  
45 = Merit® Series

**Configuration**  
UH = Upflow/Horizontal  
M = Multi-Position

**Blower Motor**  
E = Power Saver™ Constant Torque Blower Motor  
P = PSC Blower Motor  
V = Variable Speed Blower Motor

**<sup>1</sup> Refrigerant Metering Device - Factory Installed**  
T = Factory installed Check/Expansion Valve  
for R-410A or R-454B refrigerant (non-bleed port)  
<sup>1</sup> See Revision Level for TXV usage.

**Revision Level**  
01 = R-410A TXV installed (R-454B Available)  
71 = R-454B TXV installed


**Major Revision Number**

**Voltage**  
230 = 208/230V-1 phase-60Hz  
<sup>2</sup> 460 = 460V-3 phase-60Hz  
<sup>2</sup> Can be used with 575V (step-down transformer required)

**Nominal Cooling Capacity**  
018 = 1.5 tons  
018/024 = 1.5/2 tons  
024 = 2 tons  
030 = 2.5 tons  
036 = 3 tons  
042 = 3.5 tons  
048 = 4 tons  
060 = 5 tons


NOTE - Not all combinations shown are available for all models. Please refer to the actual model numbers available in the Price Book.

**INDOOR COILS (R-454B)**




## MINI-SPLIT SYSTEMS - OUTDOOR UNITS (R-32)

### MWLD / MWHD / MWPD (WALL-ONLY)



NOTE - Not all combinations shown are available for all models. Please refer to the actual model numbers available in the Price Book.


### MMLD / MMPD (MIXED)



NOTE - Not all combinations shown are available for all models. Please refer to the actual model numbers available in the Price Book.


## MINI-SPLIT SYSTEMS - INDOOR UNITS (R-32)

### DUCTLESS SINGLE



NOTE - Not all combinations shown are available for all models. Please refer to the actual model numbers available in the Price Book.


### DUCTED CONCEALED (R-32)



NOTE - Not all combinations shown are available for all models. Please refer to the actual model numbers available in the Price Book.

## MINI-SPLIT SYSTEMS - INDOOR UNITS (R-32)

### DUCTED AIR HANDLER




NOTE - Not all combinations shown are available for all models. Please refer to the actual model numbers available in the Price Book.

## BOILERS


### GWM - 075 I E




### GCWB 95 W - 150 - 01



### GWB 84 - 075 I E - 01





### OWB 86 - 3 - 01



NOTE - Not all combinations shown are available for all models. Please refer to the actual model numbers available in the Price Book.




**BOILERS**



NOTE - Not all combinations shown are available for all models. Please refer to the actual model numbers available in the Price Book.

**SERIAL NUMBER**



Visit us at [www.Lennox.com](http://www.Lennox.com)  
For the latest technical information, [www.LennoxPros.com](http://www.LennoxPros.com)  
Contact us at 1-800-4-LENNOX