



ML296V - 96%

Order No.	Model No.	Tons	SEER (up to)	H x W x D
UPFLOW / HORIZONTAL - Two-Stage Heat - Variable Speed Blower - SureLight [®] Hot Surface Ignitor				
17H10	ML296UH045XV36B	29k/44k	96.0%	33 x 17.5 x 29.25
17H11	ML296UH070XV36B	43k/66k	96.0%	33 x 17.5 x 29.25
17H12	ML296UH090XV48C	57k/88k	96.0%	33 x 21 x 29.25
17H13	ML296UH110XV60C	72k/110k	96.0%	33 x 21 x 29.25
DOWNFLOW - Two-Stage Heat - Variable Speed Blower - SureLight [®] Hot Surface Ignitor				
17H14	ML296DF045XV36B	29k/44k	96.0%	33 x 17.5 x 29.25
17H15	ML296DF070XV48B	43k/66k	96.0%	33 x 17.5 x 29.25
17H16	ML296DF090XV60C	57k/88k	96.0%	33 x 21 x 29.25

ML196E - 96%

Order No.	Model No.	Tons	SEER (up to)	H x W x D
UPFLOW / HORIZONTAL - Single-Stage Heat - Constant Torque Blower - SureLight [®] Hot Surface Ignitor - Twinning				
19V16	ML196UH030XE36B	30k	96.0%	33 x 17.5 x 29.25
19A32	ML196UH045XE36B	44k	96.0%	33 x 17.5 x 29.25
19A33	ML196UH070XE36B	66k	96.0%	33 x 17.5 x 29.25
19V19	ML196UH070XE48B	66k	96.0%	33 x 17.5 x 29.25
19V20	ML196UH090XE36C	88k	96.0%	33 x 21 x 29.25
19A34	ML196UH090XE48C	88k	96.0%	33 x 21 x 29.25
19V21	ML196UH090XE60C	88k	96.0%	33 x 21 x 29.25
19A35	ML196UH110XE60C	110k	96.0%	33 x 21 x 29.25
19V23	ML196UH135XE60D	135k	96.0%	33 x 24.5 x 29.25
DOWNFLOW - Single-Stage Heat - Constant Torque Blower - SureLight [®] Hot Surface Ignitor - Twinning				
19A36	ML196DF045XE36B	44k	96.0%	33 x 17.5 x 29.25
19A37	ML196DF070XE48B	66k	96.0%	33 x 17.5 x 29.25
19A38	ML196DF090XE48C	88k	96.0%	33 x 21 x 29.25
19V25	ML196DF110XE60C	106k	96.0%	33 x 21 x 29.25


ML193E - 93%

Order No.	Model No.	Input Btuh	AFUE	H x W x D
UPFLOW / HORIZONTAL - Single-Stage Heat - Constant Torque Blower - SureLight® Hot Surface Ignitor - Twinning				
17A50	ML193UH030XE36B	30k	93.0%	33 x 17.5 x 29.25
17A52	ML193UH045XE36B	44k	93.0%	33 x 17.5 x 29.25
17A54	ML193UH070XE36B	66k	93.0%	33 x 17.5 x 29.25
17A55	ML193UH090XE36C	88k	93.0%	33 x 21 x 29.25
17A56	ML193UH090XE48C	88k	93.0%	33 x 21 x 29.25
17A57	ML193UH110XE48C	110k	93.0%	33 x 21 x 29.25
17A59	ML193UH110XE60C	110k	93.0%	33 x 21 x 29.25
DOWNFLOW - Single-Stage Heat - Constant Torque Blower - SureLight® Hot Surface Ignitor - Twinning				
17A60	ML193DF045XE36B	44k	93.0%	33 x 17.5 x 29.25
17A61	ML193DF070XE36B	66k	93.0%	33 x 17.5 x 29.25
17A63	ML193DF090XE48C	88k	93.0%	33 x 21 x 29.25

ML180V - 80%

Order No.	Model No.	Input Btuh	AFUE	H x W x D
UPFLOW / HORIZONTAL - Single-Stage Heat - Variable Speed Blower - SureLight® Hot Surface Ignitor				
17Y66	ML180UH030V36A	30k	80.0%	33 x 14.5 x 29.25
17Y68	ML180UH045V36A	44k	80.0%	33 x 14.5 x 29.25
17Y69	ML180UH070V36A	66k	80.0%	33 x 14.5 x 29.25
17Y70	ML180UH070V48B	88k	80.0%	33 x 17.5 x 29.25
17Y71	ML180UH070V36B	88k	80.0%	33 x 17.5 x 29.25
17Y75	ML180UH090V48B	110k	80.0%	33 x 17.5 x 29.25
17Y76	ML180UH110V60C	110k	80.0%	33 x 21 x 29.25



ML180E - 80%

Order No.	Model No.	Input Btuh	AFUE	H x W x D
UPFLOW / HORIZONTAL - Single-Stage Heat - Constant Torque Blower - SureLight® Hot Surface Ignitor - Twinning				
81W21	ML180UH045E36A	44k	80.0%	33 x 14.5 x 29.25
18U90	ML180UH070E36A	66k	80.0%	33 x 14.5 x 29.25
81W23	ML180UH070E36B	66k	80.0%	33 x 17.5 x 29.25
79W72	ML180UH090E48B	88k	80.0%	33 x 17.5 x 29.25
79W74	ML180UH090E60C	88k	80.0%	33 x 21 x 29.25
81W24	ML180UH110E60C	110k	80.0%	33 x 21 x 29.25
81W26	ML180UH135E60D	132k	80.0%	33 x 24.5 x 29.25
DOWNFLOW - Single-Stage Heat - Constant Torque Blower - SureLight® Hot Surface Ignitor - Twinning				
81W27	ML180DF045E36A	44k	80.0%	33 x 14.5 x 29.25
18U91	ML180DF070E36A	66k	80.0%	33 x 14.5 x 29.25
79W75	ML180DF070E36B	66k	80.0%	33 x 17.5 x 29.25
79W76	ML180DF090E48B	88k	80.0%	33 x 17.5 x 29.25
81W28	ML180DF110E60C	110k	80.0%	33 x 21 x 29.25

ML180E - 80% - LOW NOX (40 ng/J)

Order No.	Model No.	Input Btuh	AFUE	H x W x D
UPFLOW / HORIZONTAL - Single-Stage Heat - Constant Torque Blower - SureLight® Hot Surface Ignitor - Twinning				
81W22	ML180UH045XE36A	44k	80.0%	33 x 14.5 x 29.25
18U89	ML180UH070XE36A	66k	80.0%	33 x 14.5 x 29.25
79W71	ML180UH070XE36B	66k	80.0%	33 x 17.5 x 29.25
79W73	ML180UH090XE48B	88k	80.0%	33 x 17.5 x 29.25
81W25	ML180UH110XE60C	110k	80.0%	33 x 21 x 29.25