



Certificate of Compliance to IEC 61508

FM Approvals
Certifies herewith that the

Infrared Point Combustible Gas Detector
Model IR400
(Safety Manual [MANIRSAFETY])

Complies with the relevant requirements of standards listed below:


Standards	Description	Compliance
IEC 61508-1 2010	Functional Safety of Electronic/Electrical/Programmable Electronic Safety-Related Systems- General Requirements	Part 1
IEC 61508-2 2010	Functional Safety of Electronic/Electrical/Programmable Electronic Safety-Related Systems	Part 2
IEC 61508-3-2010	Functional Safety of Electronic/Electrical/Programmable Electronic Safety-Related Systems- Software Requirements	Part 3

And therefore

**IS DECLARED "FIT FOR USE" IN A SIL 3, 2 or 1
1oo1 Low Demand SAFETY APPLICATION**

Models	SIL	HFT	SFF	PFD	λ_s	λ_{DD}	λ_{DU}
IR400	3, 2, 1	0	>99%	3.75×10^{-5}	2.1×10^{-6}	2.25×10^{-6}	2.64×10^{-8}

*This certificate is subject to conditions of use presented in FM Approval Report
Project ID 3034949, 3055292*


J.E. Marquedant
Manager of Electrical Systems
FM Approvals
1151 Boston-Providence Turnpike,
Norwood MA, 02062 USA

18 May 2015

Date



Member of the FM Global Group