

3M Science.
Applied to Life.™



Cements: adhesive resin

3M™ RelyX™ Ultimate Adhesive Resin Cement

Ultimate strength. For everything.



Ideal for: CAD/CAM and glass ceramic restorations

Compare the simplicity of the 3M adhesive cementation system to other leading dental cements:

Only two components

Industry-leading bond strength with fewer working steps

When you need extra-strength bonding without the hassle of complex adhesive systems, choose 3M™ RelyX™ Ultimate Adhesive Resin Cement in combination with 3M™ Scotchbond™ Universal Adhesive. You'll get versatile, reliable adhesive cementation that's fast and easy to use – all with just two components.

- ▶ Universal indications – ideal for CAD/CAM and glass ceramic restorations, including Marylands and veneers (see overleaf for full list of indications)
- ▶ Proven, industry-leading bond strength¹
- ▶ Dual cure cement²
- ▶ Fast and easy procedure with only two components³
- ▶ Versatile – total-etch, selective etch or self-etch procedures⁴

RelyX Ultimate adhesive resin cement + Scotchbond Universal adhesive = 2

Multilink® Automix + Adhesive Primer A, Adhesive Primer B, Restoration Primer = 4

Panavia™ F 2.0 + Adhesive Primer A, Adhesive Primer B, Alloy Primer, Ceramic Primer = 6

Variolink® II with Syntac + Adhesive Primer, Adhesive, Bond, Restoration Primer = 6

NX3 with OptiBond® Solo Plus™/All-In-One + Total-etch Adhesive or Self-etch Adhesive, Silane = 3

When to use

3M™ RelyX™ Ultimate Adhesive Resin Cement in combination with 3M™ Scotchbond™ Universal Adhesive is indicated for final cementation of:

- ▶ CAD/CAM and glass ceramic restorations
- ▶ Resin-nano ceramics
- ▶ All-ceramic, composite or metal inlays, onlays, crowns and bridges
- ▶ 2–3-unit Maryland bridges and 3-unit inlay/onlay bridges*
- ▶ All-ceramic or composite veneers
- ▶ All-ceramic, composite, or metal restorations to implant abutments
- ▶ Posts and screws

* Excluded for patients with bruxism or periodontitis




Introductory kit



Trial kit

Bond strength to dentine



Test: Shear Bond Strength testing. RelyX Ultimate adhesive resin cement was used with Scotchbond Universal adhesive (no separate light cure), the other materials with their respective adhesive systems on bovine enamel according to manufacturers' instructions. All cements were light cured. Artificial aging: 5,000 thermocycles (5-55°C). Source: Shear-Bond Strength of Adhesive Resin Cements to Enamel and Dentin Wiedig et al. IADR CED 2011, #430

Ordering information

Item No.	Product	Contents
56891	3M™ RelyX™ Ultimate Introductory Kit (incl. 4 color shades)	1 × 5ml bottle Scotchbond Universal adhesive, 1 × 3ml etchant syringe, 25 × dispensing tips for etchant Syringe, 50 × mixing wells, 50 × microbrushes, 4 × 8.5g syringes of cement – 1 in each shade: A3O, B0.5, A1 and Translucent, 30 × mixing tips – regular, 5 × mixing tips – wide, 10 × intra-oral tips, 1 × Technique guide, 1 × Instructions for use
56892	3M™ RelyX™ Ultimate Trial Kit (Translucent)	1 × 1.5ml bottle Scotchbond Universal adhesive, 1 × 3ml etchant syringe, 25 × dispensing tips for etchant Syringe, 50 × microbrushes, 1 × 8.5g syringe cement – Translucent, 10 × mixing tips – regular, 5 × mixing tips – wide, 5 × intra-oral tips, 1 × Technique guide, 1 × Instructions for use
56894	3M™ RelyX™ Ultimate Trial Kit (A1)	1 × 1.5ml bottle Scotchbond Universal adhesive, 1 × 3ml etchant syringe, 25 × dispensing tips for etchant syringe, 50 × microbrushes, 1 × 8.5g syringe cement – shade A1, 10 × mixing tips – regular, 5 × mixing tips – wide, 5 × intra-oral tips, 1 × Technique guide, 1 × Instructions for use

3M™ RelyX™ Ultimate Adhesive Resin Cement Refills

Item No.	Shade	Contents
56887	A1	All refills include: 1 × 8.5g syringe cement 10 × mixing tips – regular 5 × mixing tips – wide 5 × intra-oral tips
56888	A3O Opaque	
56889	B0.5 Bleach	
56890	Translucent	

3M™ Scotchbond™ Universal Adhesive

Item No.	Product	Size
41258	Scotchbond Universal adhesive refill	1 × 5ml vial
41263	Scotchbond Universal etchant – etching gel	2 × 3ml syringes

References

1. 3M Oral Care Internal Data. Higher bond strength. Claim No 4920, 2011
2. 3M Oral Care Internal Data. Dual cure cement. Claim No 5099, 2011
3. 3M Oral Care Internal Data. Two components. Claim No 4938, 2011
4. 3M Oral Care Internal Data. Total-etch, self-etch and selective-etch techniques. Claim No 4926, 2011

3M Oral Care
3M United Kingdom PLC
Charnwood Campus
10 Bakewell Road
Loughborough
Leicestershire LE11 5RB
0845 602 5094

3M Ireland Ltd
The Iveagh Building
The Park, Carrickmines
Dublin
D18 X015
Ireland
+353 (0)1280 3555

www.3M.co.uk

Multilink, and Variolink are trademarks of Ivoclar Vivadent Ltd, Optibond is a trademark of Kerr Corporation, Panavia is a trademark of Kuraray Dental, Nexus is a registered trademark of Kerr Corporation. 3M, RelyX and Scotchbond are trademarks of the 3M Company.
© 3M 2018. 70-2013-0505-2 HB11246 REV 9/2016. J352832. GD024.

