

Dressing Evaluation

3M™ Medipore™ +Pad Soft Cloth Adhesive Wound Dressing
3M™ Tegaderm™ +Pad Film Dressing with Non-Adherent Pad

Name of Evaluator	Title	Phone Number	Date
Health Care Facility		Department	
Sales Representative		Phone Number	

What type of wounds do you most often dress?

☐ Acute ☐ Chronic ☐ Trauma ☐ Other _____

What type of composite (island) dressings do you presently use?

☐ Gauze/tape ☐ Other

List the brands: 1. _____ 2. _____

How often does your protocol direct you to change a dressing? ☐ Q24 hours ☐ Q48 hours ☐ >48 hours

If the dressing must be changed more often than the protocol directs, what is the reason for change?

(check any that apply)

☐ Strike-through ☐ Absorbent pad saturated ☐ Adhesive loosened ☐ Other

Please rate the ☐ Medipore +Pad Soft Cloth Dressing or ☐ Tegaderm™ +Pad Film Dressing (check which one evaluated)
as it compares to the dressing you most often use for wounds:

Characteristic	Much Better	Better	Same as	Worse	Much Worse	Not Applicable
Ease of application						
Adhesion (wear time)						
Dressing security (barrier)						
Fluid absorption						
Site protection						
Non-adherency to wound site						
Patient comfort during wear						
Ease of removal						
Appropriate sizes available						

What size dressing(s) did you evaluate? _____

How important is the waterproof backing of the Tegaderm™ +Pad Film Dressing?

☐ Very ☐ Somewhat ☐ Nice to have, but not necessary ☐ Not at all

Additional comments _____



3M Health Care
3M Center Building 275-4W-02
2510 Conway Avenue
St. Paul, MN 55144
USA
1-800-228-3957
www.3M.com/healthcare

3M Canada
P.O. Box 5757
London, Ontario N6A 4T1
Canada
1-800-563-2921
www.3mca/skinwound

H.I. 4509
3M, Medipore and Tegaderm
are trademarks of 3M.
© 3M 1998, 2013. All rights reserved.
Please recycle. Printed in USA.
70-2009-1873-1 (POD) 10/13