

# SAFETY DATA SHEET


Purple Power Cleaner/Degreaser

## Section 1: Product and Company Identification:

**Product Name:** Purple Power Concentrated Industrial Strength Cleaner/Degreaser  
**Product Use:** Cleaner  
**Part#'s:** 4315PS, 4332PS, 4380DG, 4320P, 4322P, 4325P, 4330, 4340, PP275  
**Manufacture/Supplier:** Aiken Chemical Company, Inc.  
P.O. Box 27147, Greenville, SC 29616  
12 Shelter Drive, Greer, SC 29650  
**Phone Number:** (864) 968-1250  
1-800-828-1860  
**Emergency Phone:** 1-800-424-9300  
**Date of Preparation:** March 30, 2015

## Section 2: Hazards Identification:

Hazard Determination System (HDS): Health, Flammability, Reactivity



**Emergency Overview:**  
**Warning:** Corrosive Material – May Cause Burns, Irritating to Eyes and Skin.  
**Potential Health Effects:** See Section 11 for more information.  
**Likely Routes of Exposure:** Eye contact, skin contact, ingestion, and inhalation.  
**Eye:** May cause burns and Irritating to eyes.  
**Skin:** May cause burns and Irritating to skin.  
**Ingestion:** May cause burns and may be harmful if swallowed. May cause stomach distress, nausea, or vomiting  
**Inhalation:** May cause respiratory tract irritation. May cause burns  
**Chronic Effects:** Prolonged or repeated contact may dry skin and cause irritation.  
**Signs and symptoms:** Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Symptoms may include redness, edema, drying, de-fatting and cracking of the skin.  
**Medical Conditions Aggravated By Exposure:** Because of its irritating properties, product may aggravate preexisting skin, eye, and respiratory conditions.  
**Target Organs:** Skin, eyes, gastrointestinal tract, respiratory system  
**Potential Environmental Effects:** See Section 12 from more information.

## Section 3: Composition / Information on Ingredients:

| Ingredient                        | CAS#     | Percent |
|-----------------------------------|----------|---------|
| Diethylene glycol monobutyl ether | 112-34-5 | 1-5     |

## Section 4: First Aid Measures:

**Eye Contact:** Remove contact lenses if present. Immediately flush eyes with large amounts of water for at least 15 minutes, lifting upper and lower eyelids periodically to insure complete flushing. Seek medical attention immediately.  
**Skin Contact:** Remove contaminated clothing immediately. Thoroughly wash exposed area with soap and water for at least 15 minutes. Seek medical attention immediately.  
**Inhalation:** Remove individual to fresh air. If breathing has stopped, give artificial respiration. Seek medical attention immediately.  
**Ingestion:** DO NOT induce vomiting. If conscious, dilute by giving 2-3 glasses of water. Seek medical attention immediately  
**General Advice:** In case of accident or if you feel unwell, seek medical advice immediately. Show the label or SDS where possible.  
**Note to Physicians:** Symptoms may not appear immediately.

# SAFETY DATA SHEET

Purple Power Cleaner/Degreaser

---

## **Section 5: Fire Fighting Measures:**

|  |   |
|--|---|
| <b>Flammability:</b>                     | Not Flammable by WHMIS/OSHA Criteria.   |
| <b>Means of Extinguishing:</b>           |   |
| <b>Suitable extinguishing media:</b>     | Use water fog, alcohol foam, carbon dioxide or dry chemical.  |
| <b>Unsuitable Extinguishing Media:</b>   | Not Available.  |
| <b>Products of Combustion:</b>           | Not Available.  |
| <b>Explosion Data:</b>                   |   |
| <b>Sensitivity to Mechanical Impact:</b> | Not Available.  |
| <b>Sensitivity to Static Discharge:</b>  | Not Available.  |
| <b>Protection of Firefighters:</b>       | Keep Upwind of fire. Wear full fire fighting turn-out gear, (full Bunker gear), and respiratory protection (SCBA) |

## **Section 6: Accidental Release Measures:**

|                                   |  |
|-----------------------------------|--|
| <b>Personal Precautions:</b>      | Use personal protection recommended in section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.                                   |
| <b>Environmental Precautions:</b> | Not Available.   |
| <b>Methods for Containment:</b>   | Contain and/or absorb spill with inert material, (e.g. sand, vermiculite), then place in a suitable container. Use appropriate Personal Protective Equipment, (PPE). |
| <b>Methods for Clean-up:</b>      | Scoop up material and place in a disposal container. Provide ventilation.  |
| <b>Other Information:</b>         | Not Available.   |

## **Section 7: Handling and Storage:**

|                  |  |
|------------------|--|
| <b>Handling:</b> | Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle and open container with care. Launder contaminated clothing before reuse. When using, do not eat or drink. Wash hands before eating, drinking, or smoking. |
| <b>Storage:</b>  | Do not store in aluminum, copper, or galvanized containers. Separate from acids, reactive metals, and ammonium salts.  |

## **Section 8: Exposure Controls/Personal Protections:**

|   |  |
|---|--|
| <b>Exposure Guidelines:</b>               |  |
| <b>Ingredient</b>                         | <b>Exposure Limits</b>   |
|   | <b>OSHA-PEL      ACGIH-TLV</b>   |
| <b>Diethylene glycol monobutyl ether:</b> | Not Available      10 ppm  |
| <b>Engineering Controls:</b>              | Use Ventilation adequate to keep exposures, (airborne levels of dust, fume, vapor, etc.), below recommended exposure limits. |
| <b>Personal Protective Equipment:</b>     |  |
| <b>Eye/Face Protection:</b>               | Wear eye/face protection.  |
| <b>Hand Protection:</b>                   | Wear suitable gloves, (Neoprene, Nitrile Rubber, and Polyethylene).  |
| <b>Skin and Body Protection:</b>          | Wear body-covering, impervious clothing, chemical resistant gloves and boots.  |
| <b>General Hygiene Considerations:</b>    | Handle according to established industrial hygiene and safety practices.   |

## **Section 9: Physical and Chemical Properties:**

|  |   |
|--|---|
| <b>Appearance and Odor:</b>                  | Purple liquid with Characteristic odor. |
| <b>Physical State:</b>                       | Liquid.                                 |
| <b>pH:</b>                                   | 12.98                                   |
| <b>Freezing Point:</b>                       | ~2°C (~28.4°F)                          |
| <b>Boiling Point:</b>                        | ~100°C (~212°F)                         |
| <b>Flash Point (Method Used):</b>            | >200°F (PMCC)                           |
| <b>Evaporation Rate (Butyl Acetate= 1) :</b> | <1.0                                    |
| <b>LEL:</b>                                  | Not Determined                          |

# SAFETY DATA SHEET

## Purple Power Cleaner/Degreaser

---

|                            |                |
|----------------------------|----------------|
| UEL:                       | Not Determined |
| Vapor Pressure (mm Hg.):   | Not Determined |
| Vapor Density (AIR=1):     | Not Determined |
| Specific Gravity:          | 1.0197         |
| Solubility in Water:       | Complete       |
| Melting Point:             | NA             |
| Auto-Ignition Temperature: | Not Determined |
| Percent Volatile, wt%:     | Not Determined |
| VOC content, wt. %:        | < 0.2          |

### **Section 10: Stability and Reactivity:**

|  |   |
|--|---|
| Stability:                             | Stable under normal storage conditions.   |
| Conditions to Avoid:                   | Mixing or blending with oxidizing or low pH solutions   |
| Incompatibility (Materials to Avoid):  | Avoid contact with reactive metals, strong mineral acids and organic acids.   |
| Hazardous Decomposition or Byproducts: | Carbon dioxide, carbon monoxide, various hydrocarbons and can include aldehydes, ketones, organic acids and other organics. |
| Hazardous Polymerization:              | Will Not Occur.   |

### **Section 11: Toxicology Information:**

#### Effects of Acute Exposure

##### Component Analysis:

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### **(Poly (oxy-1, 2-ethanediyl), a-(2-propylheptyl)-w-hydroxy-):**

##### Acute Toxicity/Effects:

|                               |  |
|-------------------------------|--|
| Assessment of acute toxicity: | Slightly toxic after single ingestion.   |
| Oral:                         | LD <sub>50</sub> judged > 500 mg/kg based on deaths at 200mg/kg (0/6) and 2000mg/kg (2/3) plus oral LD <sub>50</sub> data on surrogate chemicals.    |
| Irritation/corrosion:         | Causes serious eye damage and causes skin irritation as well as, may cause irritations to the respiratory tract.                                     |
| Skin:                         | Species: rabbit, Result: Irritation. Method: OECD Guideline 404  |
| Eye:                          | Species: Rabbit, Results: Risk of serious damage to eyes. Method: OECD Guideline 405   |
| Sensitization:                | Guinea pig maximization test: Species: guinea pig. Result: Skin sensitizing effects were not observed in animal studies. Method: OECD Guideline 406. |
| Aspiration Hazard:            | No aspiration hazard expected.   |

##### Chronic Toxicity/Effects

##### Symptoms of Exposure:

The most important known symptoms and effects are described in the labeling, (see section 2), and/or in section 11. Further important symptoms and effects are so far not known.

#### **Diethylene glycol monobutyl ether:**

##### Effects, Acute Exposure:

|                  |   |
|------------------|---|
| Skin Contact:    | May be slightly irritating  |
| Skin Absorption: | Yes; Toxic effects unlikely by this route unless contact is extensive in area & prolonged                           |
| Eye Contact:     | Likely to be severely irritating (by animal testing)  |
| Inhalation:      | Headache, dizziness, intoxication possible, low vapor pressure makes this unlikely.                                 |
| Ingestion:       | Headache, dizziness, intoxication; in severe cases, cyanosis (blue coloring), low blood pressure, & unconsciousness |

# SAFETY DATA SHEET

## Purple Power Cleaner/Degreaser

---

### Effects, Chronic Exposure:

|                              |   |
|------------------------------|---|
| <b>General:</b>              | Little to no effect reported  |
| <b>Sensitizing:</b>          | Not a sensitizer in humans or animals   |
| <b>Carcinogen/Tumorigen:</b> | Not considered a Tumorigen or a carcinogen in humans or animals.  |
| <b>Reproductive Effect:</b>  | No known effect in humans or animals  |
| <b>Mutagen:</b>              | No known effect on humans or animals  |
| <b>Synergistic With:</b>     | Not Known   |
| <b>LD50 (oral):</b>          | 4500 to 9625mg/kg (rat), 2400 to 525mg/kg (mouse), 1720 to 2310mg/kg (guinea pig), and 2200mg/kg (rabbit)                               |
| <b>LD50 (skin):</b>          | 2700mg/kg (rabbit)  |
| <b>LC50 (inhalation):</b>    | None – exposure of rats to DB vapor (saturated at 100 °C & cooled to room temp.) for 7hrs caused no mortality or other adverse symptoms |

### Section 12: Toxicology Information:

|                                      |                |
|--------------------------------------|----------------|
| <b>Ecotoxicity:</b>                  | Not Available. |
| <b>Persistence/Degradability:</b>    | Not Available. |
| <b>Bioaccumulation/Accumulation:</b> | Not Available  |
| <b>Mobility in Environment:</b>      | Not Available. |

### Section 13: Disposal Considerations:

|                               |   |
|-------------------------------|---|
| <b>Disposal Instructions:</b> | This material must be disposed of in accordance with all local, state, provincial, and federal regulations. |
|-------------------------------|---|

### Section 14: Transportation Information:

|                              |                      |
|------------------------------|----------------------|
| <b>Proper Shipping Name:</b> | Not D.O.T. Regulated |
| <b>Hazard Class:</b>         | N/A                  |
| <b>ID Number:</b>            | N/A                  |
| <b>Packing Group</b>         | N/A                  |
| <b>IATA:</b>                 | N/A                  |

### Section 15: Regulatory Information:

#### Chemical Inventories:

|                          |  |
|--------------------------|--|
| <b>TSCA:</b>             | All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt from listing. |
| <b>SARA Section 311:</b> | Acute  |
| <b>SARA Section 313:</b> | Toxic Release Inventory Chemical: Glycol Ethers,   |

#### **California Safe Drinking Water Enforcement Act (Prop 65):**

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

#### **Pennsylvania (Worker and Community Right-to-Know act):**

##### **Pennsylvania Special Hazardous Substance List and/or Pennsylvania Environmental Hazardous Substance list:**

To the best of our knowledge, this product does not contain chemicals that require reporting under this statute.

#### **New Jersey Right-to-Know Hazardous Substance List:**

To the best of our knowledge, this product does not contain chemicals that require reporting under this statute.

# SAFETY DATA SHEET

## Purple Power Cleaner/Degreaser

---

### Massachusetts Substance List:

To the best of our knowledge, this product does not contain chemicals that require reporting under this stature.

### Section 16: Other Information:

|             |                      |                     |                        |  |
|-------------|----------------------|---------------------|------------------------|--|
| <b>NFPA</b> | <b>Health Hazard</b> | <b>Flammability</b> | <b>Instability</b>     | <b>Physical &amp; Chemical Hazards</b> |
|             | 1                    | 0                   | 0                      | COR                                    |
| <b>HMIS</b> | <b>Health Hazard</b> | <b>Flammability</b> | <b>Physical Hazard</b> | <b>Personal Protection</b>             |
|             | 1                    | 0                   | 0                      | C                                      |

Prepared By: Aiken Chemical Company, Inc.  
12 Shelter Drive  
Greer, SC 29650

Preparation/Revision Date: March 30, 2015

Revision Date:

Revision Note

**General Disclaimer:** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.